

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201704 ~ 201803  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 退院年月・昇順

## ■ 医療費

(単位:円)	平均	退院年月								
		2017/04	2017/05	2017/06	2017/07	2017/08	2017/09	2017/10	2017/11	
<b>胃の悪性新生物</b> (人)	491	36	31	38	47	46	43	49	37	
ステージ0	¥2,816,780	N/A	N/A	N/A	N/A	N/A	N/A	N/A	¥2,816,780	
ステージI	¥1,035,463	¥1,366,397	¥604,976	¥882,489	¥868,679	¥1,083,506	¥740,536	¥1,163,525	¥1,037,409	
ステージII	¥1,281,804	¥840,761	¥713,645	¥1,539,011	¥1,191,277	¥1,843,184	¥1,929,759	¥1,307,558	¥1,006,499	
ステージIII	¥1,543,153	¥3,316,839	¥1,467,463	¥1,371,563	¥1,871,011	¥1,022,075	¥1,372,570	¥1,354,001	¥866,134	
ステージIV	¥829,032	¥611,008	¥668,782	¥580,502	¥963,836	¥719,020	¥804,399	¥670,288	¥1,234,833	
不明	¥691,747	¥169,260	¥949,576	¥886,925	¥302,472	¥847,172	¥527,213	¥398,773	¥1,785,464	
計	¥1,034,923	¥1,039,150	¥792,439	¥908,181	¥999,510	¥1,040,634	¥936,825	¥954,747	¥1,157,307	
<b>結腸の悪性新生物</b> (人)	755	67	71	73	75	61	65	60	68	
ステージ0	¥423,020	¥387,450	¥451,876	N/A	¥263,530	N/A	¥309,938	¥422,124	N/A	
ステージI	¥1,116,184	¥1,044,917	¥1,011,932	¥1,612,620	¥1,068,428	¥1,120,918	¥1,126,143	¥857,920	¥1,413,762	
ステージII	¥1,212,579	¥1,440,514	¥1,183,559	¥950,097	¥1,340,614	¥900,846	¥1,520,460	¥1,353,475	¥1,227,974	
ステージIII	¥923,794	¥729,535	¥809,226	¥741,868	¥1,001,706	¥878,505	¥792,379	¥986,639	¥949,178	
ステージIV	¥966,598	¥957,381	¥536,478	¥1,278,722	¥1,122,913	¥673,394	¥986,052	¥1,139,831	¥1,256,382	
不明	¥642,462	¥185,105	¥444,015	¥412,918	¥803,775	¥646,538	¥988,349	¥499,824	¥525,142	
計	¥973,951	¥937,264	¥800,957	¥952,035	¥1,105,090	¥814,111	¥983,421	¥1,055,636	¥1,095,749	
<b>直腸の悪性新生物</b> (人)	424	36	36	35	28	32	41	34	33	
ステージ0	¥986,203	¥1,773,035	¥451,928	¥503,606	N/A	¥1,452,926	N/A	¥680,053	N/A	
ステージI	¥1,390,656	¥311,628	¥1,913,014	¥2,219,935	¥1,892,434	¥1,432,115	¥901,721	¥1,005,225	¥1,014,848	
ステージII	¥1,347,172	¥899,660	¥1,756,684	¥807,574	¥248,334	¥1,279,521	¥1,724,139	¥1,177,224	¥952,878	
ステージIII	¥1,216,361	¥1,027,722	¥832,183	¥719,009	¥1,187,341	¥261,495	¥2,152,971	¥1,020,891	¥1,790,974	
ステージIV	¥694,949	¥787,158	¥660,764	¥568,369	¥677,306	¥953,097	¥870,112	¥472,740	¥790,700	
不明	¥705,879	¥354,200	¥542,554	¥396,480	N/A	¥109,910	¥943,140	¥386,044	¥1,243,042	
計	¥1,025,734	¥892,926	¥987,228	¥1,009,409	¥1,013,659	¥942,795	¥1,314,213	¥823,646	¥997,894	
<b>気管支および肺の悪性新生物</b> (人)	515	33	29	46	46	41	54	31	34	
ステージ0	¥939,196	N/A	¥941,805	¥1,351,340	N/A	¥397,340	N/A	¥1,001,444	N/A	
ステージI	¥868,118	¥1,079,337	¥1,046,458	¥672,728	¥988,041	¥656,637	¥770,694	¥204,309	¥699,820	
ステージII	¥938,607	¥802,989	¥1,264,173	¥353,196	¥652,584	¥1,192,300	¥734,834	¥585,474	¥1,073,023	
ステージIII	¥930,168	¥913,717	¥1,020,820	¥2,429,834	¥1,045,470	¥803,948	¥1,262,950	¥825,414	¥1,154,908	
ステージIV	¥905,980	¥1,193,887	¥1,217,210	¥720,097	¥674,096	¥784,631	¥983,478	¥995,812	¥718,167	
不明	¥408,679	¥581,015	¥184,411	¥660,306	¥343,603	¥459,893	¥523,607	¥268,995	¥256,429	
計	¥830,177	¥980,055	¥1,043,974	¥872,166	¥720,968	¥734,735	¥873,681	¥727,955	¥701,823	
<b>急性心筋梗塞</b> (人)	306	30	28	22	31	19	28	16	29	
Killip I	¥1,669,012	¥1,943,213	¥1,476,676	¥1,638,081	¥1,673,903	¥1,523,867	¥1,691,092	¥1,641,802	¥1,910,476	
Killip II	¥1,954,299	¥1,796,654	¥1,741,198	¥1,673,532	¥2,168,633	¥4,022,092	¥2,017,150	¥1,807,909	¥1,896,038	
Killip III	¥2,637,011	¥1,265,356	N/A	¥4,545,836	¥260,320	¥4,290,910	¥1,188,447	¥3,110,030	¥3,833,103	
Killip IV	¥2,635,586	¥5,407,059	¥2,829,828	N/A	¥1,314,191	¥2,487,080	¥4,504,438	¥3,023,638	¥1,328,455	
不明	¥390,910	¥162,459	N/A	¥40,740	N/A	¥399,384	N/A	¥1,571,062	¥79,560	
計	¥1,871,489	¥1,866,597	¥1,803,335	¥1,702,480	¥1,697,958	¥2,186,955	¥1,807,583	¥1,943,401	¥1,981,046	
<b>肺炎</b> (人)	1,687	158	183	141	135	143	108	107	119	
軽症	¥582,853	¥791,330	¥563,723	¥747,744	¥524,213	¥495,461	¥654,655	¥486,516	¥507,469	
中等症	¥796,983	¥828,682	¥800,489	¥730,872	¥673,136	¥622,143	¥1,024,085	¥715,166	¥1,180,246	
重症	¥772,512	¥772,440	¥795,651	¥886,497	¥670,212	¥764,821	¥843,087	¥778,047	¥881,823	
不明	¥237,117	¥215,347	¥236,144	¥247,011	¥260,220	¥250,220	¥229,327	¥231,620	¥228,275	
計	¥649,464	¥727,229	¥645,529	¥738,648	¥579,310	¥621,458	¥720,185	¥587,806	¥701,732	
<b>喘息</b> (人)	257	20	31	22	26	15	34	25	21	
軽症間欠型	¥269,932	¥146,420	¥282,809	¥247,841	¥208,575	¥332,114	¥305,745	¥348,587	¥259,761	
軽症持続型	¥325,784	¥245,747	¥353,167	¥205,137	¥426,936	¥452,058	¥288,420	¥976,910	¥448,246	
中等症持続型	¥362,057	¥356,966	¥310,665	¥311,944	¥393,769	¥365,877	¥296,823	¥387,056	¥441,261	
重症持続型	¥520,255	¥887,765	¥550,241	¥910,245	¥504,758	¥364,820	¥278,780	¥331,017	¥524,802	
不明	¥542,482	¥484,294	N/A	N/A	¥785,717	N/A	N/A	¥691,700	N/A	
計	¥350,164	¥415,666	¥349,897	¥303,213	¥390,529	¥363,792	¥297,416	¥427,395	¥397,671	
<b>脳梗塞</b> (人)	1,218	111	108	111	104	118	106	107	90	
JCS 0-1	¥1,263,038	¥1,408,458	¥977,210	¥1,078,050	¥1,297,647	¥1,312,560	¥1,206,070	¥1,243,727	¥1,417,052	
JCS 2-3	¥1,586,865	¥1,348,176	¥1,598,461	¥1,689,911	¥1,438,010	¥1,566,970	¥2,017,107	¥1,401,385	¥1,884,205	
JCS 10-100	¥1,943,418	¥1,705,589	¥2,147,969	¥2,181,002	¥2,584,453	¥2,278,923	¥1,964,647	¥988,566	¥1,875,973	

# 【重症度別集計】表

(単位:円)	平均	退院年月			
		2017/12	2018/01	2018/02	2018/03
<b>胃の悪性新生物</b> (人)	491	49	45	40	30
ステージ0	¥2,816,780	N/A	N/A	N/A	N/A
ステージI	¥1,035,463	¥971,371	¥1,174,266	¥1,184,684	¥1,275,163
ステージII	¥1,281,804	¥1,025,651	¥991,971	¥1,221,528	¥1,795,481
ステージIII	¥1,543,153	¥2,927,228	¥1,386,518	¥1,114,743	¥945,572
ステージIV	¥829,032	¥854,526	¥1,111,788	¥783,051	¥882,151
不明	¥691,747	¥295,620	¥634,940	¥940,770	¥289,530
計	¥1,034,923	¥1,244,120	¥1,154,103	¥1,067,047	¥1,045,017
<b>結腸の悪性新生物</b> (人)	755	56	48	56	55
ステージ0	¥423,020	¥1,970,620	¥144,700	¥263,485	¥144,545
ステージI	¥1,116,184	¥100,340	¥1,402,656	¥99,840	¥836,302
ステージII	¥1,212,579	¥1,256,229	¥1,371,493	¥1,176,807	¥974,164
ステージIII	¥923,794	¥850,120	¥1,044,117	¥1,137,726	¥1,272,237
ステージIV	¥966,598	¥962,846	¥878,452	¥802,690	¥866,295
不明	¥642,462	¥416,578	¥334,270	¥550,482	¥1,595,531
計	¥973,951	¥932,333	¥1,010,082	¥958,757	¥1,044,919
<b>直腸の悪性新生物</b> (人)	424	43	37	45	24
ステージ0	¥986,203	N/A	N/A	¥1,591,858	N/A
ステージI	¥1,390,656	¥1,397,628	¥831,484	¥1,930,891	¥1,097,658
ステージII	¥1,347,172	¥1,794,632	¥1,607,617	¥1,180,868	¥1,286,688
ステージIII	¥1,216,361	¥1,579,001	¥1,454,103	¥1,463,511	¥1,546,818
ステージIV	¥694,949	¥769,987	¥755,590	¥497,287	¥507,848
不明	¥705,879	¥720,385	¥62,760	¥1,415,433	N/A
計	¥1,025,734	¥1,147,949	¥1,036,595	¥1,107,581	¥873,769
<b>気管支および肺の悪性新生物</b> (人)	515	48	46	48	59
ステージ0	¥939,196	N/A	N/A	N/A	N/A
ステージI	¥868,118	¥1,231,063	¥1,622,863	¥505,872	¥849,804
ステージII	¥938,607	¥693,293	¥1,268,110	¥1,171,704	¥1,556,056
ステージIII	¥930,168	¥585,364	¥608,325	¥661,943	¥653,825
ステージIV	¥905,980	¥807,990	¥918,331	¥1,184,336	¥813,895
不明	¥408,679	¥261,828	¥244,444	¥130,070	¥390,617
計	¥830,177	¥798,713	¥876,071	¥878,294	¥798,527
<b>急性心筋梗塞</b> (人)	306	31	17	28	27
Killip I	¥1,669,012	¥1,792,776	¥1,610,439	¥1,441,643	¥1,698,182
Killip II	¥1,954,299	¥1,728,505	¥2,396,488	¥2,145,712	¥1,450,833
Killip III	¥2,637,011	¥1,674,103	N/A	¥12,082,204	¥665,525
Killip IV	¥2,635,586	¥1,040,100	¥5,661,285	¥3,632,818	¥2,066,368
不明	¥390,910	N/A	¥130,210	¥809,854	N/A
計	¥1,871,489	¥1,681,500	¥1,946,605	¥2,391,543	¥1,600,073
<b>肺炎</b> (人)	1,687	152	156	164	121
軽症	¥582,853	¥581,711	¥422,635	¥616,554	¥481,430
中等症	¥796,983	¥970,332	¥661,523	¥953,765	¥594,570
重症	¥772,512	¥830,159	¥686,522	¥637,221	¥794,073
不明	¥237,117	¥234,520	¥244,663	¥239,140	¥235,849
計	¥649,464	¥684,143	¥554,641	¥599,128	¥648,228
<b>喘息</b> (人)	257	19	19	14	11
軽症間欠型	¥269,932	¥300,341	¥302,165	¥180,491	¥171,090
軽症持続型	¥325,784	¥391,396	¥250,948	¥162,280	¥213,134
中等症持続型	¥362,057	¥477,354	¥316,949	¥401,315	¥264,718
重症持続型	¥520,255	¥330,240	¥283,380	¥531,050	N/A
不明	¥542,482	¥282,738	¥383,604	N/A	N/A
計	¥350,164	¥382,422	¥292,852	¥296,268	¥220,425
<b>脳梗塞</b> (人)	1,218	113	93	81	76
JCS 0-1	¥1,263,038	¥1,566,950	¥1,279,414	¥969,667	¥1,366,136
JCS 2-3	¥1,586,865	¥1,303,840	¥1,707,546	¥1,359,203	¥1,790,446
JCS 10-100	¥1,943,418	¥1,953,118	¥1,760,591	¥2,115,661	¥1,651,457

【重症度別集計】表

		平均	退院年月							
			2017/04	2017/05	2017/06	2017/07	2017/08	2017/09	2017/10	2017/11
		(単位:円)								
脳梗塞	JCS 200-300	¥1,726,725	¥1,858,630	¥147,250	¥2,380,292	¥2,942,263	¥419,570	¥1,317,857	¥892,390	¥4,580,035
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥1,407,115	¥1,424,912	¥1,171,959	¥1,359,266	¥1,524,514	¥1,391,404	¥1,518,978	¥1,257,865	¥1,633,044
脳出血	(人)	432	43	48	41	43	34	36	29	23
	JCS 0-1	¥2,013,462	¥2,091,169	¥979,092	¥2,582,896	¥2,270,942	¥2,110,622	¥1,718,496	¥2,240,872	¥2,020,354
	JCS 2-3	¥1,765,950	¥1,508,116	¥1,431,687	¥1,196,124	¥1,906,851	¥2,601,748	¥2,865,701	¥1,130,663	¥1,841,528
	JCS 10-100	¥2,708,457	¥2,914,351	¥2,351,594	¥3,685,208	¥3,197,248	¥1,888,931	¥2,717,524	¥2,466,033	¥4,510,955
	JCS 200-300	¥2,340,594	¥2,581,060	¥3,052,119	¥2,434,634	¥2,813,529	¥1,196,352	¥1,641,932	¥292,247	¥2,563,220
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥2,186,004	¥2,155,772	¥1,761,418	¥2,427,493	¥2,512,016	¥1,821,255	¥2,122,921	¥1,639,066	¥2,509,038
糖尿病	(人)	345	40	33	23	27	37	32	25	24
	軽症	¥571,297	¥482,038	¥427,345	¥564,476	¥506,187	¥658,602	¥584,030	¥611,311	¥591,106
	中等症	¥698,305	¥854,795	¥892,183	¥587,742	¥530,891	¥806,456	¥260,416	¥659,204	¥600,378
	重症	¥1,043,894	¥1,515,403	¥900,953	¥2,241,966	¥625,440	¥653,371	¥791,611	¥4,266,423	¥672,572
	不明	¥865,553	N/A	¥480,786	N/A	¥646,694	¥538,598	¥904,960	N/A	¥677,374
	計	¥670,468	¥676,442	¥585,239	¥643,479	¥531,961	¥706,459	¥593,210	¥911,383	¥603,807
大腿骨頸部骨折	(人)	379	31	35	38	31	34	27	24	40
	重症度Ⅰ	¥1,731,864	¥2,311,748	¥1,199,005	¥1,877,478	¥1,530,665	¥1,735,055	¥1,798,687	¥1,542,937	¥1,895,263
	重症度Ⅱ	¥1,937,858	¥2,122,014	¥2,088,250	¥2,038,670	¥1,953,483	¥1,832,557	¥2,522,793	¥2,144,925	¥1,778,834
	重症度Ⅲ	¥2,147,346	¥2,191,496	¥2,108,967	¥1,669,763	¥2,206,636	¥1,979,544	¥2,420,537	¥2,045,532	¥2,099,565
	重症度Ⅳ	¥1,743,621	¥1,935,128	¥994,680	¥1,526,356	¥2,189,650	¥1,546,320	¥2,427,566	¥1,476,140	¥1,508,697
	不明	¥1,111,908	¥1,327,748	¥1,407,210	N/A	N/A	N/A	N/A	¥1,770,040	¥78,820
	計	¥1,872,011	¥2,146,119	¥1,670,847	¥1,910,470	¥1,864,905	¥1,808,560	¥2,071,751	¥1,846,704	¥1,802,573
胃潰瘍	(人)	133	10	8	10	8	12	14	11	20
	ショックなし(収縮期血圧90mmHg以上)	¥604,350	¥827,614	¥649,265	¥593,524	¥781,954	¥736,464	¥711,369	¥580,483	¥493,914
	ショックあり(収縮期血圧90mmHg未満)	¥1,036,862	N/A	N/A	N/A	N/A	¥622,812	¥1,150,379	¥468,740	¥1,725,795
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥636,870	¥827,614	¥649,265	¥593,524	¥781,954	¥726,993	¥805,442	¥570,325	¥617,102
急性腸炎	(人)	487	54	48	60	45	38	47	32	30
	血便なし	¥242,027	¥244,676	¥200,071	¥289,732	¥205,135	¥231,274	¥269,526	¥278,833	¥184,336
	血便あり	¥262,060	¥224,360	¥314,685	¥217,560	¥290,804	¥250,141	¥291,067	¥150,410	¥259,860
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥243,796	¥244,299	¥214,398	¥287,326	¥218,461	¥234,749	¥270,901	¥266,793	¥186,853
急性虫垂炎	(人)	368	29	46	25	29	25	41	50	31
	白血球15000/mm <sup>3</sup> 未満	¥488,848	¥403,884	¥512,167	¥443,881	¥522,014	¥477,052	¥495,409	¥528,772	¥447,643
	白血球15000/mm <sup>3</sup> 以上	¥523,827	¥559,419	¥521,997	¥329,072	¥829,795	¥610,728	¥408,720	¥448,421	¥673,327
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥498,733	¥489,696	¥514,518	¥420,920	¥543,240	¥525,175	¥463,693	¥501,452	¥505,884
胆石症	(人)	910	83	76	82	84	83	88	73	96
	黄疸なし(T Bill 5mg/dl 未満)	¥675,275	¥636,535	¥693,380	¥667,860	¥720,686	¥642,584	¥625,086	¥610,623	¥763,315
	黄疸あり(T Bill 5mg/dl 以上)	¥789,491	¥893,447	¥1,243,220	¥828,660	¥742,188	¥636,389	¥650,178	¥723,172	¥774,284
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥685,065	¥667,488	¥751,258	¥675,704	¥722,734	¥641,987	¥626,511	¥619,874	¥764,458
前立腺肥大症	(人)	43	3	2	1	5	5	5	3	6
	前立腺容積20ml未満	¥428,352	N/A	N/A	N/A	N/A	N/A	¥515,037	¥474,710	N/A
	前立腺容積50ml未満	¥555,376	N/A	¥189,030	N/A	¥652,650	¥441,350	N/A	¥578,960	¥625,210
	前立腺容積50ml以上	¥461,550	¥410,997	¥314,500	N/A	¥374,473	¥547,280	¥457,343	¥605,620	¥517,043
	不明	¥2,946,302	N/A	N/A	¥1,458,760	¥15,000,101	¥79,500	N/A	N/A	¥493,130
	計	¥834,948	¥410,997	¥251,765	¥1,458,760	¥3,355,234	¥390,166	¥491,960	¥553,097	¥527,100
白内障	(人)	530	41	39	62	46	49	53	48	58
	1眼(処置対象のもの)	¥226,017	¥225,118	¥227,599	¥225,304	¥228,866	¥225,064	¥225,042	¥227,844	¥224,041
	2眼(処置対象のもの)	¥901,450	N/A	N/A	N/A	¥901,450	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥227,292	¥225,118	¥227,599	¥225,304	¥243,487	¥225,064	¥225,042	¥227,844	¥224,041
痔核	(人)	105	10	7	15	8	7	10	10	4
	第一度(出血のみ)	¥213,652	¥108,335	¥115,313	¥156,231	¥299,420	N/A	¥276,100	¥218,335	N/A
	第二度(還納可能)	¥295,293	¥326,220	¥324,574	¥280,047	¥265,188	¥232,660	¥394,460	¥312,971	¥378,633
	第三度(脱肛)	¥292,165	¥234,627	¥365,144	¥260,072	¥344,285	¥326,127	¥334,853	¥287,338	¥188,900
	不明	¥118,992	¥118,992	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥275,975	¥234,442	¥282,172	¥240,371	¥299,128	¥272,717	¥317,312	¥281,227	¥331,200
子宮筋腫	(人)	118	14	8	9	13	17	13	10	5
	貧血なし(Hb10g/dl以上)	¥747,398	¥732,274	¥785,152	¥938,270	¥772,523	¥589,543	¥772,664	¥711,588	¥764,287
	貧血あり(Hb10g/dl未満)	¥764,135	¥788,248	¥855,807	¥745,210	¥770,712	¥762,105	¥681,710	¥869,061	¥948,569
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥754,348	¥756,263	¥811,648	¥916,819	¥771,269	¥670,749	¥730,685	¥743,082	¥838,000
狭心症	(人)	1,534	135	132	144	149	123	137	122	117
	重症度の指標なし	¥729,484	¥727,158	¥800,310	¥613,297	¥634,418	¥715,376	¥767,327	¥754,604	¥709,645
	計	¥729,484	¥727,158	¥800,310	¥613,297	¥634,418	¥715,376	¥767,327	¥754,604	¥709,645
腎結石及び尿管結石	(人)	306	20	18	30	40	36	25	27	23
	水腎・水尿管なし	¥343,109	¥345,370	¥454,429	¥393,138	¥279,162	¥364,604	¥282,957	¥318,245	¥330,435
	水腎・水尿管あり	¥345,769	¥338,768	¥325,246	¥332,444	¥332,422	¥313,850	¥306,999	¥420,922	¥357,304



# 【重症度別集計】表

(単位:円)		平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
脳梗塞	JCS 200-300	¥1,726,725	N/A	¥394,208	N/A	¥325,310
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥1,407,115	¥1,545,092	¥1,426,065	¥1,193,740	¥1,434,551
脳出血	(人)	432	29	32	40	34
	JCS 0-1	¥2,013,462	¥1,154,342	¥2,509,202	¥2,158,834	¥2,392,496
	JCS 2-3	¥1,765,950	¥1,695,939	¥2,394,828	¥1,577,506	¥2,123,991
	JCS 10-100	¥2,708,457	¥1,571,449	¥2,690,086	¥2,076,482	¥4,230,984
	JCS 200-300	¥2,340,594	¥682,268	¥6,542,695	¥3,319,558	¥2,759,754
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥2,186,004	¥1,301,964	¥3,049,966	¥2,175,379	¥2,753,061
糖尿病	(人)	345	29	21	30	24
	軽症	¥571,297	¥616,939	¥511,501	¥674,976	¥684,367
	中等症	¥698,305	¥538,030	¥622,636	¥779,542	¥943,816
	重症	¥1,043,894	¥559,648	¥1,072,749	¥863,711	¥739,104
	不明	¥865,553	¥1,905,496	N/A	N/A	N/A
	計	¥670,468	¥632,447	¥714,195	¥728,025	¥758,352
大腿骨頸部骨折	(人)	379	37	38	22	22
	重症度Ⅰ	¥1,731,864	¥1,557,028	¥1,789,164	¥1,737,323	¥1,804,629
	重症度Ⅱ	¥1,937,858	¥1,976,943	¥1,728,306	¥2,064,214	¥1,411,897
	重症度Ⅲ	¥2,147,346	¥1,932,203	¥2,691,669	¥2,010,440	¥2,582,136
	重症度Ⅳ	¥1,743,621	¥2,112,784	¥1,890,240	¥1,597,085	N/A
	不明	¥1,111,908	¥759,880	N/A	N/A	N/A
	計	¥1,872,011	¥1,781,288	¥1,886,551	¥1,846,081	¥1,909,568
胃潰瘍	(人)	133	14	7	10	9
	ショックなし(収縮期血圧90mmHg以上)	¥604,350	¥583,048	¥435,952	¥434,270	¥438,747
	ショックあり(収縮期血圧90mmHg未満)	¥1,036,862	¥1,594,588	¥273,240	¥506,518	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥636,870	¥655,301	¥412,707	¥441,495	¥438,747
急性腸炎	(人)	487	36	29	35	33
	血便なし	¥242,027	¥256,350	¥208,791	¥275,362	¥222,382
	血便あり	¥262,060	¥220,907	¥272,835	¥271,638	¥261,161
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥243,796	¥253,397	¥213,208	¥274,830	¥225,907
急性虫垂炎	(人)	368	32	26	19	15
	白血球15000/mm3未満	¥488,848	¥485,584	¥484,909	¥547,003	¥439,643
	白血球15000/mm3以上	¥523,827	¥579,826	¥624,214	¥621,978	¥281,667
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥498,733	¥500,309	¥517,056	¥574,626	¥408,048
胆石症	(人)	910	80	44	55	66
	黄疸なし(T Bill 5mg/dl 未満)	¥675,275	¥716,493	¥697,328	¥648,603	¥666,764
	黄疸あり(T Bill 5mg/dl 以上)	¥789,491	¥696,285	¥468,107	¥689,347	¥799,056
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥685,065	¥714,977	¥681,699	¥652,307	¥676,786
前立腺肥大症	(人)	43	1	3	5	4
	前立腺容積20ml未満	¥428,352	N/A	¥121,940	N/A	N/A
	前立腺容積50ml未満	¥555,376	N/A	¥648,000	¥606,665	¥636,010
	前立腺容積50ml以上	¥461,550	N/A	¥569,500	¥482,927	N/A
	不明	¥2,946,302	¥153,190	N/A	N/A	N/A
	計	¥834,948	¥153,190	¥446,480	¥532,422	¥636,010
白内障	(人)	530	31	38	48	17
	1眼(処置対象のもの)	¥226,017	¥228,808	¥224,432	¥225,320	¥227,412
	2眼(処置対象のもの)	¥901,450	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥227,292	¥228,808	¥224,432	¥225,320	¥227,412
痔核	(人)	105	12	8	6	8
	第一度(出血のみ)	¥213,652	¥258,676	¥274,170	¥133,380	¥390,400
	第二度(還納可能)	¥295,293	¥311,059	¥281,865	¥304,580	¥71,140
	第三度(脱肛)	¥292,165	¥214,840	¥383,658	¥209,621	¥244,611
	不明	¥118,992	N/A	N/A	N/A	N/A
	計	¥275,975	¥281,927	¥344,524	¥228,567	¥241,151
子宮筋腫	(人)	118	7	13	7	2
	貧血なし(Hb10g/dl以上)	¥747,398	¥851,430	¥740,160	¥733,122	¥348,990
	貧血あり(Hb10g/dl未満)	¥764,135	¥732,483	¥811,002	¥785,477	¥85,840
	不明	N/A	N/A	N/A	N/A	N/A
	計	¥754,348	¥783,460	¥767,407	¥748,080	¥217,415
狭心症	(人)	1,534	124	114	119	118
	重症度の指標なし	¥729,484	¥894,474	¥795,010	¥638,131	¥734,658
	計	¥729,484	¥894,474	¥795,010	¥638,131	¥734,658
腎結石及び尿管結石	(人)	306	31	19	25	12
	水腎・水尿管なし	¥343,109	¥316,268	¥366,025	¥379,624	¥257,137
	水腎・水尿管あり	¥345,769	¥395,635	¥409,990	¥273,416	¥316,465



# 【重症度別集計】表

(単位:円)		平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
腎結石及び尿管結石	不明	N/A	N/A	N/A	N/A	N/A
	計	¥344,500	¥364,912	¥391,479	¥332,893	¥281,857
乳房の悪性新生物	(人)	389	32	26	28	23
	ステージ0	¥706,618	¥630,795	¥674,209	¥842,296	¥720,795
	ステージI	¥731,640	¥682,073	¥706,571	¥835,841	¥715,794
	ステージII	¥711,688	¥628,555	¥808,119	¥755,975	¥716,377
	ステージIII	¥613,775	¥670,848	¥1,144,785	¥1,729,555	¥349,737
	ステージIV	¥788,318	N/A	¥900,137	¥1,009,860	¥947,310
	不明	¥692,440	¥596,675	¥2,819,620	N/A	¥534,910
計	¥706,886	¥655,263	¥903,861	¥896,146	¥670,835	
膝関節症	(人)	104	31	14	18	21
	骨移植なし	¥1,921,446	¥2,096,933	¥1,953,921	¥1,844,711	¥1,975,893
	骨移植あり	¥1,864,676	¥1,811,110	¥1,844,370	¥1,378,130	N/A
	不明	N/A	N/A	N/A	N/A	N/A
計	¥1,915,441	¥2,087,713	¥1,946,096	¥1,818,789	¥1,975,893	
鼠径ヘルニア	(人)	481	41	31	36	28
	重症度の指標なし	¥397,751	¥386,127	¥373,837	¥434,934	¥410,380
	計	¥397,751	¥386,127	¥373,837	¥434,934	¥410,380
全疾患合計		¥863,680	¥920,426	¥927,139	¥860,638	¥921,644
集計病院数		-	9	7	7	6