

【重症度別集計】表

絞込条件

対象年月設定: 201304 ~ 201403
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 医療費

	(単位:円)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	969	66	0	7	77	72	43	165	8
ステージ0		¥646,161	N/A	N/A	N/A	N/A	¥531,064	N/A	N/A	¥521,530
ステージI		¥1,158,283	¥1,304,486	N/A	N/A	¥963,210	¥1,568,687	¥1,109,912	¥1,212,897	N/A
ステージII		¥1,485,119	¥1,449,607	N/A	N/A	¥1,606,163	¥1,520,321	¥1,404,521	¥1,634,533	N/A
ステージIII		¥1,464,342	¥1,310,842	N/A	N/A	¥1,048,496	¥1,088,190	¥1,823,825	¥875,526	N/A
ステージIV		¥745,292	¥846,992	N/A	N/A	¥773,755	¥886,650	¥615,485	¥784,745	N/A
不明		¥763,966	¥516,362	N/A	¥715,492	¥480,664	¥417,918	¥840,313	¥392,401	¥1,189,212
計		¥1,035,407	¥1,025,936	N/A	¥715,492	¥938,883	¥1,099,952	¥928,472	¥1,035,770	¥1,105,752
結腸の悪性新生物	(人)	1,187	90	0	7	116	322	22	125	1
ステージ0		¥472,705	¥718,878	N/A	N/A	¥904,679	¥332,411	¥990,221	¥624,213	N/A
ステージI		¥1,076,674	¥880,352	N/A	N/A	¥1,421,950	¥1,067,840	¥1,833,642	¥1,264,094	N/A
ステージII		¥1,144,006	¥1,348,988	N/A	N/A	¥1,459,902	¥658,566	¥889,647	¥1,415,892	N/A
ステージIII		¥967,970	¥1,222,361	N/A	N/A	¥1,481,757	¥513,909	¥1,470,410	¥1,002,012	N/A
ステージIV		¥726,781	¥1,229,411	N/A	N/A	¥790,267	¥522,709	¥1,348,270	¥790,737	N/A
不明		¥554,881	¥181,058	N/A	¥346,005	¥688,865	¥530,317	¥113,235	¥597,138	¥30,450
計		¥851,193	¥842,225	N/A	¥346,005	¥1,179,582	¥552,283	¥1,041,329	¥1,054,661	¥30,450
直腸の悪性新生物	(人)	557	46	0	1	51	97	13	90	1
ステージ0		¥480,280	¥1,127,670	N/A	N/A	¥142,005	¥434,789	¥704,771	¥596,088	N/A
ステージI		¥1,383,245	¥1,218,409	N/A	N/A	¥1,310,561	¥2,058,008	¥699,123	¥1,440,183	N/A
ステージII		¥1,589,018	¥1,302,400	N/A	N/A	¥1,112,544	¥1,420,117	¥2,218,958	¥1,420,480	N/A
ステージIII		¥1,230,645	¥1,494,391	N/A	N/A	¥1,825,670	¥615,315	¥3,152,622	¥1,270,054	N/A
ステージIV		¥1,039,836	¥1,244,221	N/A	¥669,950	¥934,027	¥466,517	¥838,503	¥1,259,231	N/A
不明		¥829,112	¥223,672	N/A	N/A	¥1,235,106	¥459,280	N/A	¥293,990	¥970,802
計		¥1,188,612	¥1,198,040	N/A	¥669,950	¥1,196,509	¥765,525	¥1,059,675	¥1,274,233	¥970,802
気管支および肺の悪性新生物	(人)	1,312	19	2	9	172	34	50	180	4
ステージ0		¥924,632	N/A	N/A	N/A	¥359,706	¥1,196,160	N/A	¥1,456,410	N/A
ステージI		¥1,083,225	¥1,030,825	N/A	N/A	¥1,408,614	¥357,761	¥1,132,605	¥1,405,118	N/A
ステージII		¥571,838	¥227,340	N/A	N/A	¥639,013	¥659,950	¥847,934	¥757,507	N/A
ステージIII		¥670,363	¥332,762	N/A	¥2,733,708	¥919,107	¥256,020	¥834,620	¥1,125,699	N/A
ステージIV		¥857,904	¥1,061,480	¥101,210	¥1,377,232	¥733,047	¥998,703	¥821,893	¥964,827	N/A
不明		¥389,723	¥885,364	¥370,120	¥859,899	¥316,121	¥134,300	¥163,135	¥199,349	¥275,793
計		¥757,227	¥774,960	¥235,665	¥1,240,544	¥866,066	¥691,086	¥780,549	¥888,455	¥275,793
急性心筋梗塞	(人)	370	14	6	0	80	47	13	46	1
Killip I		¥1,925,741	¥1,379,942	¥529,609	N/A	¥1,939,364	¥1,949,631	N/A	¥1,761,078	N/A
Killip II		¥2,038,497	¥1,631,552	¥1,671,316	N/A	¥2,161,950	¥2,223,951	¥1,124,648	¥2,086,286	N/A
Killip III		¥2,184,268	N/A	N/A	N/A	¥2,870,914	¥2,982,765	¥269,345	¥2,036,507	N/A
Killip IV		¥2,603,171	¥89,050	¥133,025	N/A	¥3,369,968	¥2,198,749	N/A	¥5,856,719	N/A
不明		¥805,230	¥893,396	¥3,471,738	N/A	¥2,132,120	¥141,647	N/A	¥347,953	¥103,388
計		¥2,031,457	¥1,360,815	¥1,078,054	N/A	¥2,288,115	¥2,047,342	¥993,063	¥2,404,809	¥103,388
肺炎	(人)	3,253	133	50	149	198	108	185	256	121
軽症		¥490,503	¥444,774	¥449,920	¥625,196	¥400,748	¥512,865	¥447,501	¥503,934	¥669,214
中等症		¥666,805	¥645,592	¥797,259	¥1,251,087	¥451,292	¥565,396	¥658,085	¥549,209	¥575,120
重症		¥928,027	¥654,910	¥739,476	¥2,792,231	¥648,701	¥582,894	¥823,080	¥1,052,056	¥2,082,889
不明		¥388,837	N/A	N/A	N/A	¥1,108,320	N/A	N/A	¥291,967	¥558,664
計		¥623,219	¥561,731	¥647,961	¥1,199,183	¥566,936	¥552,257	¥698,630	¥545,636	¥1,084,231
喘息	(人)	1,141	13	4	23	63	2	11	84	7
軽症間欠型		¥248,939	¥204,506	¥587,552	¥295,963	¥414,522	¥286,885	¥195,096	¥711,522	N/A
軽症持続型		¥283,468	¥243,983	¥583,130	¥342,330	¥281,946	N/A	¥283,603	¥232,977	N/A
中等症持続型		¥310,856	¥380,086	N/A	¥251,172	¥413,270	N/A	¥224,750	¥312,080	N/A
重症持続型		¥336,829	N/A	N/A	¥372,880	¥207,050	N/A	N/A	¥387,729	N/A
不明		¥449,365	N/A	¥253,038	N/A	N/A	N/A	N/A	N/A	¥447,100
計		¥290,457	¥308,159	¥502,818	¥287,965	¥377,699	¥286,885	¥229,976	¥353,888	¥447,100
脳梗塞	(人)	1,735	118	403	5	206	1	71	113	35
JCS 0-1		¥1,346,366	¥962,631	¥1,030,920	¥1,320,573	¥1,395,041	¥648,706	¥1,024,400	¥2,528,604	¥3,490,520
JCS 2-3		¥1,641,388	¥1,050,388	¥1,369,532	N/A	¥2,391,315	N/A	¥749,636	¥2,940,859	¥691,561
JCS 10-100		¥2,085,829	¥1,439,315	¥1,738,767	¥667,970	¥2,432,490	N/A	¥1,826,197	¥3,880,695	¥1,749,106

【重症度別集計】表

	(単位:円)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1026
胃の悪性新生物	(人)	969	-	68	1	8	-	-	-	-
ステージ0		¥646,161	-	¥503,320	N/A	N/A	-	-	-	-
ステージI		¥1,158,283	-	¥1,235,918	N/A	¥2,363,374	-	-	-	-
ステージII		¥1,485,119	-	¥1,852,328	N/A	N/A	-	-	-	-
ステージIII		¥1,464,342	-	¥1,930,071	N/A	¥2,784,450	-	-	-	-
ステージIV		¥745,292	-	¥694,206	¥842,970	¥2,919,962	-	-	-	-
不明		¥763,966	-	¥792,496	N/A	¥702,245	-	-	-	-
計		¥1,035,407	-	¥1,184,318	¥842,970	¥2,070,300	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	43	0	18	-	-	-	-
ステージ0		¥472,705	-	¥341,362	N/A	N/A	-	-	-	-
ステージI		¥1,076,674	-	¥773,980	N/A	¥623,590	-	-	-	-
ステージII		¥1,144,006	-	¥1,338,523	N/A	¥3,116,397	-	-	-	-
ステージIII		¥967,970	-	¥1,408,520	N/A	¥1,025,250	-	-	-	-
ステージIV		¥726,781	-	¥436,558	N/A	¥990,700	-	-	-	-
不明		¥554,881	-	¥620,208	N/A	¥755,456	-	-	-	-
計		¥851,193	-	¥853,965	N/A	¥1,314,247	-	-	-	-
直腸の悪性新生物	(人)	557	-	17	0	14	-	-	-	-
ステージ0		¥480,280	-	¥251,700	N/A	N/A	-	-	-	-
ステージI		¥1,383,245	-	¥1,500,730	N/A	N/A	-	-	-	-
ステージII		¥1,589,018	-	¥2,775,785	N/A	¥5,058,480	-	-	-	-
ステージIII		¥1,230,645	-	¥1,730,894	N/A	¥1,074,589	-	-	-	-
ステージIV		¥1,039,836	-	¥1,445,301	N/A	¥5,486,266	-	-	-	-
不明		¥829,112	-	¥220,070	N/A	¥1,358,689	-	-	-	-
計		¥1,188,612	-	¥1,645,126	N/A	¥1,856,908	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	18	344	4	-	-	-	-
ステージ0		¥924,632	-	N/A	N/A	N/A	-	-	-	-
ステージI		¥1,083,225	-	¥117,030	¥224,958	N/A	-	-	-	-
ステージII		¥571,838	-	N/A	¥210,141	N/A	-	-	-	-
ステージIII		¥670,363	-	¥215,500	¥215,791	N/A	-	-	-	-
ステージIV		¥857,904	-	¥668,826	¥486,875	¥1,302,070	-	-	-	-
不明		¥389,723	-	¥701,340	¥153,012	¥424,180	-	-	-	-
計		¥757,227	-	¥622,017	¥329,631	¥1,082,598	-	-	-	-
急性心筋梗塞	(人)	370	-	44	1	1	-	-	-	-
Killip I		¥1,925,741	-	¥2,044,981	¥690,280	N/A	-	-	-	-
Killip II		¥2,038,497	-	¥2,380,830	N/A	N/A	-	-	-	-
Killip III		¥2,184,268	-	¥2,912,381	N/A	¥1,335,510	-	-	-	-
Killip IV		¥2,603,171	-	¥2,493,440	N/A	N/A	-	-	-	-
不明		¥805,230	-	N/A	N/A	N/A	-	-	-	-
計		¥2,031,457	-	¥2,231,457	¥690,280	¥1,335,510	-	-	-	-
肺炎	(人)	3,253	-	212	133	246	-	-	-	-
軽症		¥490,503	-	¥387,919	¥426,693	¥557,325	-	-	-	-
中等症		¥666,805	-	¥669,472	¥650,859	¥538,582	-	-	-	-
重症		¥928,027	-	¥730,344	¥623,369	¥1,015,419	-	-	-	-
不明		¥388,837	-	N/A	N/A	¥234,020	-	-	-	-
計		¥623,219	-	¥573,059	¥522,892	¥552,913	-	-	-	-
喘息	(人)	1,141	-	50	37	27	-	-	-	-
軽症間欠型		¥248,939	-	¥240,873	¥193,548	¥246,630	-	-	-	-
軽症持続型		¥283,468	-	¥256,385	¥255,854	¥281,570	-	-	-	-
中等症持続型		¥310,856	-	¥283,176	¥302,173	¥142,130	-	-	-	-
重症持続型		¥336,829	-	¥210,350	¥135,730	N/A	-	-	-	-
不明		¥449,365	-	N/A	¥442,640	¥195,050	-	-	-	-
計		¥290,457	-	¥260,681	¥234,477	¥242,143	-	-	-	-
脳梗塞	(人)	1,735	-	97	0	62	-	-	-	-
JCS 0-1		¥1,346,366	-	¥970,529	N/A	¥1,078,102	-	-	-	-
JCS 2-3		¥1,641,388	-	¥1,684,561	N/A	¥1,251,597	-	-	-	-
JCS 10-100		¥2,085,829	-	¥1,120,091	N/A	¥1,771,820	-	-	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード							
			1039	1041	1046	1047	1049	1058	1069	1129
胃の悪性新生物	(人)	969	87	-	3	-	133	-	70	-
ステージ0		¥646,161	N/A	-	N/A	-	¥1,271,725	-	¥510,103	-
ステージI		¥1,158,283	¥706,085	-	¥899,220	-	¥1,852,010	-	¥675,623	-
ステージII		¥1,485,119	¥986,936	-	N/A	-	¥1,687,856	-	¥941,492	-
ステージIII		¥1,464,342	¥1,245,319	-	N/A	-	¥2,384,013	-	¥2,159,619	-
ステージIV		¥745,292	¥711,657	-	N/A	-	¥688,640	-	¥551,891	-
不明		¥763,966	¥360,300	-	¥485,821	-	¥812,458	-	¥2,334,075	-
計		¥1,035,407	¥783,054	-	¥623,621	-	¥1,113,246	-	¥899,967	-
結腸の悪性新生物	(人)	1,187	130	-	4	-	99	-	70	-
ステージ0		¥472,705	¥477,556	-	¥120,070	-	¥1,368,885	-	¥373,164	-
ステージI		¥1,076,674	¥1,121,413	-	N/A	-	¥931,937	-	¥1,230,708	-
ステージII		¥1,144,006	¥1,472,173	-	N/A	-	¥1,295,641	-	¥928,949	-
ステージIII		¥967,970	¥1,082,326	-	N/A	-	¥2,687,829	-	¥775,756	-
ステージIV		¥726,781	¥661,585	-	N/A	-	¥832,837	-	¥806,958	-
不明		¥554,881	¥656,174	-	¥162,611	-	¥748,639	-	N/A	-
計		¥851,193	¥965,087	-	¥151,976	-	¥966,846	-	¥819,984	-
直腸の悪性新生物	(人)	557	71	-	0	-	40	-	28	-
ステージ0		¥480,280	¥156,680	-	N/A	-	N/A	-	¥252,213	-
ステージI		¥1,383,245	¥763,095	-	N/A	-	¥1,905,025	-	¥182,010	-
ステージII		¥1,589,018	¥1,755,712	-	N/A	-	¥1,748,074	-	¥1,203,572	-
ステージIII		¥1,230,645	¥1,265,159	-	N/A	-	¥1,501,977	-	¥1,391,235	-
ステージIV		¥1,039,836	¥1,296,826	-	N/A	-	¥1,519,330	-	¥719,703	-
不明		¥829,112	¥1,069,302	-	N/A	-	¥1,091,981	-	¥126,916	-
計		¥1,188,612	¥1,278,031	-	N/A	-	¥1,530,695	-	¥928,204	-
気管支および肺の悪性新生物	(人)	1,312	138	-	4	-	212	-	11	-
ステージ0		¥924,632	¥121,400	-	¥872,530	-	N/A	-	N/A	-
ステージI		¥1,083,225	¥323,682	-	N/A	-	¥1,752,370	-	¥150,240	-
ステージII		¥571,838	¥575,491	-	N/A	-	¥2,352,193	-	N/A	-
ステージIII		¥670,363	¥670,366	-	N/A	-	¥1,193,488	-	¥1,373,056	-
ステージIV		¥857,904	¥808,095	-	N/A	-	¥1,212,800	-	¥2,273,139	-
不明		¥389,723	¥248,109	-	¥960,726	-	¥593,456	-	N/A	-
計		¥757,227	¥623,545	-	¥938,677	-	¥1,242,908	-	¥1,834,671	-
急性心筋梗塞	(人)	370	59	-	4	-	30	-	0	-
Killip I		¥1,925,741	¥1,867,062	-	N/A	-	¥2,295,617	-	N/A	-
Killip II		¥2,038,497	¥1,862,304	-	N/A	-	¥2,358,274	-	N/A	-
Killip III		¥2,184,268	¥2,310,939	-	N/A	-	¥2,172,413	-	N/A	-
Killip IV		¥2,603,171	¥2,288,836	-	¥102,320	-	¥179,420	-	N/A	-
不明		¥805,230	N/A	-	¥905,350	-	N/A	-	N/A	-
計		¥2,031,457	¥1,924,408	-	¥303,078	-	¥2,235,661	-	N/A	-
肺炎	(人)	3,253	812	-	65	-	262	-	80	-
軽症		¥490,503	¥514,238	-	¥639,069	-	¥422,288	-	¥456,025	-
中等症		¥666,805	¥455,654	-	¥788,294	-	¥789,227	-	¥537,942	-
重症		¥928,027	¥880,937	-	¥1,170,537	-	¥936,805	-	¥639,107	-
不明		¥388,837	¥436,703	-	N/A	-	N/A	-	N/A	-
計		¥623,219	¥478,518	-	¥921,377	-	¥701,894	-	¥585,872	-
喘息	(人)	1,141	703	-	5	-	54	-	13	-
軽症間欠型		¥248,939	¥222,278	-	¥821,392	-	¥233,437	-	¥165,800	-
軽症持続型		¥283,468	¥281,518	-	N/A	-	¥304,458	-	¥600,120	-
中等症持続型		¥310,856	¥288,508	-	N/A	-	¥140,030	-	¥363,053	-
重症持続型		¥336,829	¥324,754	-	N/A	-	¥668,980	-	¥337,441	-
不明		¥449,365	N/A	-	¥588,680	-	N/A	-	¥264,460	-
計		¥290,457	¥274,629	-	¥774,850	-	¥247,664	-	¥344,741	-
脳梗塞	(人)	1,735	218	-	54	-	126	-	7	-
JCS 0-1		¥1,346,366	¥956,898	-	¥3,095,892	-	¥1,574,832	-	¥615,627	-
JCS 2-3		¥1,641,388	¥1,599,479	-	¥5,713,149	-	¥2,102,628	-	¥347,964	-
JCS 10-100		¥2,085,829	¥1,866,832	-	¥5,656,676	-	¥2,850,385	-	¥1,030,856	-

【重症度別集計】表

	(単位:円)	平均	病院コード							
			9009	9010	9011	9012	9013	9014	9015	9016
胃の悪性新生物	(人)	969	-	55	106	-	-	-	-	-
ステージ0		¥646,161	-	N/A	N/A	-	-	-	-	-
ステージI		¥1,158,283	-	¥947,887	¥1,276,684	-	-	-	-	-
ステージII		¥1,485,119	-	¥1,725,270	¥1,455,038	-	-	-	-	-
ステージIII		¥1,464,342	-	¥1,373,835	¥1,863,489	-	-	-	-	-
ステージIV		¥745,292	-	¥517,885	¥1,033,873	-	-	-	-	-
不明		¥763,966	-	¥805,514	¥678,056	-	-	-	-	-
計		¥1,035,407	-	¥846,962	¥1,262,724	-	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	53	87	-	-	-	-	-
ステージ0		¥472,705	-	¥220,473	¥259,135	-	-	-	-	-
ステージI		¥1,076,674	-	¥849,936	¥864,270	-	-	-	-	-
ステージII		¥1,144,006	-	¥1,043,973	¥1,317,545	-	-	-	-	-
ステージIII		¥967,970	-	¥1,250,881	¥1,023,492	-	-	-	-	-
ステージIV		¥726,781	-	¥1,106,842	¥1,001,244	-	-	-	-	-
不明		¥554,881	-	¥944,075	¥542,259	-	-	-	-	-
計		¥851,193	-	¥996,727	¥808,224	-	-	-	-	-
直腸の悪性新生物	(人)	557	-	20	68	-	-	-	-	-
ステージ0		¥480,280	-	N/A	¥258,117	-	-	-	-	-
ステージI		¥1,383,245	-	¥1,504,206	¥1,345,700	-	-	-	-	-
ステージII		¥1,589,018	-	¥1,538,735	¥2,266,083	-	-	-	-	-
ステージIII		¥1,230,645	-	¥2,406,008	¥1,347,579	-	-	-	-	-
ステージIV		¥1,039,836	-	¥808,959	¥1,199,904	-	-	-	-	-
不明		¥829,112	-	¥767,895	¥449,565	-	-	-	-	-
計		¥1,188,612	-	¥1,377,273	¥1,207,418	-	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	85	26	-	-	-	-	-
ステージ0		¥924,632	-	N/A	¥1,009,810	-	-	-	-	-
ステージI		¥1,083,225	-	¥1,447,006	¥849,470	-	-	-	-	-
ステージII		¥571,838	-	¥502,530	N/A	-	-	-	-	-
ステージIII		¥670,363	-	¥649,690	¥725,347	-	-	-	-	-
ステージIV		¥857,904	-	¥1,079,876	¥915,798	-	-	-	-	-
不明		¥389,723	-	¥513,649	¥827,703	-	-	-	-	-
計		¥757,227	-	¥820,894	¥862,748	-	-	-	-	-
急性心筋梗塞	(人)	370	-	15	9	-	-	-	-	-
Killip I		¥1,925,741	-	¥2,022,790	¥136,240	-	-	-	-	-
Killip II		¥2,038,497	-	¥2,667,739	¥1,108,287	-	-	-	-	-
Killip III		¥2,184,268	-	N/A	¥530,685	-	-	-	-	-
Killip IV		¥2,603,171	-	N/A	¥613,509	-	-	-	-	-
不明		¥805,230	-	N/A	¥517,960	-	-	-	-	-
計		¥2,031,457	-	¥2,366,762	¥630,791	-	-	-	-	-
肺炎	(人)	3,253	-	53	190	-	-	-	-	-
軽症		¥490,503	-	¥327,603	¥489,229	-	-	-	-	-
中等症		¥666,805	-	¥195,040	¥740,565	-	-	-	-	-
重症		¥928,027	-	¥824,595	¥902,920	-	-	-	-	-
不明		¥388,837	-	¥192,608	¥343,426	-	-	-	-	-
計		¥623,219	-	¥627,879	¥684,148	-	-	-	-	-
喘息	(人)	1,141	-	10	35	-	-	-	-	-
軽症間欠型		¥248,939	-	N/A	¥287,729	-	-	-	-	-
軽症持続型		¥283,468	-	N/A	¥330,077	-	-	-	-	-
中等症持続型		¥310,856	-	N/A	¥215,430	-	-	-	-	-
重症持続型		¥336,829	-	N/A	N/A	-	-	-	-	-
不明		¥449,365	-	¥564,754	¥237,673	-	-	-	-	-
計		¥290,457	-	¥564,754	¥295,036	-	-	-	-	-
脳梗塞	(人)	1,735	-	50	169	-	-	-	-	-
JCS 0-1		¥1,346,366	-	¥774,181	¥1,194,604	-	-	-	-	-
JCS 2-3		¥1,641,388	-	¥1,536,739	¥1,510,433	-	-	-	-	-
JCS 10-100		¥2,085,829	-	¥2,352,096	¥1,698,567	-	-	-	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード				
			9017	9018	9019	9020	9021
胃の悪性新生物	(人)	969	-	-	-	-	-
ステージ0		¥646,161	-	-	-	-	-
ステージI		¥1,158,283	-	-	-	-	-
ステージII		¥1,485,119	-	-	-	-	-
ステージIII		¥1,464,342	-	-	-	-	-
ステージIV		¥745,292	-	-	-	-	-
不明		¥763,966	-	-	-	-	-
計		¥1,035,407	-	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	-	-	-	-
ステージ0		¥472,705	-	-	-	-	-
ステージI		¥1,076,674	-	-	-	-	-
ステージII		¥1,144,006	-	-	-	-	-
ステージIII		¥967,970	-	-	-	-	-
ステージIV		¥726,781	-	-	-	-	-
不明		¥554,881	-	-	-	-	-
計		¥851,193	-	-	-	-	-
直腸の悪性新生物	(人)	557	-	-	-	-	-
ステージ0		¥480,280	-	-	-	-	-
ステージI		¥1,383,245	-	-	-	-	-
ステージII		¥1,589,018	-	-	-	-	-
ステージIII		¥1,230,645	-	-	-	-	-
ステージIV		¥1,039,836	-	-	-	-	-
不明		¥829,112	-	-	-	-	-
計		¥1,188,612	-	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	-	-	-	-
ステージ0		¥924,632	-	-	-	-	-
ステージI		¥1,083,225	-	-	-	-	-
ステージII		¥571,838	-	-	-	-	-
ステージIII		¥670,363	-	-	-	-	-
ステージIV		¥857,904	-	-	-	-	-
不明		¥389,723	-	-	-	-	-
計		¥757,227	-	-	-	-	-
急性心筋梗塞	(人)	370	-	-	-	-	-
Killip I		¥1,925,741	-	-	-	-	-
Killip II		¥2,038,497	-	-	-	-	-
Killip III		¥2,184,268	-	-	-	-	-
Killip IV		¥2,603,171	-	-	-	-	-
不明		¥805,230	-	-	-	-	-
計		¥2,031,457	-	-	-	-	-
肺炎	(人)	3,253	-	-	-	-	-
軽症		¥490,503	-	-	-	-	-
中等症		¥666,805	-	-	-	-	-
重症		¥928,027	-	-	-	-	-
不明		¥388,837	-	-	-	-	-
計		¥623,219	-	-	-	-	-
喘息	(人)	1,141	-	-	-	-	-
軽症間欠型		¥248,939	-	-	-	-	-
軽症持続型		¥283,468	-	-	-	-	-
中等症持続型		¥310,856	-	-	-	-	-
重症持続型		¥336,829	-	-	-	-	-
不明		¥449,365	-	-	-	-	-
計		¥290,457	-	-	-	-	-
脳梗塞	(人)	1,735	-	-	-	-	-
JCS 0-1		¥1,346,366	-	-	-	-	-
JCS 2-3		¥1,641,388	-	-	-	-	-
JCS 10-100		¥2,085,829	-	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
		(単位:円)								
脳梗塞	JCS 200-300	¥1,587,061	¥563,752	¥1,074,943	N/A	¥585,290	N/A	¥1,009,308	¥2,399,699	¥2,066,510
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥1,470,816	¥1,006,527	¥1,186,297	¥1,190,052	¥1,676,823	¥648,706	¥1,094,969	¥2,707,983	¥3,041,120
脳出血	(人)	667	34	161	1	120	4	20	28	22
	JCS 0-1	¥2,041,880	¥983,200	¥2,483,269	¥68,260	¥2,311,695	¥1,145,260	¥1,063,298	¥3,388,771	¥1,349,881
	JCS 2-3	¥1,943,351	¥1,080,800	¥1,933,124	N/A	¥2,453,435	N/A	¥1,571,510	¥7,771,060	¥787,880
	JCS 10-100	¥2,960,569	¥1,620,627	¥3,075,511	N/A	¥2,780,575	N/A	¥1,872,322	¥2,582,766	¥2,260,690
	JCS 200-300	¥2,086,154	¥1,257,113	¥1,999,847	N/A	¥2,946,737	¥58,040	¥799,865	¥290,050	¥2,306,928
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥2,205,358	¥1,077,965	¥2,389,234	¥68,260	¥2,592,290	¥873,455	¥1,292,837	¥3,073,821	¥1,663,945
糖尿病	(人)	855	72	16	8	82	79	26	34	38
	軽症	¥554,070	¥454,215	¥425,001	¥369,176	¥394,626	¥566,633	¥511,079	¥529,627	¥364,119
	中等症	¥1,056,133	¥617,087	¥569,528	¥12,779,364	¥484,730	¥584,063	¥260,851	¥692,488	N/A
	重症	¥759,648	¥923,826	¥231,508	¥1,349,722	¥591,794	¥1,800,127	¥483,799	¥908,385	N/A
	不明	¥481,732	N/A	N/A	N/A	N/A	N/A	N/A	N/A	¥481,012
	計	¥637,505	¥529,015	¥421,940	¥6,696,838	¥482,623	¥695,074	¥457,712	¥671,327	¥465,631
大腿骨頸部骨折	(人)	648	100	17	1	96	0	3	28	31
	重症度Ⅰ	¥1,891,556	¥1,574,033	¥1,935,866	N/A	¥1,683,895	N/A	¥646,620	¥2,620,803	N/A
	重症度Ⅱ	¥1,937,579	¥1,728,314	N/A	N/A	¥1,647,138	N/A	N/A	¥2,046,060	N/A
	重症度Ⅲ	¥1,918,832	¥1,744,792	¥1,657,178	N/A	¥1,563,967	N/A	¥1,798,010	¥2,689,556	N/A
	重症度Ⅳ	¥1,665,365	¥1,163,380	¥2,424,400	N/A	¥1,110,341	N/A	N/A	N/A	N/A
	不明	¥1,809,059	N/A	N/A	¥516,490	N/A	N/A	¥1,271,412	N/A	¥1,640,573
	計	¥1,883,776	¥1,657,792	¥2,042,716	¥516,490	¥1,612,222	N/A	¥1,238,681	¥2,627,287	¥1,640,573
胃潰瘍	(人)	252	12	0	2	33	15	7	36	7
	ショックなし(収縮期血圧90mmHg以上)	¥524,649	¥462,498	N/A	¥249,908	¥465,164	¥527,440	¥375,646	¥530,388	¥1,739,949
	ショックあり(収縮期血圧90mmHg未満)	¥790,956	N/A	N/A	N/A	¥690,937	¥882,730	N/A	¥718,976	¥740,370
	不明	¥719,052	N/A	N/A	N/A	N/A	N/A	N/A	N/A	¥1,393,710
	計	¥564,468	¥462,498	N/A	¥249,908	¥499,372	¥551,126	¥375,646	¥556,581	¥1,498,227
急性腸炎	(人)	896	100	2	29	54	30	57	64	13
	血便なし	¥221,252	¥207,317	¥71,335	¥238,108	¥241,393	¥189,447	¥213,935	¥227,846	¥84,015
	血便あり	¥251,733	¥228,833	N/A	¥176,960	¥261,953	¥271,011	¥409,165	¥244,447	N/A
	不明	¥197,617	N/A	N/A	N/A	N/A	N/A	N/A	N/A	¥121,502
	計	¥222,910	¥209,038	¥71,335	¥235,999	¥245,201	¥208,479	¥227,636	¥228,625	¥115,735
急性虫垂炎	(人)	703	58	0	3	91	42	20	56	4
	白血球15000/mm3未満	¥497,697	¥445,388	N/A	¥171,993	¥577,800	¥633,344	¥510,074	¥569,307	¥248,669
	白血球15000/mm3以上	¥565,215	¥494,283	N/A	N/A	¥687,340	¥772,159	¥495,671	¥540,990	¥279,760
	不明	¥495,619	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥516,642	¥458,033	N/A	¥171,993	¥606,690	¥673,005	¥506,473	¥562,228	¥256,442
胆石症	(人)	1,413	137	0	9	251	102	45	193	9
	黄疸なし(T Bill 5mg/dl 未満)	¥713,874	¥677,437	N/A	¥402,861	¥715,738	¥892,645	¥710,391	¥781,991	¥539,687
	黄疸あり(T Bill 5mg/dl 以上)	¥1,193,827	¥752,777	N/A	N/A	¥1,068,485	¥1,883,987	¥585,220	¥912,356	¥814,268
	不明	¥618,204	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥739,221	¥681,837	N/A	¥402,861	¥725,575	¥921,802	¥707,610	¥787,394	¥570,196
前立腺肥大症	(人)	189	88	0	0	0	7	0	32	0
	前立腺容積20ml未満	¥517,498	¥517,483	N/A	N/A	N/A	¥584,713	N/A	¥500,780	N/A
	前立腺容積50ml未満	¥578,633	¥575,123	N/A	N/A	N/A	¥457,685	N/A	¥683,882	N/A
	前立腺容積50ml以上	¥532,712	¥423,958	N/A	N/A	N/A	¥264,540	N/A	¥584,548	N/A
	不明	¥346,361	¥168,705	N/A	N/A	N/A	¥1,161,410	N/A	¥753,920	N/A
	計	¥480,609	¥388,302	N/A	N/A	N/A	¥585,066	N/A	¥633,786	N/A
白内障	(人)	1,194	163	0	2	2	0	0	0	0
	1眼(処置対象のもの)	¥237,049	¥200,132	N/A	¥81,350	¥214,985	N/A	N/A	N/A	N/A
	2眼(処置対象のもの)	¥458,445	¥449,916	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	不明	¥366,419	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥317,056	¥275,220	N/A	¥81,350	¥214,985	N/A	N/A	N/A	N/A
痔核	(人)	140	6	0	2	6	64	5	11	0
	第一度(出血のみ)	¥232,238	¥212,927	N/A	N/A	¥129,440	¥248,656	¥110,430	¥260,870	N/A
	第二度(還納可能)	¥243,603	N/A	N/A	N/A	¥261,260	¥277,350	¥375,168	¥340,193	N/A
	第三度(脱肛)	¥266,068	¥353,010	N/A	N/A	¥316,539	¥284,646	N/A	¥309,827	N/A
	不明	¥130,534	N/A	N/A	¥93,402	N/A	N/A	N/A	N/A	N/A
	計	¥249,002	¥282,968	N/A	¥93,402	¥235,746	¥275,869	¥322,220	¥303,067	N/A
子宮筋腫	(人)	476	57	0	0	9	0	0	2	0
	貧血なし(Hb10g/dl以上)	¥793,714	¥650,585	N/A	N/A	¥588,990	N/A	N/A	¥656,513	N/A
	貧血あり(Hb10g/dl未満)	¥712,595	¥653,221	N/A	N/A	¥149,970	N/A	N/A	N/A	N/A
	不明	¥795,839	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥776,313	¥652,111	N/A	N/A	¥393,870	N/A	N/A	¥656,513	N/A
狭心症	(人)	2,070	384	44	3	284	327	150	120	4
	重症度の指標なし	¥673,843	¥462,392	¥572,278	¥940,997	¥861,257	¥858,045	¥445,817	¥561,306	¥197,910
	計	¥673,843	¥462,392	¥572,278	¥940,997	¥861,257	¥858,045	¥445,817	¥561,306	¥197,910
腎結石及び尿管結石	(人)	632	238	0	2	13	78	3	58	2
	水腎・水尿管なし	¥273,525	¥250,784	N/A	¥327,400	¥626,844	¥344,157	¥103,545	¥275,058	¥90,360
	水腎・水尿管あり	¥354,211	¥361,682	N/A	¥330,250	¥864,592	¥301,618	¥321,300	¥280,827	N/A

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1026
脳梗塞	JCS 200-300	¥1,587,061	-	¥2,227,050	N/A	¥908,327	-	-	-	-
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-
	計	¥1,470,816	-	¥1,113,596	N/A	¥1,153,811	-	-	-	-
脳出血	(人)	667	-	49	0	13	-	-	-	-
	JCS 0-1	¥2,041,880	-	¥1,158,096	N/A	¥597,960	-	-	-	-
	JCS 2-3	¥1,943,351	-	¥1,708,412	N/A	¥1,445,927	-	-	-	-
	JCS 10-100	¥2,960,569	-	¥5,711,458	N/A	¥4,773,090	-	-	-	-
	JCS 200-300	¥2,086,154	-	¥2,344,290	N/A	¥695,580	-	-	-	-
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-
	計	¥2,205,358	-	¥2,122,363	N/A	¥1,516,219	-	-	-	-
糖尿病	(人)	855	-	26	2	51	-	-	-	-
	軽症	¥554,070	-	¥521,110	N/A	¥527,303	-	-	-	-
	中等症	¥1,056,133	-	¥694,313	¥294,654	¥363,735	-	-	-	-
	重症	¥759,648	-	¥424,382	¥664,864	¥589,507	-	-	-	-
	不明	¥481,732	-	N/A	N/A	N/A	-	-	-	-
	計	¥637,505	-	¥556,581	¥479,759	¥511,539	-	-	-	-
大腿骨頸部骨折	(人)	648	-	46	0	79	-	-	-	-
	重症度Ⅰ	¥1,891,556	-	¥1,998,348	N/A	¥1,440,313	-	-	-	-
	重症度Ⅱ	¥1,937,579	-	¥1,985,437	N/A	¥2,039,561	-	-	-	-
	重症度Ⅲ	¥1,918,832	-	¥1,960,205	N/A	¥2,008,329	-	-	-	-
	重症度Ⅳ	¥1,665,365	-	¥1,570,543	N/A	¥1,722,375	-	-	-	-
	不明	¥1,809,059	-	N/A	N/A	N/A	-	-	-	-
	計	¥1,883,776	-	¥1,950,585	N/A	¥1,865,801	-	-	-	-
胃潰瘍	(人)	252	-	18	0	12	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥524,649	-	¥570,604	N/A	¥625,422	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥790,956	-	¥901,388	N/A	¥1,505,948	-	-	-	-
	不明	¥719,052	-	N/A	N/A	N/A	-	-	-	-
	計	¥564,468	-	¥644,112	N/A	¥698,799	-	-	-	-
急性腸炎	(人)	896	-	59	2	71	-	-	-	-
	血便なし	¥221,252	-	¥196,069	¥152,930	¥310,742	-	-	-	-
	血便あり	¥251,733	-	¥193,158	N/A	¥275,120	-	-	-	-
	不明	¥197,617	-	N/A	N/A	N/A	-	-	-	-
	計	¥222,910	-	¥195,872	¥152,930	¥307,230	-	-	-	-
急性虫垂炎	(人)	703	-	47	0	21	-	-	-	-
	白血球15000/mm3未満	¥497,697	-	¥552,363	N/A	¥362,314	-	-	-	-
	白血球15000/mm3以上	¥565,215	-	¥592,296	N/A	¥648,330	-	-	-	-
	不明	¥495,619	-	N/A	N/A	N/A	-	-	-	-
	計	¥516,642	-	¥564,258	N/A	¥430,413	-	-	-	-
胆石症	(人)	1,413	-	58	0	41	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥713,874	-	¥618,682	N/A	¥773,325	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,193,827	-	¥726,254	N/A	¥954,401	-	-	-	-
	不明	¥618,204	-	N/A	N/A	N/A	-	-	-	-
	計	¥739,221	-	¥629,810	N/A	¥795,407	-	-	-	-
前立腺肥大症	(人)	189	-	0	0	2	-	-	-	-
	前立腺容積20ml未満	¥517,498	-	N/A	N/A	N/A	-	-	-	-
	前立腺容積50ml未満	¥578,633	-	N/A	N/A	¥239,452	-	-	-	-
	前立腺容積50ml以上	¥532,712	-	N/A	N/A	N/A	-	-	-	-
	不明	¥346,361	-	N/A	N/A	¥231,132	-	-	-	-
	計	¥480,609	-	N/A	N/A	¥235,292	-	-	-	-
白内障	(人)	1,194	-	149	0	121	-	-	-	-
	1眼(処置対象のもの)	¥237,049	-	¥245,482	N/A	¥219,742	-	-	-	-
	2眼(処置対象のもの)	¥458,445	-	¥446,664	N/A	¥439,455	-	-	-	-
	不明	¥366,419	-	N/A	N/A	N/A	-	-	-	-
	計	¥317,056	-	¥349,449	N/A	¥283,295	-	-	-	-
痔核	(人)	140	-	9	0	0	-	-	-	-
	第一度(出血のみ)	¥232,238	-	¥235,640	N/A	N/A	-	-	-	-
	第二度(還納可能)	¥243,603	-	N/A	N/A	N/A	-	-	-	-
	第三度(脱肛)	¥266,068	-	¥222,640	N/A	N/A	-	-	-	-
	不明	¥130,534	-	N/A	N/A	N/A	-	-	-	-
	計	¥249,002	-	¥228,418	N/A	N/A	-	-	-	-
子宮筋腫	(人)	476	-	43	0	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥793,714	-	¥629,341	N/A	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	¥712,595	-	¥709,522	N/A	N/A	-	-	-	-
	不明	¥795,839	-	N/A	N/A	N/A	-	-	-	-
	計	¥776,313	-	¥649,853	N/A	N/A	-	-	-	-
狭心症	(人)	2,070	-	112	0	2	-	-	-	-
	重症度の指標なし	¥673,843	-	¥633,595	N/A	¥68,615	-	-	-	-
	計	¥673,843	-	¥633,595	N/A	¥68,615	-	-	-	-
腎結石及び尿管結石	(人)	632	-	2	0	5	-	-	-	-
	水腎・水尿管なし	¥273,525	-	¥553,785	N/A	¥73,985	-	-	-	-
	水腎・水尿管あり	¥354,211	-	N/A	N/A	¥125,923	-	-	-	-

【重症度別集計】表

		平均	病院コード								
			1039	1041	1046	1047	1049	1058	1069	1129	
		(単位:円)									
脳梗塞	JCS 200-300	¥1,587,061	¥1,608,611	-	¥881,670	-	¥2,749,368	-	¥897,730	-	
	不明	N/A	N/A	-	N/A	-	N/A	-	N/A	-	
	計	¥1,470,816	¥1,146,096	-	¥3,206,709	-	¥1,826,248	-	¥698,089	-	
脳出血	(人)	667	82	-	17	-	39	-	1	-	
	JCS 0-1	¥2,041,880	¥1,434,468	-	¥3,729,992	-	¥2,064,034	-	N/A	-	
	JCS 2-3	¥1,943,351	¥1,368,975	-	¥3,840,400	-	¥2,506,718	-	N/A	-	
	JCS 10-100	¥2,960,569	¥2,603,237	-	¥2,204,642	-	¥3,922,820	-	N/A	-	
	JCS 200-300	¥2,086,154	¥2,115,351	-	N/A	-	¥2,641,099	-	¥58,140	-	
	不明	N/A	N/A	-	N/A	-	N/A	-	N/A	-	
	計	¥2,205,358	¥1,804,397	-	¥3,557,034	-	¥2,499,154	-	¥58,140	-	
糖尿病	(人)	855	154	-	9	-	109	-	45	-	
	軽症	¥554,070	¥604,775	-	¥1,872,312	-	¥549,196	-	¥649,182	-	
	中等症	¥1,056,133	¥1,337,207	-	¥801,848	-	¥587,289	-	¥798,331	-	
	重症	¥759,648	¥854,474	-	¥91,186	-	¥517,037	-	¥872,054	-	
	不明	¥481,732	¥362,654	-	N/A	-	N/A	-	¥504,864	-	
	計	¥637,505	¥677,786	-	¥1,436,528	-	¥551,914	-	¥669,138	-	
大腿骨頸部骨折	(人)	648	79	-	12	-	37	-	0	-	
	重症度Ⅰ	¥1,891,556	¥1,846,385	-	¥2,913,903	-	¥3,141,242	-	N/A	-	
	重症度Ⅱ	¥1,937,579	¥1,940,729	-	¥2,201,811	-	¥3,516,857	-	N/A	-	
	重症度Ⅲ	¥1,918,832	¥1,827,994	-	¥1,287,442	-	¥2,547,375	-	N/A	-	
	重症度Ⅳ	¥1,665,365	¥1,889,605	-	¥158,458	-	¥1,553,515	-	N/A	-	
	不明	¥1,809,059	N/A	-	N/A	-	N/A	-	N/A	-	
計	¥1,883,776	¥1,863,491	-	¥2,192,698	-	¥2,993,825	-	N/A	-		
胃潰瘍	(人)	252	11	-	2	-	33	-	21	-	
	ショックなし(収縮期血圧90mmHg以上)	¥524,649	¥269,534	-	¥391,416	-	¥657,850	-	¥509,800	-	
	ショックあり(収縮期血圧90mmHg未満)	¥790,956	N/A	-	N/A	-	¥618,851	-	¥820,691	-	
	不明	¥719,052	N/A	-	N/A	-	N/A	-	N/A	-	
	計	¥564,468	¥269,534	-	¥391,416	-	¥654,305	-	¥598,626	-	
急性腸炎	(人)	896	162	-	8	-	103	-	27	-	
	血便なし	¥221,252	¥218,883	-	¥193,001	-	¥219,976	-	¥244,412	-	
	血便あり	¥251,733	¥206,727	-	N/A	-	¥227,276	-	¥318,833	-	
	不明	¥197,617	N/A	-	N/A	-	N/A	-	N/A	-	
	計	¥222,910	¥218,208	-	¥193,001	-	¥220,827	-	¥252,681	-	
急性虫垂炎	(人)	703	139	-	2	-	78	-	32	-	
	白血球15000/mm3未満	¥497,697	¥414,441	-	¥403,028	-	¥488,629	-	¥673,803	-	
	白血球15000/mm3以上	¥565,215	¥467,949	-	N/A	-	¥531,794	-	¥567,756	-	
	不明	¥495,619	¥478,730	-	N/A	-	N/A	-	N/A	-	
	計	¥516,642	¥434,151	-	¥403,028	-	¥497,483	-	¥650,605	-	
胆石症	(人)	1,413	232	-	11	-	124	-	66	-	
	黄疸なし(T Bill 5mg/dl 未満)	¥713,874	¥712,270	-	¥884,379	-	¥614,638	-	¥741,790	-	
	黄疸あり(T Bill 5mg/dl 以上)	¥1,193,827	¥994,153	-	¥443,433	-	¥3,686,620	-	¥1,346,829	-	
	不明	¥618,204	N/A	-	N/A	-	N/A	-	N/A	-	
	計	¥739,221	¥731,711	-	¥764,121	-	¥788,056	-	¥815,128	-	
前立腺肥大症	(人)	189	18	-	0	-	8	-	0	-	
	前立腺容積20ml未満	¥517,498	N/A	-	N/A	-	¥518,467	-	N/A	-	
	前立腺容積50ml未満	¥578,633	¥530,503	-	N/A	-	¥753,452	-	N/A	-	
	前立腺容積50ml以上	¥532,712	¥514,811	-	N/A	-	¥576,095	-	N/A	-	
	不明	¥346,361	¥480,181	-	N/A	-	¥2,641,130	-	N/A	-	
計	¥480,609	¥511,474	-	N/A	-	¥856,953	-	N/A	-		
白内障	(人)	1,194	229	-	0	-	186	-	0	-	
	1眼(処置対象のもの)	¥237,049	¥250,098	-	N/A	-	¥244,433	-	N/A	-	
	2眼(処置対象のもの)	¥458,445	¥439,622	-	N/A	-	¥551,137	-	N/A	-	
	不明	¥366,419	¥112,990	-	N/A	-	N/A	-	N/A	-	
	計	¥317,056	¥307,433	-	N/A	-	¥279,061	-	N/A	-	
痔核	(人)	140	2	-	0	-	32	-	0	-	
	第一度(出血のみ)	¥232,238	¥218,960	-	N/A	-	¥214,003	-	N/A	-	
	第二度(還納可能)	¥243,603	N/A	-	N/A	-	¥150,875	-	N/A	-	
	第三度(脱肛)	¥266,068	N/A	-	N/A	-	¥185,321	-	N/A	-	
	不明	¥130,534	¥112,590	-	N/A	-	N/A	-	N/A	-	
計	¥249,002	¥165,775	-	N/A	-	¥179,754	-	N/A	-		
子宮筋腫	(人)	476	37	-	0	-	239	-	0	-	
	貧血なし(Hb10g/dl以上)	¥793,714	¥563,757	-	N/A	-	¥890,026	-	N/A	-	
	貧血あり(Hb10g/dl未満)	¥712,595	¥474,585	-	N/A	-	¥891,235	-	N/A	-	
	不明	¥795,839	¥365,460	-	N/A	-	N/A	-	N/A	-	
	計	¥776,313	¥534,297	-	N/A	-	¥890,198	-	N/A	-	
狭心症	(人)	2,070	210	-	1	-	178	-	0	-	
	重症度の指標なし	¥673,843	¥519,126	-	¥93,886	-	¥1,094,343	-	N/A	-	
	計	¥673,843	¥519,126	-	¥93,886	-	¥1,094,343	-	N/A	-	
腎結石及び尿管結石	(人)	632	49	-	1	-	114	-	2	-	
	水腎・水尿管なし	¥273,525	¥414,969	-	¥1,109,702	-	¥238,979	-	¥93,295	-	
	水腎・水尿管あり	¥354,211	¥417,790	-	N/A	-	¥294,166	-	N/A	-	

【重症度別集計】表

		平均	病院コード						
			1133	1167	9001	9004	9005	9006	9007
脳梗塞	JCS 200-300	¥1,587,061	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	¥1,470,816	-	-	-	-	-	-	-
脳出血	(人)	667	-	-	-	-	-	-	-
	JCS 0-1	¥2,041,880	-	-	-	-	-	-	-
	JCS 2-3	¥1,943,351	-	-	-	-	-	-	-
	JCS 10-100	¥2,960,569	-	-	-	-	-	-	-
	JCS 200-300	¥2,086,154	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	¥2,205,358	-	-	-	-	-	-	-
糖尿病	(人)	855	-	-	-	-	-	-	-
	軽症	¥554,070	-	-	-	-	-	-	-
	中等症	¥1,056,133	-	-	-	-	-	-	-
	重症	¥759,648	-	-	-	-	-	-	-
	不明	¥481,732	-	-	-	-	-	-	-
	計	¥637,505	-	-	-	-	-	-	-
大腿骨頸部骨折	(人)	648	-	-	-	-	-	-	-
	重症度Ⅰ	¥1,891,556	-	-	-	-	-	-	-
	重症度Ⅱ	¥1,937,579	-	-	-	-	-	-	-
	重症度Ⅲ	¥1,918,832	-	-	-	-	-	-	-
	重症度Ⅳ	¥1,665,365	-	-	-	-	-	-	-
	不明	¥1,809,059	-	-	-	-	-	-	-
	計	¥1,883,776	-	-	-	-	-	-	-
胃潰瘍	(人)	252	-	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥524,649	-	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥790,956	-	-	-	-	-	-	-
	不明	¥719,052	-	-	-	-	-	-	-
	計	¥564,468	-	-	-	-	-	-	-
急性腸炎	(人)	896	-	-	-	-	-	-	-
	血便なし	¥221,252	-	-	-	-	-	-	-
	血便あり	¥251,733	-	-	-	-	-	-	-
	不明	¥197,617	-	-	-	-	-	-	-
	計	¥222,910	-	-	-	-	-	-	-
急性虫垂炎	(人)	703	-	-	-	-	-	-	-
	白血球15000/mm3未満	¥497,697	-	-	-	-	-	-	-
	白血球15000/mm3以上	¥565,215	-	-	-	-	-	-	-
	不明	¥495,619	-	-	-	-	-	-	-
	計	¥516,642	-	-	-	-	-	-	-
胆石症	(人)	1,413	-	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥713,874	-	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,193,827	-	-	-	-	-	-	-
	不明	¥618,204	-	-	-	-	-	-	-
	計	¥739,221	-	-	-	-	-	-	-
前立腺肥大症	(人)	189	-	-	-	-	-	-	-
	前立腺容積20ml未満	¥517,498	-	-	-	-	-	-	-
	前立腺容積50ml未満	¥578,633	-	-	-	-	-	-	-
	前立腺容積50ml以上	¥532,712	-	-	-	-	-	-	-
	不明	¥346,361	-	-	-	-	-	-	-
	計	¥480,609	-	-	-	-	-	-	-
白内障	(人)	1,194	-	-	-	-	-	-	-
	1眼(処置対象のもの)	¥237,049	-	-	-	-	-	-	-
	2眼(処置対象のもの)	¥458,445	-	-	-	-	-	-	-
	不明	¥366,419	-	-	-	-	-	-	-
	計	¥317,056	-	-	-	-	-	-	-
痔核	(人)	140	-	-	-	-	-	-	-
	第一度(出血のみ)	¥232,238	-	-	-	-	-	-	-
	第二度(還納可能)	¥243,603	-	-	-	-	-	-	-
	第三度(脱肛)	¥266,068	-	-	-	-	-	-	-
	不明	¥130,534	-	-	-	-	-	-	-
	計	¥249,002	-	-	-	-	-	-	-
子宮筋腫	(人)	476	-	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥793,714	-	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	¥712,595	-	-	-	-	-	-	-
	不明	¥795,839	-	-	-	-	-	-	-
	計	¥776,313	-	-	-	-	-	-	-
狭心症	(人)	2,070	-	-	-	-	-	-	-
	重症度の指標なし	¥673,843	-	-	-	-	-	-	-
	計	¥673,843	-	-	-	-	-	-	-
腎結石及び尿管結石	(人)	632	-	-	-	-	-	-	-
	水腎・水尿管なし	¥273,525	-	-	-	-	-	-	-
	水腎・水尿管あり	¥354,211	-	-	-	-	-	-	-

【重症度別集計】表

		平均	病院コード				
			9017	9018	9019	9020	9021
		(単位:円)					
脳梗塞	JCS 200-300	¥1,587,061	-	-	-	-	-
	不明	N/A	-	-	-	-	-
	計	¥1,470,816	-	-	-	-	-
脳出血	(人)	667	-	-	-	-	-
	JCS 0-1	¥2,041,880	-	-	-	-	-
	JCS 2-3	¥1,943,351	-	-	-	-	-
	JCS 10-100	¥2,960,569	-	-	-	-	-
	JCS 200-300	¥2,086,154	-	-	-	-	-
	不明	N/A	-	-	-	-	-
	計	¥2,205,358	-	-	-	-	-
糖尿病	(人)	855	-	-	-	-	-
	軽症	¥554,070	-	-	-	-	-
	中等症	¥1,056,133	-	-	-	-	-
	重症	¥759,648	-	-	-	-	-
	計	¥637,505	-	-	-	-	-
大腿骨頸部骨折	(人)	648	-	-	-	-	-
	重症度Ⅰ	¥1,891,556	-	-	-	-	-
	重症度Ⅱ	¥1,937,579	-	-	-	-	-
	重症度Ⅲ	¥1,918,832	-	-	-	-	-
	重症度Ⅳ	¥1,665,365	-	-	-	-	-
	計	¥1,883,776	-	-	-	-	-
胃潰瘍	(人)	252	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥524,649	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥790,956	-	-	-	-	-
	計	¥564,468	-	-	-	-	-
急性腸炎	(人)	896	-	-	-	-	-
	血便なし	¥221,252	-	-	-	-	-
	血便あり	¥251,733	-	-	-	-	-
	計	¥222,910	-	-	-	-	-
急性虫垂炎	(人)	703	-	-	-	-	-
	白血球15000/mm3未満	¥497,697	-	-	-	-	-
	白血球15000/mm3以上	¥565,215	-	-	-	-	-
	計	¥516,642	-	-	-	-	-
胆石症	(人)	1,413	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥713,874	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,193,827	-	-	-	-	-
	計	¥739,221	-	-	-	-	-
前立腺肥大症	(人)	189	-	-	-	-	-
	前立腺容積20ml未満	¥517,498	-	-	-	-	-
	前立腺容積50ml未満	¥578,633	-	-	-	-	-
	前立腺容積50ml以上	¥532,712	-	-	-	-	-
	計	¥480,609	-	-	-	-	-
白内障	(人)	1,194	-	-	-	-	-
	1眼(処置対象のもの)	¥237,049	-	-	-	-	-
	2眼(処置対象のもの)	¥458,445	-	-	-	-	-
	計	¥317,056	-	-	-	-	-
痔核	(人)	140	-	-	-	-	-
	第一度(出血のみ)	¥232,238	-	-	-	-	-
	第二度(還納可能)	¥243,603	-	-	-	-	-
	第三度(脱肛)	¥266,068	-	-	-	-	-
	計	¥249,002	-	-	-	-	-
子宮筋腫	(人)	476	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥793,714	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	¥712,595	-	-	-	-	-
	計	¥776,313	-	-	-	-	-
狭心症	(人)	2,070	-	-	-	-	-
	重症度の指標なし	¥673,843	-	-	-	-	-
腎結石及び尿管結石	(人)	632	-	-	-	-	-
	水腎・水尿管なし	¥273,525	-	-	-	-	-
	水腎・水尿管あり	¥354,211	-	-	-	-	-

【重症度別集計】表

		平均	病院コード				
			9017	9018	9019	9020	9021
腎結石及び尿管結石	不明	¥329,264	-	-	-	-	-
	計	¥312,781	-	-	-	-	-
乳房の悪性新生物	(人)	576	-	-	-	-	-
	ステージ0	¥735,291	-	-	-	-	-
	ステージI	¥729,495	-	-	-	-	-
	ステージII	¥720,086	-	-	-	-	-
	ステージIII	¥674,612	-	-	-	-	-
	ステージIV	¥1,082,764	-	-	-	-	-
	不明	¥538,701	-	-	-	-	-
	計	¥739,717	-	-	-	-	-
膝関節症	(人)	386	-	-	-	-	-
	骨移植なし	¥2,157,398	-	-	-	-	-
	骨移植あり	¥1,814,344	-	-	-	-	-
	不明	¥2,127,073	-	-	-	-	-
	計	¥2,151,329	-	-	-	-	-
鼠径ヘルニア	(人)	912	-	-	-	-	-
	重症度の指標なし	¥354,619	-	-	-	-	-
	計	¥354,619	-	-	-	-	-
全疾患合計		¥814,987	-	-	-	-	-
集計病院数		17					