

【重症度別集計】表

絞込条件

対象年月設定: 201404 ~ 201503
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 医療費

(単位:円)	平均	病院コード							
		0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物 (人)	696	73	1	2	130	61	44	190	6
ステージ0	¥527,917	¥511,100	N/A	¥170,828	¥506,551	¥522,454	N/A	N/A	N/A
ステージI	¥1,157,436	¥1,623,023	N/A	N/A	¥1,025,983	¥1,675,407	¥1,698,979	¥1,117,434	N/A
ステージII	¥1,307,538	¥1,487,696	N/A	N/A	¥2,376,250	¥1,765,685	¥1,052,461	¥1,086,532	N/A
ステージIII	¥1,206,320	¥1,019,310	N/A	N/A	¥1,413,572	¥2,001,920	¥931,730	¥881,626	N/A
ステージIV	¥648,088	¥471,403	N/A	N/A	¥523,175	¥884,439	¥599,190	¥661,723	N/A
不明	¥968,272	¥806,831	¥112,870	¥571,280	¥500,486	¥653,860	N/A	¥640,075	¥2,674,346
計	¥968,016	¥975,332	¥112,870	¥371,054	¥940,989	¥1,338,889	¥921,423	¥893,802	¥2,674,346
結腸の悪性新生物 (人)	866	89	0	13	119	258	20	157	5
ステージ0	¥631,819	¥389,966	N/A	N/A	¥773,043	¥839,875	N/A	¥743,363	N/A
ステージI	¥1,146,314	¥908,184	N/A	N/A	¥1,584,453	¥1,333,833	¥1,368,442	¥1,255,905	N/A
ステージII	¥1,169,852	¥1,500,887	N/A	¥121,776	¥1,634,331	¥589,990	¥1,600,400	¥1,301,044	N/A
ステージIII	¥963,498	¥1,091,284	N/A	¥149,030	¥1,315,802	¥602,032	¥1,000,739	¥1,030,776	N/A
ステージIV	¥913,368	¥1,139,462	N/A	N/A	¥957,974	¥499,792	¥1,245,196	¥841,584	¥12,817,040
不明	¥609,815	¥344,382	N/A	¥706,529	¥252,010	¥359,622	¥962,482	¥1,162,370	¥356,703
計	¥967,851	¥1,009,306	N/A	¥618,663	¥1,212,435	¥577,004	¥1,312,653	¥1,033,104	¥2,848,770
直腸の悪性新生物 (人)	453	20	0	1	90	96	8	71	3
ステージ0	¥799,887	¥233,300	N/A	N/A	¥1,611,828	¥141,180	¥2,179,060	¥749,924	N/A
ステージI	¥1,288,669	¥1,073,160	N/A	N/A	¥990,804	¥1,660,285	N/A	¥1,075,735	N/A
ステージII	¥1,393,875	¥1,723,090	N/A	N/A	¥1,625,723	¥1,648,716	¥535,690	¥1,239,104	N/A
ステージIII	¥1,131,307	¥1,016,611	N/A	N/A	¥1,721,011	¥462,184	¥2,078,745	¥1,400,781	N/A
ステージIV	¥820,366	¥236,550	N/A	N/A	¥1,144,050	¥579,672	¥1,252,953	¥1,009,940	N/A
不明	¥499,378	¥147,273	N/A	¥122,262	N/A	N/A	¥316,828	N/A	¥787,463
計	¥1,055,266	¥887,172	N/A	¥122,262	¥1,380,872	¥671,728	¥1,368,491	¥1,177,002	¥787,463
気管支および肺の悪性新生物 (人)	783	28	1	10	127	38	27	257	15
ステージ0	¥835,080	N/A	N/A	N/A	N/A	N/A	N/A	¥1,183,095	N/A
ステージI	¥872,778	N/A	N/A	N/A	¥1,050,845	¥481,469	¥1,173,536	¥1,178,473	N/A
ステージII	¥581,197	N/A	N/A	N/A	¥1,486,158	¥233,104	¥1,231,110	¥888,369	N/A
ステージIII	¥586,417	¥397,932	N/A	N/A	¥402,811	¥650,341	¥587,385	¥821,036	N/A
ステージIV	¥795,930	¥834,866	N/A	¥707,247	¥851,742	¥834,103	¥914,792	¥1,004,141	N/A
不明	¥298,293	¥709,347	¥145,510	¥1,016,249	¥283,049	¥104,050	¥115,489	¥190,287	¥230,641
計	¥662,635	¥745,550	¥145,510	¥954,449	¥764,346	¥605,503	¥768,740	¥819,015	¥230,641
急性心筋梗塞 (人)	266	15	1	0	63	39	7	54	0
Killip I	¥1,740,076	¥1,197,693	N/A	N/A	¥1,932,372	¥2,100,273	N/A	¥1,766,452	N/A
Killip II	¥2,145,878	¥1,435,338	N/A	N/A	¥2,546,281	¥2,273,582	¥1,198,495	¥2,298,644	N/A
Killip III	¥2,590,833	¥2,196,680	N/A	N/A	¥4,181,255	¥6,229,120	¥1,971,177	¥2,136,024	N/A
Killip IV	¥2,116,449	N/A	¥77,260	N/A	¥1,932,900	¥3,194,674	¥2,523,488	¥2,647,594	N/A
不明	¥1,238,017	N/A	N/A	N/A	¥2,694,872	N/A	N/A	¥266,781	N/A
計	¥2,006,352	¥1,327,664	¥77,260	N/A	¥2,274,842	¥2,551,479	¥1,718,929	¥2,055,299	N/A
肺炎 (人)	2,889	176	33	165	235	96	199	226	104
軽症	¥459,773	¥469,732	¥362,407	¥607,263	¥419,283	¥426,012	¥489,684	¥519,020	¥494,384
中等症	¥752,197	¥628,353	¥901,206	¥1,803,335	¥427,404	¥592,705	¥732,397	¥629,555	¥898,864
重症	¥807,590	¥680,681	¥907,437	¥1,422,411	¥610,907	¥552,761	¥890,852	¥775,654	¥1,592,590
不明	¥426,377	¥612,540	N/A	N/A	N/A	N/A	N/A	¥310,587	¥1,269,295
計	¥585,586	¥583,590	¥757,659	¥1,004,519	¥558,492	¥501,813	¥758,105	¥517,358	¥963,358
喘息 (人)	916	12	1	28	73	0	12	82	2
軽症間欠型	¥261,674	¥352,441	¥718,710	¥421,190	¥492,043	N/A	¥278,939	¥153,380	N/A
軽症持続型	¥296,103	¥443,738	N/A	¥373,827	¥297,879	N/A	¥434,119	N/A	N/A
中等症持続型	¥307,632	¥248,475	N/A	¥323,018	¥310,781	N/A	N/A	¥312,070	N/A
重症持続型	¥353,488	N/A	N/A	N/A	¥263,590	N/A	N/A	¥345,372	N/A
不明	¥280,309	N/A	N/A	N/A	¥106,840	N/A	N/A	¥412,120	¥284,425
計	¥294,834	¥365,546	¥718,710	¥363,770	¥324,740	N/A	¥369,460	¥314,579	¥284,425
脳梗塞 (人)	1,365	111	453	5	190	6	74	95	34
JCS 0-1	¥1,263,619	¥885,420	¥1,134,361	¥3,390,332	¥1,207,646	¥433,870	¥1,042,458	¥2,140,928	¥990,300
JCS 2-3	¥1,521,889	¥1,080,477	¥1,464,938	N/A	¥1,847,099	N/A	¥786,504	¥3,293,569	N/A
JCS 10-100	¥1,952,842	¥1,064,127	¥1,967,422	¥5,344,857	¥2,723,266	N/A	¥1,630,052	¥2,200,596	¥2,422,415

【重症度別集計】表

	(単位:円)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
胃の悪性新生物	(人)	696	-	49	0	13	-	-	-	78
ステージ0		¥527,917	-	¥1,487,900	N/A	¥466,090	-	-	-	N/A
ステージI		¥1,157,436	-	¥1,249,720	N/A	¥1,685,154	-	-	-	¥698,555
ステージII		¥1,307,538	-	¥1,350,410	N/A	¥2,055,640	-	-	-	¥1,160,903
ステージIII		¥1,206,320	-	¥1,211,475	N/A	N/A	-	-	-	¥1,002,650
ステージIV		¥648,088	-	¥549,363	N/A	¥1,423,466	-	-	-	¥765,985
不明		¥968,272	-	¥155,210	N/A	¥1,055,010	-	-	-	¥463,993
計		¥968,016	-	¥1,016,555	N/A	¥1,259,908	-	-	-	¥786,835
結腸の悪性新生物	(人)	866	-	50	0	15	-	-	-	94
ステージ0		¥631,819	-	¥169,688	N/A	N/A	-	-	-	¥538,119
ステージI		¥1,146,314	-	¥772,616	N/A	¥117,950	-	-	-	¥1,124,870
ステージII		¥1,169,852	-	¥1,388,395	N/A	¥3,900,794	-	-	-	¥1,507,658
ステージIII		¥963,498	-	¥1,063,680	N/A	¥2,958,261	-	-	-	¥1,456,029
ステージIV		¥913,368	-	¥889,419	N/A	¥2,095,799	-	-	-	¥1,467,538
不明		¥609,815	-	¥804,975	N/A	¥1,384,381	-	-	-	¥362,156
計		¥967,851	-	¥940,226	N/A	¥2,129,892	-	-	-	¥1,237,039
直腸の悪性新生物	(人)	453	-	21	0	16	-	-	-	66
ステージ0		¥799,887	-	¥168,410	N/A	N/A	-	-	-	N/A
ステージI		¥1,288,669	-	¥944,727	N/A	¥4,995,992	-	-	-	¥1,225,297
ステージII		¥1,393,875	-	¥1,800,440	N/A	¥729,786	-	-	-	¥1,753,363
ステージIII		¥1,131,307	-	N/A	N/A	¥1,213,649	-	-	-	¥1,685,975
ステージIV		¥820,366	-	¥911,147	N/A	¥2,204,620	-	-	-	¥749,378
不明		¥499,378	-	¥257,610	N/A	¥319,668	-	-	-	¥355,426
計		¥1,055,266	-	¥900,380	N/A	¥1,102,428	-	-	-	¥1,366,297
気管支および肺の悪性新生物	(人)	783	-	15	157	5	-	-	-	95
ステージ0		¥835,080	-	N/A	¥139,050	N/A	-	-	-	N/A
ステージI		¥872,778	-	¥1,816,510	¥334,672	N/A	-	-	-	¥958,206
ステージII		¥581,197	-	¥116,650	¥240,904	N/A	-	-	-	¥1,587,219
ステージIII		¥586,417	-	N/A	¥186,905	N/A	-	-	-	¥995,853
ステージIV		¥795,930	-	¥870,764	¥508,586	¥418,595	-	-	-	¥636,238
不明		¥298,293	-	¥228,393	N/A	¥343,043	-	-	-	¥203,844
計		¥662,635	-	¥755,065	¥319,749	¥373,264	-	-	-	¥686,812
急性心筋梗塞	(人)	266	-	42	0	3	-	-	-	39
Killip I		¥1,740,076	-	¥1,437,556	N/A	¥1,556,118	-	-	-	¥1,711,722
Killip II		¥2,145,878	-	¥2,016,879	N/A	¥120,610	-	-	-	¥1,901,398
Killip III		¥2,590,833	-	¥2,005,400	N/A	N/A	-	-	-	¥2,004,048
Killip IV		¥2,116,449	-	¥1,451,824	N/A	¥118,230	-	-	-	¥2,424,171
不明		¥1,238,017	-	N/A	N/A	N/A	-	-	-	N/A
計		¥2,006,352	-	¥1,671,689	N/A	¥598,319	-	-	-	¥1,935,296
肺炎	(人)	2,889	-	236	73	311	-	-	-	849
軽症		¥459,773	-	¥348,749	¥558,300	¥518,878	-	-	-	¥373,778
中等症		¥752,197	-	¥575,002	N/A	¥744,688	-	-	-	¥547,080
重症		¥807,590	-	¥830,181	¥567,957	¥1,175,392	-	-	-	¥758,975
不明		¥426,377	-	N/A	N/A	¥258,451	-	-	-	¥468,359
計		¥585,586	-	¥543,115	¥567,824	¥502,903	-	-	-	¥479,299
喘息	(人)	916	-	50	15	39	-	-	-	578
軽症間欠型		¥261,674	-	¥223,262	¥88,397	¥263,116	-	-	-	¥247,661
軽症持続型		¥296,103	-	¥224,421	¥272,422	¥234,158	-	-	-	¥286,819
中等症持続型		¥307,632	-	¥328,390	¥339,400	¥652,484	-	-	-	¥269,832
重症持続型		¥353,488	-	¥397,324	¥268,775	¥392,200	-	-	-	¥350,956
不明		¥280,309	-	N/A	N/A	N/A	-	-	-	¥305,114
計		¥294,834	-	¥256,342	¥261,679	¥272,697	-	-	-	¥281,376
脳梗塞	(人)	1,365	-	100	0	53	-	-	-	182
JCS 0-1		¥1,263,619	-	¥963,739	N/A	¥1,185,849	-	-	-	¥1,027,989
JCS 2-3		¥1,521,889	-	¥1,520,836	N/A	¥1,214,344	-	-	-	¥1,390,806
JCS 10-100		¥1,952,842	-	¥1,386,281	N/A	¥1,732,318	-	-	-	¥1,512,906

【重症度別集計】表

	(単位:円)	平均	病院コード							
			1041	1046	1047	1049	1058	1069	1129	1133
胃の悪性新生物	(人)	696	-	4	-	-	-	45	-	-
ステージ0		¥527,917	-	N/A	-	-	-	¥398,947	-	-
ステージI		¥1,157,436	-	N/A	-	-	-	¥1,266,093	-	-
ステージII		¥1,307,538	-	N/A	-	-	-	¥716,455	-	-
ステージIII		¥1,206,320	-	¥1,479,910	-	-	-	¥2,456,386	-	-
ステージIV		¥648,088	-	¥406,190	-	-	-	¥737,958	-	-
不明		¥968,272	-	¥1,434,180	-	-	-	¥1,331,950	-	-
計		¥968,016	-	¥1,188,615	-	-	-	¥865,682	-	-
結腸の悪性新生物	(人)	866	-	2	-	-	-	44	-	-
ステージ0		¥631,819	-	N/A	-	-	-	¥1,106,073	-	-
ステージI		¥1,146,314	-	N/A	-	-	-	¥955,859	-	-
ステージII		¥1,169,852	-	N/A	-	-	-	¥872,837	-	-
ステージIII		¥963,498	-	¥993,620	-	-	-	¥708,042	-	-
ステージIV		¥913,368	-	N/A	-	-	-	¥1,320,549	-	-
不明		¥609,815	-	¥1,664,930	-	-	-	N/A	-	-
計		¥967,851	-	¥1,329,275	-	-	-	¥1,057,891	-	-
直腸の悪性新生物	(人)	453	-	1	-	-	-	60	-	-
ステージ0		¥799,887	-	N/A	-	-	-	¥331,692	-	-
ステージI		¥1,288,669	-	N/A	-	-	-	¥1,906,444	-	-
ステージII		¥1,393,875	-	N/A	-	-	-	N/A	-	-
ステージIII		¥1,131,307	-	N/A	-	-	-	¥804,428	-	-
ステージIV		¥820,366	-	¥831,882	-	-	-	¥586,897	-	-
不明		¥499,378	-	N/A	-	-	-	¥1,337,668	-	-
計		¥1,055,266	-	¥831,882	-	-	-	¥782,891	-	-
気管支および肺の悪性新生物	(人)	783	-	4	-	-	-	4	-	-
ステージ0		¥835,080	-	N/A	-	-	-	N/A	-	-
ステージI		¥872,778	-	N/A	-	-	-	¥1,027,664	-	-
ステージII		¥581,197	-	N/A	-	-	-	N/A	-	-
ステージIII		¥586,417	-	N/A	-	-	-	N/A	-	-
ステージIV		¥795,930	-	¥465,580	-	-	-	¥521,744	-	-
不明		¥298,293	-	¥528,380	-	-	-	¥732,664	-	-
計		¥662,635	-	¥512,680	-	-	-	¥700,954	-	-
急性心筋梗塞	(人)	266	-	3	-	-	-	0	-	-
Killip I		¥1,740,076	-	N/A	-	-	-	N/A	-	-
Killip II		¥2,145,878	-	¥225,030	-	-	-	N/A	-	-
Killip III		¥2,590,833	-	N/A	-	-	-	N/A	-	-
Killip IV		¥2,116,449	-	¥74,220	-	-	-	N/A	-	-
不明		¥1,238,017	-	N/A	-	-	-	N/A	-	-
計		¥2,006,352	-	¥124,490	-	-	-	N/A	-	-
肺炎	(人)	2,889	-	73	-	-	-	113	-	-
軽症		¥459,773	-	¥543,272	-	-	-	¥364,732	-	-
中等症		¥752,197	-	¥557,473	-	-	-	¥611,458	-	-
重症		¥807,590	-	¥758,579	-	-	-	¥660,623	-	-
不明		¥426,377	-	N/A	-	-	-	N/A	-	-
計		¥585,586	-	¥671,459	-	-	-	¥610,033	-	-
喘息	(人)	916	-	2	-	-	-	22	-	-
軽症間欠型		¥261,674	-	¥204,126	-	-	-	¥366,735	-	-
軽症持続型		¥296,103	-	N/A	-	-	-	¥466,194	-	-
中等症持続型		¥307,632	-	N/A	-	-	-	¥459,520	-	-
重症持続型		¥353,488	-	N/A	-	-	-	¥621,735	-	-
不明		¥280,309	-	N/A	-	-	-	¥235,010	-	-
計		¥294,834	-	¥204,126	-	-	-	¥447,849	-	-
脳梗塞	(人)	1,365	-	56	-	-	-	6	-	-
JCS 0-1		¥1,263,619	-	¥3,001,965	-	-	-	¥3,192,100	-	-
JCS 2-3		¥1,521,889	-	¥2,858,067	-	-	-	¥4,322,700	-	-
JCS 10-100		¥1,952,842	-	¥1,824,522	-	-	-	¥680,490	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード		
			9019	9020	9021
胃の悪性新生物	(人)	696	-	-	-
ステージ0		¥527,917	-	-	-
ステージI		¥1,157,436	-	-	-
ステージII		¥1,307,538	-	-	-
ステージIII		¥1,206,320	-	-	-
ステージIV		¥648,088	-	-	-
不明		¥968,272	-	-	-
計		¥968,016	-	-	-
結腸の悪性新生物	(人)	866	-	-	-
ステージ0		¥631,819	-	-	-
ステージI		¥1,146,314	-	-	-
ステージII		¥1,169,852	-	-	-
ステージIII		¥963,498	-	-	-
ステージIV		¥913,368	-	-	-
不明		¥609,815	-	-	-
計		¥967,851	-	-	-
直腸の悪性新生物	(人)	453	-	-	-
ステージ0		¥799,887	-	-	-
ステージI		¥1,288,669	-	-	-
ステージII		¥1,393,875	-	-	-
ステージIII		¥1,131,307	-	-	-
ステージIV		¥820,366	-	-	-
不明		¥499,378	-	-	-
計		¥1,055,266	-	-	-
気管支および肺の悪性新生物	(人)	783	-	-	-
ステージ0		¥835,080	-	-	-
ステージI		¥872,778	-	-	-
ステージII		¥581,197	-	-	-
ステージIII		¥586,417	-	-	-
ステージIV		¥795,930	-	-	-
不明		¥298,293	-	-	-
計		¥662,635	-	-	-
急性心筋梗塞	(人)	266	-	-	-
Killip I		¥1,740,076	-	-	-
Killip II		¥2,145,878	-	-	-
Killip III		¥2,590,833	-	-	-
Killip IV		¥2,116,449	-	-	-
不明		¥1,238,017	-	-	-
計		¥2,006,352	-	-	-
肺炎	(人)	2,889	-	-	-
軽症		¥459,773	-	-	-
中等症		¥752,197	-	-	-
重症		¥807,590	-	-	-
不明		¥426,377	-	-	-
計		¥585,586	-	-	-
喘息	(人)	916	-	-	-
軽症間欠型		¥261,674	-	-	-
軽症持続型		¥296,103	-	-	-
中等症持続型		¥307,632	-	-	-
重症持続型		¥353,488	-	-	-
不明		¥280,309	-	-	-
計		¥294,834	-	-	-
脳梗塞	(人)	1,365	-	-	-
JCS 0-1		¥1,263,619	-	-	-
JCS 2-3		¥1,521,889	-	-	-
JCS 10-100		¥1,952,842	-	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	¥1,229,214	¥1,491,595	¥2,015,202	¥701,050	¥1,239,911	¥106,430	¥492,825	¥1,054,510	¥1,972,430
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥1,379,562	¥947,440	¥1,324,420	¥3,634,286	¥1,473,239	¥379,297	¥1,049,631	¥2,173,566	¥1,356,154
脳出血	(人)	586	34	169	2	135	2	24	36	7
	JCS 0-1	¥2,009,524	¥979,901	¥2,220,852	N/A	¥2,051,599	¥1,206,890	¥471,365	¥3,155,843	¥514,470
	JCS 2-3	¥2,119,445	¥1,211,680	¥2,398,195	N/A	¥1,965,450	¥113,630	¥2,188,687	¥4,649,443	N/A
	JCS 10-100	¥2,937,079	¥1,017,640	¥2,985,129	N/A	¥3,385,681	N/A	¥2,179,844	N/A	N/A
	JCS 200-300	¥1,643,235	¥916,598	¥1,438,089	¥69,285	¥2,510,979	N/A	¥381,430	¥663,287	¥2,881,020
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥2,151,120	¥1,039,357	¥2,283,100	¥69,285	¥2,392,721	¥660,260	¥1,229,292	¥2,795,646	¥852,548
糖尿病	(人)	585	78	12	9	60	66	15	39	30
	軽症	¥647,024	¥509,473	¥437,197	¥5,766,266	¥624,601	¥571,491	¥456,285	¥547,252	N/A
	中等症	¥643,542	¥577,442	¥529,912	¥494,894	¥832,893	¥597,051	¥527,356	¥960,648	N/A
	重症	¥802,599	¥497,524	N/A	¥945,573	¥961,366	¥3,117,578	¥901,408	¥750,652	N/A
	不明	¥579,364	¥883,334	N/A	N/A	N/A	N/A	N/A	N/A	¥577,592
	計	¥659,869	¥521,601	¥483,554	¥4,109,293	¥713,302	¥768,249	¥523,864	¥700,021	¥577,592
大腿骨頸部骨折	(人)	511	140	0	1	114	3	2	36	21
	重症度Ⅰ	¥1,789,843	¥1,520,109	N/A	N/A	¥1,631,272	¥161,004	N/A	¥3,251,197	N/A
	重症度Ⅱ	¥1,995,587	¥1,684,422	N/A	N/A	¥1,432,960	¥976,928	N/A	¥3,028,725	N/A
	重症度Ⅲ	¥1,944,837	¥1,472,428	N/A	N/A	¥1,391,942	N/A	N/A	¥3,218,764	N/A
	重症度Ⅳ	¥1,828,896	¥1,164,391	N/A	N/A	¥1,455,457	N/A	N/A	¥1,762,365	N/A
	不明	¥1,516,509	¥1,836,130	N/A	¥865,760	N/A	N/A	¥581,366	N/A	¥1,658,004
	計	¥1,860,288	¥1,514,477	N/A	¥865,760	¥1,523,028	¥704,953	¥581,366	¥3,110,037	¥1,658,004
胃潰瘍	(人)	202	35	0	6	31	9	8	44	5
	ショックなし(収縮期血圧90mmHg以上)	¥487,616	¥471,582	N/A	¥310,561	¥620,508	¥643,403	¥538,227	¥412,120	¥270,254
	ショックあり(収縮期血圧90mmHg未満)	¥713,822	¥777,888	N/A	N/A	¥974,283	¥1,363,590	N/A	¥632,590	N/A
	不明	¥436,774	N/A	N/A	N/A	N/A	N/A	N/A	N/A	¥436,774
	計	¥514,240	¥506,589	N/A	¥310,561	¥654,745	¥723,424	¥538,227	¥442,184	¥303,558
急性腸炎	(人)	701	92	2	15	51	18	51	60	15
	血便なし	¥228,079	¥186,401	¥194,985	¥404,114	¥223,003	¥152,175	¥286,311	¥249,324	¥175,661
	血便あり	¥300,748	¥275,673	N/A	¥432,282	¥261,796	¥595,810	¥275,590	¥463,843	N/A
	不明	¥176,604	N/A	N/A	N/A	N/A	N/A	N/A	N/A	¥188,167
	計	¥232,260	¥190,282	¥194,985	¥407,870	¥226,806	¥226,114	¥284,839	¥263,625	¥181,497
急性虫垂炎	(人)	522	78	0	2	109	30	28	66	1
	白血球15000/mm3未満	¥533,920	¥470,820	N/A	¥84,800	¥638,492	¥646,763	¥598,237	¥557,898	¥118,090
	白血球15000/mm3以上	¥575,120	¥532,178	N/A	N/A	¥667,201	¥649,544	¥677,546	¥577,663	N/A
	不明	¥294,715	N/A	N/A	¥84,800	N/A	N/A	N/A	N/A	N/A
	計	¥546,263	¥490,486	N/A	¥84,800	¥646,394	¥647,690	¥626,561	¥563,588	¥118,090
胆石症	(人)	1,108	120	1	17	221	110	46	225	11
	黄疸なし(T Bill 5mg/dl 未満)	¥714,253	¥641,481	¥213,560	¥862,681	¥716,058	¥1,008,180	¥609,420	¥659,395	¥736,064
	黄疸あり(T Bill 5mg/dl 以上)	¥1,082,884	¥1,014,832	N/A	¥258,470	¥704,981	¥1,193,563	¥575,126	¥1,212,611	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥739,871	¥675,705	¥213,560	¥827,139	¥715,758	¥1,031,774	¥607,929	¥693,817	¥736,064
前立腺肥大症	(人)	95	33	0	0	0	10	2	36	0
	前立腺容積20ml未満	¥525,691	¥550,960	N/A	N/A	N/A	¥583,070	N/A	¥127,940	N/A
	前立腺容積50ml未満	¥573,069	¥555,746	N/A	N/A	N/A	¥308,338	N/A	¥694,724	N/A
	前立腺容積50ml以上	¥659,539	¥615,180	N/A	N/A	N/A	¥603,228	N/A	¥695,904	N/A
	不明	¥312,965	¥447,040	N/A	N/A	N/A	¥449,330	¥6,520	N/A	N/A
	計	¥565,348	¥555,534	N/A	N/A	N/A	¥407,598	¥6,520	¥679,668	N/A
白内障	(人)	679	274	0	2	0	0	0	0	0
	1眼(処置対象のもの)	¥274,299	¥273,394	N/A	¥55,050	N/A	N/A	N/A	N/A	N/A
	2眼(処置対象のもの)	¥277,083	¥275,408	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥274,545	¥273,776	N/A	¥55,050	N/A	N/A	N/A	N/A	N/A
痔核	(人)	74	3	0	2	5	42	5	11	0
	第一度(出血のみ)	¥244,936	¥351,090	N/A	¥93,727	¥188,292	¥361,776	N/A	¥206,762	N/A
	第二度(還納可能)	¥347,288	N/A	N/A	N/A	¥148,920	¥404,336	¥215,860	¥523,270	N/A
	第三度(脱肛)	¥301,208	N/A	N/A	N/A	¥167,030	¥326,499	¥247,630	¥313,276	N/A
	不明	¥305,240	N/A	N/A	N/A	N/A	¥305,240	N/A	N/A	N/A
	計	¥293,179	¥351,090	N/A	¥93,727	¥176,165	¥338,619	¥234,922	¥283,951	N/A
子宮筋腫	(人)	142	51	0	0	0	0	0	4	0
	貧血なし(Hb10g/dl以上)	¥650,168	¥669,378	N/A	N/A	N/A	N/A	N/A	¥802,010	N/A
	貧血あり(Hb10g/dl未満)	¥592,991	¥502,631	N/A	N/A	N/A	N/A	N/A	¥921,649	N/A
	不明	¥682,800	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	¥631,071	¥620,334	N/A	N/A	N/A	N/A	N/A	¥861,830	N/A
狭心症	(人)	1,963	264	29	2	356	178	170	535	7
	重症度の指標なし	¥637,259	¥435,323	¥345,511	¥718,185	¥903,325	¥878,887	¥301,275	¥669,213	¥201,476
	計	¥637,259	¥435,323	¥345,511	¥718,185	¥903,325	¥878,887	¥301,275	¥669,213	¥201,476
腎結石及び尿管結石	(人)	487	194	0	1	10	88	0	82	0
	水腎・水尿管なし	¥318,530	¥265,284	N/A	N/A	¥748,808	¥251,007	N/A	¥261,826	N/A
	水腎・水尿管あり	¥347,130	¥345,953	N/A	¥154,490	¥1,703,865	¥247,405	N/A	¥291,121	N/A

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
脳梗塞	JCS 200-300	¥1,229,214	-	¥2,081,810	N/A	¥1,310,855	-	-	-	¥721,870
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥1,379,562	-	¥1,110,424	N/A	¥1,262,316	-	-	-	¥1,086,500
脳出血	(人)	586	-	60	0	8	-	-	-	91
	JCS 0-1	¥2,009,524	-	¥996,370	N/A	¥1,311,700	-	-	-	¥1,880,336
	JCS 2-3	¥2,119,445	-	¥1,295,665	N/A	¥1,556,763	-	-	-	¥1,968,314
	JCS 10-100	¥2,937,079	-	¥2,581,211	N/A	¥1,705,630	-	-	-	¥3,177,002
	JCS 200-300	¥1,643,235	-	¥2,411,381	N/A	N/A	-	-	-	¥1,761,222
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥2,151,120	-	¥1,657,672	N/A	¥1,532,714	-	-	-	¥2,148,896
糖尿病	(人)	585	-	24	1	64	-	-	-	135
	軽症	¥647,024	-	¥419,657	N/A	¥347,603	-	-	-	¥655,080
	中等症	¥643,542	-	¥565,725	N/A	¥247,498	-	-	-	¥1,264,006
	重症	¥802,599	-	¥494,552	¥352,800	¥507,955	-	-	-	¥284,457
	不明	¥579,364	-	N/A	N/A	N/A	-	-	-	¥254,600
	計	¥659,869	-	¥462,415	¥352,800	¥349,210	-	-	-	¥700,749
大腿骨頸部骨折	(人)	511	-	29	0	77	-	-	-	62
	重症度Ⅰ	¥1,789,843	-	¥1,827,495	N/A	¥1,826,626	-	-	-	¥2,047,636
	重症度Ⅱ	¥1,995,587	-	¥1,814,270	N/A	¥2,139,115	-	-	-	¥2,374,610
	重症度Ⅲ	¥1,944,837	-	¥1,933,422	N/A	¥2,266,016	-	-	-	¥2,627,781
	重症度Ⅳ	¥1,828,896	-	¥1,868,753	N/A	¥2,175,777	-	-	-	N/A
	不明	¥1,516,509	-	N/A	N/A	¥77,080	-	-	-	N/A
	計	¥1,860,288	-	¥1,869,206	N/A	¥2,069,748	-	-	-	¥2,309,803
胃潰瘍	(人)	202	-	16	0	13	-	-	-	11
	ショックなし(収縮期血圧90mmHg以上)	¥487,616	-	¥506,312	N/A	¥552,798	-	-	-	¥273,930
	ショックあり(収縮期血圧90mmHg未満)	¥713,822	-	¥557,047	N/A	¥591,372	-	-	-	N/A
	不明	¥436,774	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥514,240	-	¥515,825	N/A	¥555,765	-	-	-	¥273,930
急性腸炎	(人)	701	-	81	0	63	-	-	-	170
	血便なし	¥228,079	-	¥184,696	N/A	¥230,356	-	-	-	¥240,454
	血便あり	¥300,748	-	¥100,120	N/A	¥284,689	-	-	-	¥221,967
	不明	¥176,604	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥232,260	-	¥183,651	N/A	¥237,255	-	-	-	¥239,475
急性虫垂炎	(人)	522	-	33	0	25	-	-	-	119
	白血球15000/mm3未満	¥533,920	-	¥708,016	N/A	¥352,480	-	-	-	¥425,542
	白血球15000/mm3以上	¥575,120	-	¥558,857	N/A	¥430,159	-	-	-	¥516,255
	不明	¥294,715	-	N/A	N/A	N/A	-	-	-	¥504,630
	計	¥546,263	-	¥631,177	N/A	¥377,337	-	-	-	¥455,936
胆石症	(人)	1,108	-	76	0	42	-	-	-	167
	黄疸なし(T Bill 5mg/dl 未満)	¥714,253	-	¥658,448	N/A	¥899,171	-	-	-	¥653,861
	黄疸あり(T Bill 5mg/dl 以上)	¥1,082,884	-	¥731,763	N/A	¥2,044,166	-	-	-	¥919,798
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥739,871	-	¥662,307	N/A	¥1,035,480	-	-	-	¥671,378
前立腺肥大症	(人)	95	-	0	0	1	-	-	-	13
	前立腺容積20ml未満	¥525,691	-	N/A	N/A	N/A	-	-	-	¥461,770
	前立腺容積50ml未満	¥573,069	-	N/A	N/A	N/A	-	-	-	¥547,351
	前立腺容積50ml以上	¥659,539	-	N/A	N/A	N/A	-	-	-	¥515,970
	不明	¥312,965	-	N/A	N/A	¥90,600	-	-	-	¥459,008
	計	¥565,348	-	N/A	N/A	¥90,600	-	-	-	¥517,521
白内障	(人)	679	-	196	0	193	-	-	-	14
	1眼(処置対象のもの)	¥274,299	-	¥278,272	N/A	¥273,609	-	-	-	¥275,525
	2眼(処置対象のもの)	¥277,083	-	¥294,937	N/A	N/A	-	-	-	¥276,352
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥274,545	-	¥278,697	N/A	¥273,609	-	-	-	¥275,702
痔核	(人)	74	-	3	0	3	-	-	-	0
	第一度(出血のみ)	¥244,936	-	¥122,330	N/A	N/A	-	-	-	N/A
	第二度(還納可能)	¥347,288	-	N/A	N/A	N/A	-	-	-	N/A
	第三度(脱肛)	¥301,208	-	¥224,946	N/A	¥160,467	-	-	-	N/A
	不明	¥305,240	-	N/A	N/A	N/A	-	-	-	N/A
	計	¥293,179	-	¥190,741	N/A	¥160,467	-	-	-	N/A
子宮筋腫	(人)	142	-	40	0	0	-	-	-	47
	貧血なし(Hb10g/dl以上)	¥650,168	-	¥660,184	N/A	N/A	-	-	-	¥600,720
	貧血あり(Hb10g/dl未満)	¥592,991	-	¥534,205	N/A	N/A	-	-	-	¥660,227
	不明	¥682,800	-	N/A	N/A	N/A	-	-	-	¥682,800
	計	¥631,071	-	¥625,540	N/A	N/A	-	-	-	¥627,789
狭心症	(人)	1,963	-	118	0	4	-	-	-	300
	重症度の指標なし	¥637,259	-	¥584,311	N/A	¥311,923	-	-	-	¥552,269
	計	¥637,259	-	¥584,311	N/A	¥311,923	-	-	-	¥552,269
腎結石及び尿管結石	(人)	487	-	7	0	3	-	-	-	101
	水腎・水尿管なし	¥318,530	-	¥75,402	N/A	¥160,835	-	-	-	¥486,853
	水腎・水尿管あり	¥347,130	-	¥245,973	N/A	¥128,000	-	-	-	¥425,911

【重症度別集計】表

		平均	病院コード							
			1041	1046	1047	1049	1058	1069	1129	1133
脳梗塞	JCS 200-300	¥1,229,214	-	N/A	-	-	-	¥1,742,595	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	¥1,379,562	-	¥2,844,506	-	-	-	¥2,060,162	-	-
脳出血	(人)	586	-	16	-	-	-	2	-	-
	JCS 0-1	¥2,009,524	-	¥3,815,720	-	-	-	N/A	-	-
	JCS 2-3	¥2,119,445	-	¥6,090,534	-	-	-	N/A	-	-
	JCS 10-100	¥2,937,079	-	¥4,531,032	-	-	-	¥3,735,153	-	-
	JCS 200-300	¥1,643,235	-	N/A	-	-	-	N/A	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	¥2,151,120	-	¥4,002,603	-	-	-	¥3,735,153	-	-
糖尿病	(人)	585	-	21	-	-	-	31	-	-
	軽症	¥647,024	-	¥559,083	-	-	-	¥546,932	-	-
	中等症	¥643,542	-	¥780,035	-	-	-	¥588,519	-	-
	重症	¥802,599	-	¥112,036	-	-	-	¥605,762	-	-
	不明	¥579,364	-	N/A	-	-	-	¥653,318	-	-
	計	¥659,869	-	¥505,496	-	-	-	¥566,004	-	-
大腿骨頸部骨折	(人)	511	-	25	-	-	-	1	-	-
	重症度Ⅰ	¥1,789,843	-	¥1,772,073	-	-	-	N/A	-	-
	重症度Ⅱ	¥1,995,587	-	¥2,361,624	-	-	-	N/A	-	-
	重症度Ⅲ	¥1,944,837	-	¥2,166,539	-	-	-	N/A	-	-
	重症度Ⅳ	¥1,828,896	-	N/A	-	-	-	N/A	-	-
	不明	¥1,516,509	-	¥3,251,044	-	-	-	¥451,420	-	-
計	¥1,860,288	-	¥2,271,831	-	-	-	¥451,420	-	-	
胃潰瘍	(人)	202	-	0	-	-	-	24	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥487,616	-	N/A	-	-	-	¥557,104	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥713,822	-	N/A	-	-	-	¥612,614	-	-
	不明	¥436,774	-	N/A	-	-	-	N/A	-	-
	計	¥514,240	-	N/A	-	-	-	¥570,982	-	-
急性腸炎	(人)	701	-	12	-	-	-	71	-	-
	血便なし	¥228,079	-	¥184,971	-	-	-	¥246,476	-	-
	血便あり	¥300,748	-	¥119,278	-	-	-	¥245,815	-	-
	不明	¥176,604	-	¥95,664	-	-	-	N/A	-	-
	計	¥232,260	-	¥172,054	-	-	-	¥246,457	-	-
急性虫垂炎	(人)	522	-	0	-	-	-	31	-	-
	白血球15000/mm3未満	¥533,920	-	N/A	-	-	-	¥546,657	-	-
	白血球15000/mm3以上	¥575,120	-	N/A	-	-	-	¥597,731	-	-
	不明	¥294,715	-	N/A	-	-	-	N/A	-	-
	計	¥546,263	-	N/A	-	-	-	¥563,133	-	-
胆石症	(人)	1,108	-	1	-	-	-	71	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥714,253	-	¥423,832	-	-	-	¥718,900	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,082,884	-	N/A	-	-	-	¥1,069,799	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	¥739,871	-	¥423,832	-	-	-	¥763,380	-	-
前立腺肥大症	(人)	95	-	0	-	-	-	0	-	-
	前立腺容積20ml未満	¥525,691	-	N/A	-	-	-	N/A	-	-
	前立腺容積50ml未満	¥573,069	-	N/A	-	-	-	N/A	-	-
	前立腺容積50ml以上	¥659,539	-	N/A	-	-	-	N/A	-	-
	不明	¥312,965	-	N/A	-	-	-	N/A	-	-
計	¥565,348	-	N/A	-	-	-	N/A	-	-	
白内障	(人)	679	-	0	-	-	-	0	-	-
	1眼(処置対象のもの)	¥274,299	-	N/A	-	-	-	N/A	-	-
	2眼(処置対象のもの)	¥277,083	-	N/A	-	-	-	N/A	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
計	¥274,545	-	N/A	-	-	-	N/A	-	-	
痔核	(人)	74	-	0	-	-	-	0	-	-
	第一度(出血のみ)	¥244,936	-	N/A	-	-	-	N/A	-	-
	第二度(還納可能)	¥347,288	-	N/A	-	-	-	N/A	-	-
	第三度(脱肛)	¥301,208	-	N/A	-	-	-	N/A	-	-
	不明	¥305,240	-	N/A	-	-	-	N/A	-	-
計	¥293,179	-	N/A	-	-	-	N/A	-	-	
子宮筋腫	(人)	142	-	0	-	-	-	0	-	-
	貧血なし(Hb10g/dl以上)	¥650,168	-	N/A	-	-	-	N/A	-	-
	貧血あり(Hb10g/dl未満)	¥592,991	-	N/A	-	-	-	N/A	-	-
	不明	¥682,800	-	N/A	-	-	-	N/A	-	-
計	¥631,071	-	N/A	-	-	-	N/A	-	-	
狭心症	(人)	1,963	-	0	-	-	-	0	-	-
	重症度の指標なし	¥637,259	-	N/A	-	-	-	N/A	-	-
	計	¥637,259	-	N/A	-	-	-	N/A	-	-
腎結石及び尿管結石	(人)	487	-	0	-	-	-	1	-	-
	水腎・水尿管なし	¥318,530	-	N/A	-	-	-	N/A	-	-
	水腎・水尿管あり	¥347,130	-	N/A	-	-	-	¥49,310	-	-

【重症度別集計】表

(単位:円)		平均	病院コード		
			9019	9020	9021
脳梗塞	JCS 200-300	¥1,229,214	-	-	-
	不明	N/A	-	-	-
	計	¥1,379,562	-	-	-
脳出血	(人)	586	-	-	-
	JCS 0-1	¥2,009,524	-	-	-
	JCS 2-3	¥2,119,445	-	-	-
	JCS 10-100	¥2,937,079	-	-	-
	JCS 200-300	¥1,643,235	-	-	-
	不明	N/A	-	-	-
計	¥2,151,120	-	-	-	
糖尿病	(人)	585	-	-	-
	軽症	¥647,024	-	-	-
	中等症	¥643,542	-	-	-
	重症	¥802,599	-	-	-
	不明	¥579,364	-	-	-
計	¥659,869	-	-	-	
大腿骨頸部骨折	(人)	511	-	-	-
	重症度Ⅰ	¥1,789,843	-	-	-
	重症度Ⅱ	¥1,995,587	-	-	-
	重症度Ⅲ	¥1,944,837	-	-	-
	重症度Ⅳ	¥1,828,896	-	-	-
	不明	¥1,516,509	-	-	-
計	¥1,860,288	-	-	-	
胃潰瘍	(人)	202	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥487,616	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥713,822	-	-	-
	不明	¥436,774	-	-	-
計	¥514,240	-	-	-	
急性腸炎	(人)	701	-	-	-
	血便なし	¥228,079	-	-	-
	血便あり	¥300,748	-	-	-
	不明	¥176,604	-	-	-
計	¥232,260	-	-	-	
急性虫垂炎	(人)	522	-	-	-
	白血球15000/mm3未満	¥533,920	-	-	-
	白血球15000/mm3以上	¥575,120	-	-	-
	不明	¥294,715	-	-	-
計	¥546,263	-	-	-	
胆石症	(人)	1,108	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥714,253	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,082,884	-	-	-
	不明	N/A	-	-	-
計	¥739,871	-	-	-	
前立腺肥大症	(人)	95	-	-	-
	前立腺容積20ml未満	¥525,691	-	-	-
	前立腺容積50ml未満	¥573,069	-	-	-
	前立腺容積50ml以上	¥659,539	-	-	-
	不明	¥312,965	-	-	-
計	¥565,348	-	-	-	
白内障	(人)	679	-	-	-
	1眼(処置対象のもの)	¥274,299	-	-	-
	2眼(処置対象のもの)	¥277,083	-	-	-
	不明	N/A	-	-	-
計	¥274,545	-	-	-	
痔核	(人)	74	-	-	-
	第一度(出血のみ)	¥244,936	-	-	-
	第二度(還納可能)	¥347,288	-	-	-
	第三度(脱肛)	¥301,208	-	-	-
	不明	¥305,240	-	-	-
計	¥293,179	-	-	-	
子宮筋腫	(人)	142	-	-	-
	貧血なし(Hb10g/dl以上)	¥650,168	-	-	-
	貧血あり(Hb10g/dl未満)	¥592,991	-	-	-
	不明	¥682,800	-	-	-
計	¥631,071	-	-	-	
狭心症	(人)	1,963	-	-	-
	重症度の指標なし	¥637,259	-	-	-
計	¥637,259	-	-	-	
腎結石及び尿管結石	(人)	487	-	-	-
	水腎・水尿管なし	¥318,530	-	-	-
	水腎・水尿管あり	¥347,130	-	-	-

【重症度別集計】表

		平均	病院コード		
			9019	9020	9021
腎結石及び尿管結石	不明	¥460,409	-	-	-
	計	¥344,588	-	-	-
乳房の悪性新生物	(人)	493	-	-	-
	ステージ0	¥649,623	-	-	-
	ステージI	¥717,735	-	-	-
	ステージII	¥713,904	-	-	-
	ステージIII	¥879,348	-	-	-
	ステージIV	¥965,168	-	-	-
	不明	¥956,922	-	-	-
計	¥760,032	-	-	-	
膝関節症	(人)	313	-	-	-
	骨移植なし	¥2,208,767	-	-	-
	骨移植あり	N/A	-	-	-
	不明	N/A	-	-	-
計	¥2,208,767	-	-	-	
鼠径ヘルニア	(人)	727	-	-	-
	重症度の指標なし	¥340,606	-	-	-
計	¥340,606	-	-	-	
全疾患合計		¥800,140	-	-	-
集計病院数		14			