

【重症度別集計】表

絞込条件

対象年月設定: 201504 ~ 201603
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 医療費

	(単位:円)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	586	72	5	5	77	88	29	187	-
ステージ0		¥500,291	N/A	N/A	N/A	¥582,718	¥441,555	N/A	N/A	-
ステージI		¥1,199,916	¥1,327,486	¥819,523	N/A	¥1,204,875	¥1,073,951	¥1,147,420	¥1,171,699	-
ステージII		¥1,331,289	¥1,692,644	N/A	N/A	¥1,123,340	¥680,591	¥2,078,336	¥1,397,671	-
ステージIII		¥1,249,980	¥1,116,303	N/A	N/A	¥1,785,094	¥1,218,538	¥1,634,979	¥1,090,688	-
ステージIV		¥866,583	¥580,994	¥1,035,592	¥2,211,637	¥652,906	¥1,110,176	¥690,016	¥730,846	-
不明		¥853,073	¥350,740	N/A	¥403,527	¥885,905	¥526,521	¥431,070	¥603,223	-
計		¥1,074,040	¥1,010,071	¥905,951	¥1,126,771	¥984,505	¥1,025,772	¥1,241,587	¥978,633	-
結腸の悪性新生物	(人)	957	100	7	10	113	399	25	141	-
ステージ0		¥786,843	¥622,744	¥94,560	¥98,690	¥1,196,889	¥1,430,511	¥1,215,792	¥459,141	-
ステージI		¥1,210,824	¥1,113,053	¥651,525	N/A	¥1,850,895	¥1,078,115	¥1,224,844	¥1,155,598	-
ステージII		¥1,000,592	¥1,292,918	N/A	N/A	¥1,481,329	¥599,268	¥1,100,785	¥1,198,427	-
ステージIII		¥824,456	¥1,258,459	¥911,060	¥161,120	¥1,695,138	¥521,794	¥1,001,283	¥1,239,313	-
ステージIV		¥795,004	¥1,022,224	N/A	¥301,126	¥754,062	¥623,084	¥198,615	¥1,129,916	-
不明		¥695,663	¥189,903	N/A	¥138,691	¥1,458,005	¥140,555	¥1,332,614	¥895,085	-
計		¥876,520	¥970,963	¥646,111	¥204,151	¥1,265,255	¥598,858	¥1,046,373	¥1,157,359	-
直腸の悪性新生物	(人)	515	29	0	7	83	173	15	78	-
ステージ0		¥1,066,359	¥2,217,320	N/A	N/A	¥3,091,960	¥783,392	¥1,223,792	¥496,158	-
ステージI		¥1,410,776	¥1,069,445	N/A	N/A	¥1,391,393	¥2,160,272	¥1,661,977	¥1,124,650	-
ステージII		¥1,184,856	¥2,713,590	N/A	N/A	¥2,646,025	¥505,187	¥2,642,197	¥1,331,637	-
ステージIII		¥956,254	¥1,064,918	N/A	¥1,506,540	¥1,705,739	¥503,758	¥1,518,714	¥1,034,491	-
ステージIV		¥707,297	¥704,332	N/A	¥774,754	¥1,565,331	¥493,173	¥628,055	¥1,381,975	-
不明		¥646,347	¥602,622	N/A	¥200,572	¥818,040	N/A	¥431,110	¥306,621	-
計		¥935,921	¥1,264,068	N/A	¥469,165	¥1,782,171	¥581,347	¥1,364,861	¥1,122,865	-
気管支および肺の悪性新生物	(人)	522	22	2	10	143	23	45	244	-
ステージ0		¥1,525,535	N/A	N/A	N/A	¥1,954,890	N/A	N/A	N/A	-
ステージI		¥1,077,977	¥466,860	N/A	N/A	¥950,652	¥218,557	¥1,290,455	¥1,303,083	-
ステージII		¥702,230	N/A	N/A	N/A	¥885,521	¥365,813	¥247,630	¥729,680	-
ステージIII		¥849,945	¥689,351	¥2,108,100	N/A	¥909,662	N/A	¥143,810	¥860,483	-
ステージIV		¥912,415	¥646,706	¥1,135,838	¥926,649	¥792,356	¥1,044,341	¥876,586	¥1,055,138	-
不明		¥375,153	¥453,740	N/A	¥794,317	¥293,842	N/A	¥247,340	¥227,959	-
計		¥792,943	¥626,804	¥1,621,969	¥886,949	¥766,059	¥812,223	¥517,262	¥855,927	-
急性心筋梗塞	(人)	316	18	9	2	76	65	19	76	-
Killip I		¥1,672,224	¥1,398,018	¥138,953	¥108,400	¥2,164,120	¥1,599,683	¥654,897	¥2,004,973	-
Killip II		¥2,025,294	¥819,365	¥2,366,050	N/A	¥2,635,770	¥2,256,787	¥1,243,266	¥2,149,863	-
Killip III		¥2,275,449	¥1,607,438	¥2,060,328	¥175,862	¥3,941,458	¥2,507,189	¥301,386	¥2,297,538	-
Killip IV		¥2,145,980	¥1,350,416	N/A	N/A	¥2,450,754	¥2,275,117	¥440,702	¥2,229,086	-
不明		¥1,691,784	¥820,725	¥671,871	N/A	¥3,973,084	¥250,464	N/A	¥1,892,433	-
計		¥1,889,325	¥1,278,569	¥1,238,475	¥142,131	¥2,507,920	¥1,759,436	¥1,058,553	¥2,140,676	-
肺炎	(人)	1,893	154	58	156	219	105	209	220	-
軽症		¥452,908	¥433,076	¥537,989	¥616,179	¥435,133	¥371,007	¥512,319	¥409,863	-
中等症		¥724,532	¥614,892	¥602,326	¥1,097,479	¥997,023	¥544,029	¥752,972	¥503,326	-
重症		¥774,058	¥559,474	¥759,101	¥1,117,580	¥785,670	¥617,050	¥990,325	¥871,597	-
不明		¥262,270	¥544,210	N/A	N/A	¥138,580	N/A	N/A	¥303,703	-
計		¥563,801	¥524,252	¥671,699	¥812,877	¥661,774	¥513,326	¥728,696	¥598,688	-
喘息	(人)	367	22	1	36	72	8	10	74	-
軽症間欠型		¥285,899	¥349,475	¥305,478	¥308,072	¥278,416	¥260,313	¥250,334	¥360,871	-
軽症持続型		¥247,840	¥301,895	N/A	¥307,408	¥227,225	N/A	N/A	N/A	-
中等症持続型		¥351,885	¥279,392	N/A	¥541,403	¥254,743	¥434,141	¥401,715	¥303,945	-
重症持続型		¥411,099	N/A	N/A	¥496,071	¥844,890	N/A	¥857,246	¥365,088	-
不明		¥445,433	N/A	N/A	N/A	¥445,433	N/A	N/A	N/A	-
計		¥323,295	¥307,828	¥305,478	¥480,663	¥274,894	¥303,770	¥341,301	¥331,924	-
脳梗塞	(人)	1,234	89	533	10	244	7	62	91	-
JCS 0-1		¥1,393,800	¥812,531	¥1,077,845	¥2,507,049	¥1,403,454	¥797,038	¥952,807	¥3,014,383	-
JCS 2-3		¥1,629,383	¥1,136,351	¥1,556,894	¥2,238,771	¥1,988,064	N/A	¥1,340,764	¥4,088,821	-
JCS 10-100		¥1,856,249	¥1,612,483	¥1,597,859	¥1,079,680	¥2,004,714	¥1,188,604	¥1,661,751	¥3,167,767	-

【重症度別集計】表

	(単位:円)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
胃の悪性新生物	(人)	586	-	65	-	24	-	-	-	-
ステージ0		¥500,291	-	¥387,480	-	¥574,572	-	-	-	-
ステージI		¥1,199,916	-	¥1,047,693	-	¥2,887,588	-	-	-	-
ステージII		¥1,331,289	-	¥1,740,138	-	¥1,789,288	-	-	-	-
ステージIII		¥1,249,980	-	¥1,258,791	-	¥4,006,944	-	-	-	-
ステージIV		¥866,583	-	¥945,512	-	¥2,586,028	-	-	-	-
不明		¥853,073	-	¥951,059	-	¥1,739,212	-	-	-	-
計		¥1,074,040	-	¥1,081,328	-	¥2,515,370	-	-	-	-
結腸の悪性新生物	(人)	957	-	44	-	26	-	-	-	-
ステージ0		¥786,843	-	¥236,440	-	N/A	-	-	-	-
ステージI		¥1,210,824	-	¥1,656,098	-	N/A	-	-	-	-
ステージII		¥1,000,592	-	¥1,405,333	-	¥2,693,166	-	-	-	-
ステージIII		¥824,456	-	¥1,337,569	-	¥1,731,280	-	-	-	-
ステージIV		¥795,004	-	¥3,269,985	-	¥2,252,004	-	-	-	-
不明		¥695,663	-	¥612,235	-	¥1,156,758	-	-	-	-
計		¥876,520	-	¥1,176,599	-	¥1,837,063	-	-	-	-
直腸の悪性新生物	(人)	515	-	15	-	7	-	-	-	-
ステージ0		¥1,066,359	-	¥324,380	-	N/A	-	-	-	-
ステージI		¥1,410,776	-	¥1,425,220	-	N/A	-	-	-	-
ステージII		¥1,184,856	-	N/A	-	¥791,640	-	-	-	-
ステージIII		¥956,254	-	¥1,245,198	-	¥2,171,986	-	-	-	-
ステージIV		¥707,297	-	¥823,485	-	¥634,695	-	-	-	-
不明		¥646,347	-	¥1,010,519	-	¥1,379,879	-	-	-	-
計		¥935,921	-	¥1,061,357	-	¥1,196,093	-	-	-	-
気管支および肺の悪性新生物	(人)	522	-	20	-	2	-	-	-	-
ステージ0		¥1,525,535	-	N/A	-	N/A	-	-	-	-
ステージI		¥1,077,977	-	¥363,080	-	¥502,960	-	-	-	-
ステージII		¥702,230	-	N/A	-	N/A	-	-	-	-
ステージIII		¥849,945	-	N/A	-	N/A	-	-	-	-
ステージIV		¥912,415	-	¥974,730	-	N/A	-	-	-	-
不明		¥375,153	-	¥959,949	-	¥1,091,550	-	-	-	-
計		¥792,943	-	¥930,845	-	¥797,255	-	-	-	-
急性心筋梗塞	(人)	316	-	47	-	0	-	-	-	-
Killip I		¥1,672,224	-	¥1,365,964	-	N/A	-	-	-	-
Killip II		¥2,025,294	-	¥1,261,280	-	N/A	-	-	-	-
Killip III		¥2,275,449	-	¥2,645,897	-	N/A	-	-	-	-
Killip IV		¥2,145,980	-	¥2,490,555	-	N/A	-	-	-	-
不明		¥1,691,784	-	N/A	-	N/A	-	-	-	-
計		¥1,889,325	-	¥1,521,098	-	N/A	-	-	-	-
肺炎	(人)	1,893	-	249	-	374	-	-	-	-
軽症		¥452,908	-	¥290,875	-	¥485,799	-	-	-	-
中等症		¥724,532	-	¥551,949	-	¥761,883	-	-	-	-
重症		¥774,058	-	¥672,133	-	¥783,388	-	-	-	-
不明		¥262,270	-	N/A	-	¥249,924	-	-	-	-
計		¥563,801	-	¥451,263	-	¥340,420	-	-	-	-
喘息	(人)	367	-	73	-	46	-	-	-	-
軽症間欠型		¥285,899	-	¥249,706	-	¥335,213	-	-	-	-
軽症持続型		¥247,840	-	¥205,491	-	¥305,837	-	-	-	-
中等症持続型		¥351,885	-	¥231,962	-	¥903,298	-	-	-	-
重症持続型		¥411,099	-	¥237,393	-	¥553,630	-	-	-	-
不明		¥445,433	-	N/A	-	N/A	-	-	-	-
計		¥323,295	-	¥236,589	-	¥395,962	-	-	-	-
脳梗塞	(人)	1,234	-	106	-	31	-	-	-	-
JCS 0-1		¥1,393,800	-	¥866,763	-	¥1,224,151	-	-	-	-
JCS 2-3		¥1,629,383	-	¥1,028,799	-	¥1,453,751	-	-	-	-
JCS 10-100		¥1,856,249	-	¥1,250,037	-	¥2,014,733	-	-	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード							
			1041	1046	1047	1069	1129	1167	1201	1202
胃の悪性新生物	(人)	586	-	0	-	34	-	-	-	-
ステージ0		¥500,291	-	N/A	-	¥525,231	-	-	-	-
ステージI		¥1,199,916	-	N/A	-	¥1,164,360	-	-	-	-
ステージII		¥1,331,289	-	N/A	-	¥925,318	-	-	-	-
ステージIII		¥1,249,980	-	N/A	-	¥610,566	-	-	-	-
ステージIV		¥866,583	-	N/A	-	¥1,126,570	-	-	-	-
不明		¥853,073	-	N/A	-	N/A	-	-	-	-
計		¥1,074,040	-	N/A	-	¥904,662	-	-	-	-
結腸の悪性新生物	(人)	957	-	3	-	89	-	-	-	-
ステージ0		¥786,843	-	N/A	-	¥604,060	-	-	-	-
ステージI		¥1,210,824	-	N/A	-	¥1,032,663	-	-	-	-
ステージII		¥1,000,592	-	N/A	-	¥792,463	-	-	-	-
ステージIII		¥824,456	-	¥572,330	-	¥599,279	-	-	-	-
ステージIV		¥795,004	-	N/A	-	¥670,059	-	-	-	-
不明		¥695,663	-	¥534,662	-	¥984,560	-	-	-	-
計		¥876,520	-	¥547,218	-	¥704,807	-	-	-	-
直腸の悪性新生物	(人)	515	-	1	-	107	-	-	-	-
ステージ0		¥1,066,359	-	N/A	-	¥148,780	-	-	-	-
ステージI		¥1,410,776	-	N/A	-	¥1,474,903	-	-	-	-
ステージII		¥1,184,856	-	N/A	-	¥1,262,183	-	-	-	-
ステージIII		¥956,254	-	¥1,172,958	-	¥495,328	-	-	-	-
ステージIV		¥707,297	-	N/A	-	¥523,233	-	-	-	-
不明		¥646,347	-	N/A	-	N/A	-	-	-	-
計		¥935,921	-	¥1,172,958	-	¥561,136	-	-	-	-
気管支および肺の悪性新生物	(人)	522	-	3	-	8	-	-	-	-
ステージ0		¥1,525,535	-	¥666,826	-	N/A	-	-	-	-
ステージI		¥1,077,977	-	N/A	-	N/A	-	-	-	-
ステージII		¥702,230	-	N/A	-	N/A	-	-	-	-
ステージIII		¥849,945	-	¥471,740	-	¥539,790	-	-	-	-
ステージIV		¥912,415	-	¥211,730	-	¥794,431	-	-	-	-
不明		¥375,153	-	N/A	-	N/A	-	-	-	-
計		¥792,943	-	¥450,099	-	¥762,601	-	-	-	-
急性心筋梗塞	(人)	316	-	4	-	0	-	-	-	-
Killip I		¥1,672,224	-	N/A	-	N/A	-	-	-	-
Killip II		¥2,025,294	-	¥1,589,196	-	N/A	-	-	-	-
Killip III		¥2,275,449	-	N/A	-	N/A	-	-	-	-
Killip IV		¥2,145,980	-	¥71,420	-	N/A	-	-	-	-
不明		¥1,691,784	-	N/A	-	N/A	-	-	-	-
計		¥1,889,325	-	¥830,308	-	N/A	-	-	-	-
肺炎	(人)	1,893	-	53	-	96	-	-	-	-
軽症		¥452,908	-	¥720,081	-	¥421,619	-	-	-	-
中等症		¥724,532	-	¥650,339	-	¥718,020	-	-	-	-
重症		¥774,058	-	¥801,201	-	¥619,538	-	-	-	-
不明		¥262,270	-	N/A	-	N/A	-	-	-	-
計		¥563,801	-	¥756,143	-	¥606,043	-	-	-	-
喘息	(人)	367	-	7	-	18	-	-	-	-
軽症間欠型		¥285,899	-	¥223,240	-	N/A	-	-	-	-
軽症持続型		¥247,840	-	¥189,130	-	¥268,418	-	-	-	-
中等症持続型		¥351,885	-	N/A	-	¥395,377	-	-	-	-
重症持続型		¥411,099	-	¥139,690	-	¥464,548	-	-	-	-
不明		¥445,433	-	N/A	-	N/A	-	-	-	-
計		¥323,295	-	¥206,431	-	¥396,642	-	-	-	-
脳梗塞	(人)	1,234	-	56	-	5	-	-	-	-
JCS 0-1		¥1,393,800	-	¥2,926,614	-	¥841,993	-	-	-	-
JCS 2-3		¥1,629,383	-	¥1,363,488	-	¥323,050	-	-	-	-
JCS 10-100		¥1,856,249	-	¥2,313,475	-	¥110,450	-	-	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード	
			9020	9021
胃の悪性新生物	(人)	586	-	-
ステージ0		¥500,291	-	-
ステージI		¥1,199,916	-	-
ステージII		¥1,331,289	-	-
ステージIII		¥1,249,980	-	-
ステージIV		¥866,583	-	-
不明		¥853,073	-	-
計		¥1,074,040	-	-
結腸の悪性新生物	(人)	957	-	-
ステージ0		¥786,843	-	-
ステージI		¥1,210,824	-	-
ステージII		¥1,000,592	-	-
ステージIII		¥824,456	-	-
ステージIV		¥795,004	-	-
不明		¥695,663	-	-
計		¥876,520	-	-
直腸の悪性新生物	(人)	515	-	-
ステージ0		¥1,066,359	-	-
ステージI		¥1,410,776	-	-
ステージII		¥1,184,856	-	-
ステージIII		¥956,254	-	-
ステージIV		¥707,297	-	-
不明		¥646,347	-	-
計		¥935,921	-	-
気管支および肺の悪性新生物	(人)	522	-	-
ステージ0		¥1,525,535	-	-
ステージI		¥1,077,977	-	-
ステージII		¥702,230	-	-
ステージIII		¥849,945	-	-
ステージIV		¥912,415	-	-
不明		¥375,153	-	-
計		¥792,943	-	-
急性心筋梗塞	(人)	316	-	-
Killip I		¥1,672,224	-	-
Killip II		¥2,025,294	-	-
Killip III		¥2,275,449	-	-
Killip IV		¥2,145,980	-	-
不明		¥1,691,784	-	-
計		¥1,889,325	-	-
肺炎	(人)	1,893	-	-
軽症		¥452,908	-	-
中等症		¥724,532	-	-
重症		¥774,058	-	-
不明		¥262,270	-	-
計		¥563,801	-	-
喘息	(人)	367	-	-
軽症間欠型		¥285,899	-	-
軽症持続型		¥247,840	-	-
中等症持続型		¥351,885	-	-
重症持続型		¥411,099	-	-
不明		¥445,433	-	-
計		¥323,295	-	-
脳梗塞	(人)	1,234	-	-
JCS 0-1		¥1,393,800	-	-
JCS 2-3		¥1,629,383	-	-
JCS 10-100		¥1,856,249	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
		(単位:円)								
脳梗塞	JCS 200-300	¥1,435,126	N/A	¥1,517,080	¥2,116,140	¥1,722,701	¥71,410	¥828,730	¥1,125,905	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥1,500,112	¥881,229	¥1,336,830	¥2,271,566	¥1,608,458	¥749,315	¥1,083,162	¥3,058,380	-
脳出血	(人)	525	16	209	0	160	0	13	35	-
	JCS 0-1	¥2,301,776	¥869,895	¥2,425,371	N/A	¥2,033,137	N/A	¥1,363,410	¥3,236,433	-
	JCS 2-3	¥2,047,547	¥915,185	¥2,083,515	N/A	¥1,864,599	N/A	¥605,220	¥13,886,836	-
	JCS 10-100	¥2,896,125	¥1,009,380	¥2,851,406	N/A	¥3,105,575	N/A	¥2,277,963	¥5,561,200	-
	JCS 200-300	¥2,117,994	¥1,147,980	¥1,375,792	N/A	¥2,809,352	N/A	¥1,235,108	¥2,153,673	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥2,337,100	¥921,921	¥2,242,166	N/A	¥2,383,874	N/A	¥1,466,792	¥3,514,344	-
糖尿病	(人)	407	55	32	7	53	79	20	36	-
	軽症	¥519,669	¥423,833	¥483,280	¥539,816	¥683,075	¥497,712	¥702,616	¥590,933	-
	中等症	¥622,630	¥509,401	¥530,042	¥583,320	¥943,073	¥635,161	¥1,140,266	¥461,493	-
	重症	¥759,480	¥541,297	N/A	N/A	¥467,023	¥984,263	¥1,012,896	¥1,113,411	-
	不明	¥256,868	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥580,343	¥452,785	¥486,203	¥570,890	¥658,755	¥564,243	¥895,967	¥692,657	-
大腿骨頸部骨折	(人)	429	148	0	0	97	1	2	59	-
	重症度Ⅰ	¥1,769,583	¥1,721,091	N/A	N/A	¥1,382,631	N/A	N/A	¥2,791,335	-
	重症度Ⅱ	¥2,035,672	¥1,691,672	N/A	N/A	¥1,503,658	N/A	N/A	¥3,560,575	-
	重症度Ⅲ	¥2,029,545	¥1,637,421	N/A	N/A	¥1,391,164	N/A	N/A	¥2,683,356	-
	重症度Ⅳ	¥1,602,443	¥1,427,836	N/A	N/A	¥1,658,113	¥74,996	N/A	N/A	-
	不明	¥930,153	¥1,367,010	N/A	N/A	¥1,642,570	N/A	¥355,515	N/A	-
	計	¥1,888,822	¥1,682,414	N/A	N/A	¥1,418,011	¥74,996	¥355,515	¥2,887,169	-
胃潰瘍	(人)	157	21	3	2	24	19	4	32	-
	ショックなし(収縮期血圧90mmHg以上)	¥558,061	¥641,629	¥1,261,409	¥365,498	¥439,344	¥533,455	¥323,159	¥627,351	-
	ショックあり(収縮期血圧90mmHg未満)	¥530,304	¥595,489	N/A	N/A	¥573,382	N/A	N/A	¥544,385	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥555,763	¥637,235	¥1,261,409	¥365,498	¥456,098	¥533,455	¥323,159	¥616,980	-
急性腸炎	(人)	518	66	10	11	61	48	57	52	-
	血便なし	¥224,285	¥195,235	¥178,907	¥147,816	¥226,808	¥199,361	¥221,889	¥319,085	-
	血便あり	¥316,095	¥180,485	¥249,320	N/A	¥380,579	¥287,472	¥200,040	¥223,433	-
	不明	¥173,375	N/A	N/A	N/A	¥135,560	N/A	N/A	N/A	-
	計	¥232,596	¥194,788	¥185,949	¥147,816	¥248,000	¥219,553	¥221,506	¥311,727	-
急性虫垂炎	(人)	423	93	0	2	105	47	13	80	-
	白血球15000/mm3未満	¥522,685	¥439,095	N/A	¥215,560	¥539,237	¥494,885	¥571,645	¥570,541	-
	白血球15000/mm3以上	¥575,048	¥538,527	N/A	N/A	¥529,759	¥630,523	¥522,737	¥535,497	-
	不明	¥388,940	¥177,690	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥535,849	¥467,289	N/A	¥215,560	¥536,529	¥517,973	¥560,359	¥561,780	-
胆石症	(人)	923	116	7	7	215	135	55	226	-
	黄疸なし(T Bill 5mg/dl 未満)	¥718,677	¥662,407	¥699,673	¥543,623	¥738,420	¥862,851	¥775,537	¥669,993	-
	黄疸あり(T Bill 5mg/dl 以上)	¥855,827	¥774,753	¥492,548	N/A	¥967,475	¥950,111	¥919,702	¥917,919	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥728,484	¥667,250	¥670,083	¥543,623	¥748,008	¥876,425	¥786,021	¥682,060	-
前立腺肥大症	(人)	43	10	0	2	0	6	0	24	-
	前立腺容積20ml未満	¥531,160	¥561,900	N/A	N/A	N/A	¥515,790	N/A	N/A	-
	前立腺容積50ml未満	¥434,059	¥515,433	N/A	N/A	N/A	¥645,790	N/A	¥357,313	-
	前立腺容積50ml以上	¥623,247	¥692,725	N/A	N/A	N/A	¥172,160	N/A	¥638,413	-
	不明	¥532,475	¥363,556	N/A	¥913,401	N/A	¥450,790	N/A	¥729,940	-
	計	¥547,138	¥542,892	N/A	¥913,401	N/A	¥458,518	N/A	¥560,239	-
白内障	(人)	647	275	0	2	0	0	0	0	-
	1眼(処置対象のもの)	¥276,243	¥276,049	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	¥276,622	¥276,616	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	¥54,190	N/A	N/A	¥54,190	N/A	N/A	N/A	N/A	-
	計	¥275,569	¥276,086	N/A	¥54,190	N/A	N/A	N/A	N/A	-
痔核	(人)	109	1	0	7	10	74	1	3	-
	第一度(出血のみ)	¥344,412	N/A	N/A	¥350,515	¥193,155	¥365,850	¥264,810	¥483,398	-
	第二度(還納可能)	¥311,428	¥305,310	N/A	N/A	¥238,562	¥302,247	N/A	N/A	-
	第三度(脱肛)	¥361,186	N/A	N/A	N/A	¥308,469	¥378,399	N/A	¥288,656	-
	不明	¥158,279	N/A	N/A	¥77,712	N/A	¥346,930	N/A	N/A	-
	計	¥338,594	¥305,310	N/A	¥272,571	¥278,415	¥359,134	¥264,810	¥353,570	-
子宮筋腫	(人)	90	54	4	0	0	0	0	1	-
	貧血なし(Hb10g/dl以上)	¥708,201	¥756,779	¥862,150	N/A	N/A	N/A	N/A	¥686,880	-
	貧血あり(Hb10g/dl未満)	¥705,980	¥708,435	¥1,280,965	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥707,757	¥750,512	¥1,071,558	N/A	N/A	N/A	N/A	¥686,880	-
狭心症	(人)	1,688	197	37	1	329	206	160	631	-
	重症度の指標なし	¥708,113	¥513,694	¥397,954	¥1,706,802	¥1,127,495	¥843,085	¥456,839	¥614,287	-
	計	¥708,113	¥513,694	¥397,954	¥1,706,802	¥1,127,495	¥843,085	¥456,839	¥614,287	-
腎結石及び尿管結石	(人)	363	167	1	1	10	85	5	82	-
	水腎・水尿管なし	¥258,585	¥296,285	¥168,250	¥121,860	¥721,982	¥194,984	¥95,967	¥249,637	-
	水腎・水尿管あり	¥337,585	¥350,903	N/A	N/A	¥980,953	¥281,647	N/A	¥308,909	-

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
脳梗塞	JCS 200-300	¥1,435,126	-	¥693,930	-	¥1,127,800	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	¥1,500,112	-	¥915,871	-	¥1,371,615	-	-	-	-
脳出血	(人)	525	-	63	-	5	-	-	-	-
	JCS 0-1	¥2,301,776	-	¥1,416,421	-	¥965,088	-	-	-	-
	JCS 2-3	¥2,047,547	-	¥1,359,017	-	¥2,603,000	-	-	-	-
	JCS 10-100	¥2,896,125	-	¥2,502,526	-	¥825,820	-	-	-	-
	JCS 200-300	¥2,117,994	-	¥2,936,633	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	¥2,337,100	-	¥1,919,893	-	¥1,592,399	-	-	-	-
糖尿病	(人)	407	-	20	-	60	-	-	-	-
	軽症	¥519,669	-	¥530,259	-	¥411,414	-	-	-	-
	中等症	¥622,630	-	¥903,904	-	¥433,353	-	-	-	-
	重症	¥759,480	-	¥638,262	-	¥983,911	-	-	-	-
	不明	¥256,868	-	N/A	-	N/A	-	-	-	-
	計	¥580,343	-	¥661,471	-	¥515,240	-	-	-	-
大腿骨頸部骨折	(人)	429	-	30	-	82	-	-	-	-
	重症度Ⅰ	¥1,769,583	-	¥1,762,337	-	¥1,895,828	-	-	-	-
	重症度Ⅱ	¥2,035,672	-	¥2,061,061	-	¥2,061,760	-	-	-	-
	重症度Ⅲ	¥2,029,545	-	¥1,864,390	-	¥2,468,155	-	-	-	-
	重症度Ⅳ	¥1,602,443	-	N/A	-	¥1,946,852	-	-	-	-
	不明	¥930,153	-	N/A	-	N/A	-	-	-	-
計	¥1,888,822	-	¥1,902,237	-	¥2,161,356	-	-	-	-	
胃潰瘍	(人)	157	-	8	-	14	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥558,061	-	¥508,744	-	¥565,548	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥530,304	-	¥600,920	-	¥581,642	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	¥555,763	-	¥520,266	-	¥566,697	-	-	-	-	
急性腸炎	(人)	518	-	66	-	67	-	-	-	-
	血便なし	¥224,285	-	¥186,182	-	¥211,065	-	-	-	-
	血便あり	¥316,095	-	¥204,030	-	¥289,137	-	-	-	-
	不明	¥173,375	-	N/A	-	N/A	-	-	-	-
計	¥232,596	-	¥186,452	-	¥223,883	-	-	-	-	
急性虫垂炎	(人)	423	-	36	-	13	-	-	-	-
	白血球15000/mm3未満	¥522,685	-	¥554,044	-	¥432,570	-	-	-	-
	白血球15000/mm3以上	¥575,048	-	¥726,461	-	¥219,870	-	-	-	-
	不明	¥388,940	-	N/A	-	N/A	-	-	-	-
計	¥535,849	-	¥592,359	-	¥383,486	-	-	-	-	
胆石症	(人)	923	-	57	-	25	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥718,677	-	¥583,260	-	¥766,674	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥855,827	-	¥868,443	-	¥436,053	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	¥728,484	-	¥603,273	-	¥726,999	-	-	-	-	
前立腺肥大症	(人)	43	-	0	-	0	-	-	-	-
	前立腺容積20ml未満	¥531,160	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml未満	¥434,059	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml以上	¥623,247	-	N/A	-	N/A	-	-	-	-
	不明	¥532,475	-	N/A	-	N/A	-	-	-	-
計	¥547,138	-	N/A	-	N/A	-	-	-	-	
白内障	(人)	647	-	246	-	124	-	-	-	-
	1眼(処置対象のもの)	¥276,243	-	¥277,195	-	¥274,775	-	-	-	-
	2眼(処置対象のもの)	¥276,622	-	¥276,674	-	N/A	-	-	-	-
	不明	¥54,190	-	N/A	-	N/A	-	-	-	-
計	¥275,569	-	¥277,190	-	¥274,775	-	-	-	-	
痔核	(人)	109	-	1	-	6	-	-	-	-
	第一度(出血のみ)	¥344,412	-	¥331,790	-	¥319,448	-	-	-	-
	第二度(還納可能)	¥311,428	-	N/A	-	¥424,375	-	-	-	-
	第三度(脱肛)	¥361,186	-	N/A	-	¥400,650	-	-	-	-
	不明	¥158,279	-	N/A	-	N/A	-	-	-	-
計	¥338,594	-	¥331,790	-	¥367,957	-	-	-	-	
子宮筋腫	(人)	90	-	31	-	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥708,201	-	¥591,395	-	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	¥705,980	-	¥576,297	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	¥707,757	-	¥587,012	-	N/A	-	-	-	-	
狭心症	(人)	1,688	-	127	-	0	-	-	-	-
	重症度の指標なし	¥708,113	-	¥569,570	-	N/A	-	-	-	-
計	¥708,113	-	¥569,570	-	N/A	-	-	-	-	
腎結石及び尿管結石	(人)	363	-	3	-	3	-	-	-	-
	水腎・水尿管なし	¥258,585	-	¥159,677	-	¥95,320	-	-	-	-
	水腎・水尿管あり	¥337,585	-	N/A	-	¥181,390	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			1041	1046	1047	1069	1129	1167	1201	1202
脳梗塞	JCS 200-300	¥1,435,126	-	¥2,421,784	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	¥1,500,112	-	¥2,709,341	-	¥591,896	-	-	-	-
脳出血	(人)	525	-	22	-	2	-	-	-	-
	JCS 0-1	¥2,301,776	-	¥4,008,665	-	¥68,160	-	-	-	-
	JCS 2-3	¥2,047,547	-	¥4,496,065	-	N/A	-	-	-	-
	JCS 10-100	¥2,896,125	-	¥4,604,452	-	N/A	-	-	-	-
	JCS 200-300	¥2,117,994	-	¥101,210	-	¥2,903,616	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	¥2,337,100	-	¥4,010,769	-	¥1,485,888	-	-	-	-
糖尿病	(人)	407	-	18	-	27	-	-	-	-
	軽症	¥519,669	-	¥496,121	-	¥608,746	-	-	-	-
	中等症	¥622,630	-	¥279,864	-	¥659,200	-	-	-	-
	重症	¥759,480	-	¥327,820	-	¥917,871	-	-	-	-
	不明	¥256,868	-	N/A	-	¥256,868	-	-	-	-
	計	¥580,343	-	¥426,700	-	¥650,853	-	-	-	-
大腿骨頸部骨折	(人)	429	-	10	-	0	-	-	-	-
	重症度Ⅰ	¥1,769,583	-	N/A	-	N/A	-	-	-	-
	重症度Ⅱ	¥2,035,672	-	¥2,130,221	-	N/A	-	-	-	-
	重症度Ⅲ	¥2,029,545	-	¥1,140,525	-	N/A	-	-	-	-
	重症度Ⅳ	¥1,602,443	-	N/A	-	N/A	-	-	-	-
	不明	¥930,153	-	N/A	-	N/A	-	-	-	-
計	¥1,888,822	-	¥1,833,312	-	N/A	-	-	-	-	
胃潰瘍	(人)	157	-	6	-	24	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥558,061	-	¥889,289	-	¥438,022	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥530,304	-	¥143,250	-	¥479,480	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	¥555,763	-	¥764,949	-	¥439,749	-	-	-	-	
急性腸炎	(人)	518	-	9	-	71	-	-	-	-
	血便なし	¥224,285	-	¥279,389	-	¥260,191	-	-	-	-
	血便あり	¥316,095	-	N/A	-	¥437,068	-	-	-	-
	不明	¥173,375	-	¥211,190	-	N/A	-	-	-	-
計	¥232,596	-	¥271,811	-	¥280,120	-	-	-	-	
急性虫垂炎	(人)	423	-	0	-	34	-	-	-	-
	白血球15000/mm3未満	¥522,685	-	N/A	-	¥648,241	-	-	-	-
	白血球15000/mm3以上	¥575,048	-	N/A	-	¥788,600	-	-	-	-
	不明	¥388,940	-	N/A	-	¥494,565	-	-	-	-
計	¥535,849	-	N/A	-	¥692,868	-	-	-	-	
胆石症	(人)	923	-	4	-	76	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥718,677	-	¥381,895	-	¥749,822	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥855,827	-	N/A	-	¥612,597	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	¥728,484	-	¥381,895	-	¥735,377	-	-	-	-	
前立腺肥大症	(人)	43	-	0	-	1	-	-	-	-
	前立腺容積20ml未満	¥531,160	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml未満	¥434,059	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml以上	¥623,247	-	N/A	-	N/A	-	-	-	-
	不明	¥532,475	-	N/A	-	¥74,368	-	-	-	-
計	¥547,138	-	N/A	-	¥74,368	-	-	-	-	
白内障	(人)	647	-	0	-	0	-	-	-	-
	1眼(処置対象のもの)	¥276,243	-	N/A	-	N/A	-	-	-	-
	2眼(処置対象のもの)	¥276,622	-	N/A	-	N/A	-	-	-	-
	不明	¥54,190	-	N/A	-	N/A	-	-	-	-
計	¥275,569	-	N/A	-	N/A	-	-	-	-	
痔核	(人)	109	-	0	-	6	-	-	-	-
	第一度(出血のみ)	¥344,412	-	N/A	-	N/A	-	-	-	-
	第二度(還納可能)	¥311,428	-	N/A	-	N/A	-	-	-	-
	第三度(脱肛)	¥361,186	-	N/A	-	¥294,803	-	-	-	-
	不明	¥158,279	-	N/A	-	¥144,520	-	-	-	-
計	¥338,594	-	N/A	-	¥244,708	-	-	-	-	
子宮筋腫	(人)	90	-	0	-	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥708,201	-	N/A	-	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	¥705,980	-	N/A	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	¥707,757	-	N/A	-	N/A	-	-	-	-	
狭心症	(人)	1,688	-	0	-	0	-	-	-	-
	重症度の指標なし	¥708,113	-	N/A	-	N/A	-	-	-	-
計	¥708,113	-	N/A	-	N/A	-	-	-	-	
腎結石及び尿管結石	(人)	363	-	1	-	5	-	-	-	-
	水腎・水尿管なし	¥258,585	-	N/A	-	¥78,303	-	-	-	-
	水腎・水尿管あり	¥337,585	-	¥86,160	-	¥95,180	-	-	-	-

【重症度別集計】表

		平均	病院コード	
			9020	9021
		(単位:円)		
脳梗塞	JCS 200-300	¥1,435,126	-	-
	不明	N/A	-	-
	計	¥1,500,112	-	-
脳出血	(人)	525	-	-
	JCS 0-1	¥2,301,776	-	-
	JCS 2-3	¥2,047,547	-	-
	JCS 10-100	¥2,896,125	-	-
	JCS 200-300	¥2,117,994	-	-
	不明	N/A	-	-
計	¥2,337,100	-	-	
糖尿病	(人)	407	-	-
	軽症	¥519,669	-	-
	中等症	¥622,630	-	-
	重症	¥759,480	-	-
	不明	¥256,868	-	-
計	¥580,343	-	-	
大腿骨頸部骨折	(人)	429	-	-
	重症度Ⅰ	¥1,769,583	-	-
	重症度Ⅱ	¥2,035,672	-	-
	重症度Ⅲ	¥2,029,545	-	-
	重症度Ⅳ	¥1,602,443	-	-
	不明	¥930,153	-	-
計	¥1,888,822	-	-	
胃潰瘍	(人)	157	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥558,061	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥530,304	-	-
	不明	N/A	-	-
計	¥555,763	-	-	
急性腸炎	(人)	518	-	-
	血便なし	¥224,285	-	-
	血便あり	¥316,095	-	-
	不明	¥173,375	-	-
計	¥232,596	-	-	
急性虫垂炎	(人)	423	-	-
	白血球15000/mm3未満	¥522,685	-	-
	白血球15000/mm3以上	¥575,048	-	-
	不明	¥388,940	-	-
計	¥535,849	-	-	
胆石症	(人)	923	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥718,677	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥855,827	-	-
	不明	N/A	-	-
計	¥728,484	-	-	
前立腺肥大症	(人)	43	-	-
	前立腺容積20ml未満	¥531,160	-	-
	前立腺容積50ml未満	¥434,059	-	-
	前立腺容積50ml以上	¥623,247	-	-
	不明	¥532,475	-	-
計	¥547,138	-	-	
白内障	(人)	647	-	-
	1眼(処置対象のもの)	¥276,243	-	-
	2眼(処置対象のもの)	¥276,622	-	-
	不明	¥54,190	-	-
計	¥275,569	-	-	
痔核	(人)	109	-	-
	第一度(出血のみ)	¥344,412	-	-
	第二度(還納可能)	¥311,428	-	-
	第三度(脱肛)	¥361,186	-	-
	不明	¥158,279	-	-
計	¥338,594	-	-	
子宮筋腫	(人)	90	-	-
	貧血なし(Hb10g/dl以上)	¥708,201	-	-
	貧血あり(Hb10g/dl未満)	¥705,980	-	-
	不明	N/A	-	-
計	¥707,757	-	-	
狭心症	(人)	1,688	-	-
	重症度の指標なし	¥708,113	-	-
	計	¥708,113	-	-
腎結石及び尿管結石	(人)	363	-	-
	水腎・水尿管なし	¥258,585	-	-
	水腎・水尿管あり	¥337,585	-	-

【重症度別集計】表

		平均	病院コード	
			9020	9021
腎結石及び尿管結石	不明	¥223,300	-	-
	計	¥305,663	-	-
乳房の悪性新生物	(人)	469	-	-
	ステージ0	¥738,709	-	-
	ステージI	¥713,403	-	-
	ステージII	¥583,982	-	-
	ステージIII	¥589,410	-	-
	ステージIV	¥593,160	-	-
	不明	¥688,233	-	-
計	¥639,846	-	-	
膝関節症	(人)	311	-	-
	骨移植なし	¥2,134,127	-	-
	骨移植あり	¥1,907,997	-	-
	不明	N/A	-	-
計	¥2,131,218	-	-	
鼠径ヘルニア	(人)	574	-	-
	重症度の指標なし	¥375,948	-	-
計	¥375,948	-	-	
全疾患合計		¥864,913	-	-
集計病院数		11		