

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201604 ~ 201703  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 病院コード・昇順

## ■ 医療費

	(単位:円)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
<b>胃の悪性新生物</b>	(人)	578	65	41	4	62	110	30	183	-
ステージ0		¥484,600	¥527,379	N/A	N/A	¥476,742	¥473,395	N/A	N/A	-
ステージI		¥1,147,429	¥1,195,812	¥1,079,303	N/A	¥1,362,923	¥849,912	¥1,197,829	¥1,187,987	-
ステージII		¥1,423,945	¥1,782,084	¥830,093	N/A	¥1,917,267	¥1,026,424	¥2,241,228	¥1,709,669	-
ステージIII		¥1,178,410	¥1,589,125	¥698,582	N/A	¥970,694	¥1,360,986	N/A	¥1,171,399	-
ステージIV		¥812,819	¥1,037,706	¥1,042,320	N/A	¥842,957	¥515,392	¥510,071	¥830,118	-
不明		¥752,907	¥825,208	¥401,425	¥969,686	¥906,972	¥451,443	¥551,930	¥367,239	-
計		¥1,021,795	¥1,245,517	¥925,390	¥969,686	¥1,020,392	¥785,761	¥1,050,602	¥1,115,292	-
<b>結腸の悪性新生物</b>	(人)	946	99	31	4	180	300	42	114	-
ステージ0		¥710,958	¥808,592	¥973,484	N/A	¥931,108	¥869,873	N/A	¥443,936	-
ステージI		¥1,078,079	¥990,457	¥1,235,672	N/A	¥1,617,653	¥1,085,948	¥903,011	¥831,788	-
ステージII		¥1,285,312	¥1,192,713	¥1,460,444	N/A	¥1,757,548	¥735,627	¥1,671,375	¥1,370,658	-
ステージIII		¥790,200	¥1,134,077	¥845,628	N/A	¥1,282,534	¥457,023	¥1,600,667	¥1,178,312	-
ステージIV		¥816,617	¥1,057,183	¥1,376,785	N/A	¥1,038,791	¥474,888	¥729,565	¥1,053,285	-
不明		¥691,702	¥323,337	¥951,295	¥420,694	¥307,830	¥175,221	¥92,465	¥844,732	-
計		¥901,881	¥990,995	¥1,206,686	¥420,694	¥1,305,959	¥538,570	¥1,170,161	¥1,119,046	-
<b>直腸の悪性新生物</b>	(人)	523	38	18	7	110	129	12	86	-
ステージ0		¥540,109	¥469,538	N/A	N/A	¥584,875	¥392,786	N/A	¥1,557,848	-
ステージI		¥1,050,574	¥1,120,787	N/A	N/A	¥1,208,168	¥1,649,382	¥1,162,781	¥1,110,344	-
ステージII		¥1,463,398	¥1,191,300	¥1,246,392	N/A	¥1,875,762	¥635,354	¥1,818,359	¥1,963,606	-
ステージIII		¥1,033,892	¥684,086	¥818,117	¥143,200	¥1,799,275	¥784,191	¥1,529,711	¥1,142,093	-
ステージIV		¥630,241	¥1,148,098	N/A	N/A	¥1,053,006	¥353,115	¥495,374	¥1,061,682	-
不明		¥557,550	¥589,540	¥649,085	¥362,383	¥876,964	N/A	N/A	¥278,318	-
計		¥888,484	¥1,005,282	¥918,301	¥331,071	¥1,429,590	¥518,538	¥1,337,751	¥1,238,223	-
<b>気管支および肺の悪性新生物</b>	(人)	518	21	5	7	152	34	45	227	-
ステージ0		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
ステージI		¥1,084,149	N/A	N/A	N/A	¥1,091,952	¥445,554	¥969,689	¥1,249,509	-
ステージII		¥827,721	N/A	¥297,754	N/A	¥1,190,295	N/A	¥423,200	¥398,970	-
ステージIII		¥809,706	N/A	¥1,400,803	N/A	¥464,557	¥133,540	¥402,695	¥878,706	-
ステージIV		¥946,523	¥738,840	¥54,910	¥6,562,928	¥866,633	¥915,010	¥601,475	¥1,056,345	-
不明		¥468,247	¥1,402,641	N/A	¥1,210,299	¥372,059	¥253,358	¥455,424	¥226,474	-
計		¥842,795	¥833,668	¥911,014	¥1,974,961	¥843,994	¥650,995	¥535,125	¥899,986	-
<b>急性心筋梗塞</b>	(人)	289	14	18	0	86	66	21	61	-
Killip I		¥1,696,859	¥888,898	¥2,374,306	N/A	¥1,838,012	¥1,537,789	N/A	¥1,769,717	-
Killip II		¥1,845,592	¥1,511,806	¥1,906,265	N/A	¥2,595,349	¥1,508,563	¥1,333,021	¥2,464,469	-
Killip III		¥2,194,720	¥2,056,200	¥1,569,422	N/A	¥2,721,575	¥2,249,983	N/A	¥2,952,951	-
Killip IV		¥2,420,502	¥1,082,511	¥695,136	N/A	¥4,915,160	¥2,037,608	¥77,516	¥1,557,506	-
不明		¥723,963	¥157,740	N/A	N/A	¥870,005	N/A	¥240,750	¥1,481,316	-
計		¥1,857,752	¥1,006,033	¥1,733,565	N/A	¥2,417,147	¥1,658,247	¥1,221,222	¥1,969,864	-
<b>肺炎</b>	(人)	1,858	186	105	181	292	113	212	149	-
軽症		¥504,437	¥383,205	¥636,228	¥769,853	¥514,870	¥455,852	¥566,285	¥343,439	-
中等症		¥759,505	¥501,265	¥960,183	¥1,166,427	¥677,502	¥549,455	¥751,036	¥384,390	-
重症		¥807,798	¥671,331	¥795,925	¥1,081,981	¥678,819	¥767,108	¥806,819	¥1,173,823	-
不明		¥250,196	¥234,630	N/A	N/A	N/A	N/A	N/A	¥321,179	-
計		¥618,339	¥556,559	¥792,101	¥940,634	¥620,385	¥631,061	¥712,532	¥605,650	-
<b>喘息</b>	(人)	274	20	5	42	58	5	18	54	-
軽症間欠型		¥346,736	¥340,194	¥184,967	¥899,393	¥429,073	¥221,117	¥363,662	¥381,227	-
軽症持続型		¥336,864	¥263,152	N/A	¥330,967	¥298,313	¥214,180	¥416,911	N/A	-
中等症持続型		¥365,604	¥319,231	¥291,110	¥485,688	¥327,761	N/A	¥319,041	¥324,895	-
重症持続型		¥405,937	¥196,560	N/A	¥695,145	¥538,340	N/A	¥480,386	¥382,203	-
不明		¥332,284	¥332,284	N/A	N/A	N/A	N/A	N/A	N/A	-
計		¥357,505	¥304,971	¥206,195	¥546,274	¥330,134	¥219,730	¥367,106	¥356,606	-
<b>脳梗塞</b>	(人)	1,184	82	566	15	284	8	61	53	-
JCS 0-1		¥1,150,468	¥793,498	¥1,057,212	¥2,081,570	¥1,200,939	¥892,516	¥945,363	¥2,402,729	-
JCS 2-3		¥1,510,572	¥932,695	¥1,444,573	¥1,407,054	¥1,670,025	N/A	¥1,544,803	¥4,850,848	-
JCS 10-100		¥1,858,361	¥829,743	¥1,657,444	¥2,179,604	¥1,793,553	N/A	¥1,381,590	¥4,113,229	-

# 【重症度別集計】表

	(単位:円)	平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
<b>胃の悪性新生物</b>	(人)	578	30	-	18	-	-	-	-	4
ステージ0		¥484,600	N/A	-	¥543,623	-	-	-	-	N/A
ステージI		¥1,147,429	¥1,412,094	-	¥1,883,533	-	-	-	-	N/A
ステージII		¥1,423,945	¥1,834,890	-	¥1,701,070	-	-	-	-	N/A
ステージIII		¥1,178,410	¥1,134,580	-	N/A	-	-	-	-	N/A
ステージIV		¥812,819	¥1,438,643	-	¥660,161	-	-	-	-	N/A
不明		¥752,907	¥684,282	-	¥1,120,572	-	-	-	-	¥1,391,518
計		¥1,021,795	¥1,091,433	-	¥1,036,828	-	-	-	-	¥1,391,518
<b>結腸の悪性新生物</b>	(人)	946	36	-	19	-	-	-	-	2
ステージ0		¥710,958	¥841,187	-	N/A	-	-	-	-	N/A
ステージI		¥1,078,079	¥490,377	-	N/A	-	-	-	-	N/A
ステージII		¥1,285,312	¥1,371,825	-	¥2,976,334	-	-	-	-	N/A
ステージIII		¥790,200	¥1,677,180	-	¥3,096,627	-	-	-	-	N/A
ステージIV		¥816,617	¥996,317	-	¥2,445,877	-	-	-	-	N/A
不明		¥691,702	¥1,370,408	-	¥1,196,194	-	-	-	-	¥373,500
計		¥901,881	¥1,136,096	-	¥1,968,324	-	-	-	-	¥373,500
<b>直腸の悪性新生物</b>	(人)	523	7	-	12	-	-	-	-	0
ステージ0		¥540,109	¥466,270	-	N/A	-	-	-	-	N/A
ステージI		¥1,050,574	N/A	-	N/A	-	-	-	-	N/A
ステージII		¥1,463,398	¥2,448,020	-	¥2,527,003	-	-	-	-	N/A
ステージIII		¥1,033,892	¥283,783	-	¥2,236,420	-	-	-	-	N/A
ステージIV		¥630,241	N/A	-	¥2,352,360	-	-	-	-	N/A
不明		¥557,550	¥567,510	-	¥592,306	-	-	-	-	N/A
計		¥888,484	¥968,739	-	¥1,345,107	-	-	-	-	N/A
<b>気管支および肺の悪性新生物</b>	(人)	518	10	-	9	-	-	-	-	6
ステージ0		N/A	N/A	-	N/A	-	-	-	-	N/A
ステージI		¥1,084,149	N/A	-	N/A	-	-	-	-	N/A
ステージII		¥827,721	¥702,460	-	N/A	-	-	-	-	N/A
ステージIII		¥809,706	¥705,255	-	N/A	-	-	-	-	¥1,263,420
ステージIV		¥946,523	¥1,314,400	-	¥401,077	-	-	-	-	¥68,610
不明		¥468,247	¥836,575	-	¥370,742	-	-	-	-	¥1,208,850
計		¥842,795	¥818,418	-	¥384,224	-	-	-	-	¥1,027,905
<b>急性心筋梗塞</b>	(人)	289	11	-	4	-	-	-	-	6
Killip I		¥1,696,859	¥1,586,424	-	¥1,889,170	-	-	-	-	N/A
Killip II		¥1,845,592	¥1,153,392	-	¥1,812,540	-	-	-	-	¥121,346
Killip III		¥2,194,720	¥1,974,556	-	¥1,653,465	-	-	-	-	¥433,808
Killip IV		¥2,420,502	¥2,097,483	-	N/A	-	-	-	-	¥110,568
不明		¥723,963	N/A	-	N/A	-	-	-	-	N/A
計		¥1,857,752	¥1,721,722	-	¥1,752,160	-	-	-	-	¥166,237
<b>肺炎</b>	(人)	1,858	137	-	355	-	-	-	-	50
軽症		¥504,437	¥302,993	-	¥424,524	-	-	-	-	¥590,937
中等症		¥759,505	¥918,358	-	¥996,166	-	-	-	-	¥717,470
重症		¥807,798	¥776,191	-	¥868,851	-	-	-	-	¥922,963
不明		¥250,196	N/A	-	¥236,005	-	-	-	-	N/A
計		¥618,339	¥570,701	-	¥359,052	-	-	-	-	¥793,959
<b>喘息</b>	(人)	274	24	-	38	-	-	-	-	0
軽症間欠型		¥346,736	¥208,036	-	¥232,082	-	-	-	-	N/A
軽症持続型		¥336,864	¥161,610	-	¥419,179	-	-	-	-	N/A
中等症持続型		¥365,604	¥301,025	-	¥217,930	-	-	-	-	N/A
重症持続型		¥405,937	¥585,600	-	¥308,603	-	-	-	-	N/A
不明		¥332,284	N/A	-	N/A	-	-	-	-	N/A
計		¥357,505	¥249,189	-	¥279,154	-	-	-	-	N/A
<b>脳梗塞</b>	(人)	1,184	48	-	31	-	-	-	-	34
JCS 0-1		¥1,150,468	¥816,454	-	¥787,627	-	-	-	-	¥1,754,671
JCS 2-3		¥1,510,572	¥744,124	-	¥1,417,470	-	-	-	-	¥2,871,850
JCS 10-100		¥1,858,361	¥2,583,730	-	¥1,554,911	-	-	-	-	¥1,949,412

# 【重症度別集計】表

	(単位:円)	平均	病院コード							
			1047	1069	1129	1167	1201	1202	1501	1502
<b>胃の悪性新生物</b>	(人)	578	-	31	-	-	-	-	-	-
ステージ0		¥484,600	-	¥455,633	-	-	-	-	-	-
ステージI		¥1,147,429	-	¥498,412	-	-	-	-	-	-
ステージII		¥1,423,945	-	¥1,246,976	-	-	-	-	-	-
ステージIII		¥1,178,410	-	¥557,691	-	-	-	-	-	-
ステージIV		¥812,819	-	¥1,152,542	-	-	-	-	-	-
不明		¥752,907	-	¥756,989	-	-	-	-	-	-
計		¥1,021,795	-	¥823,641	-	-	-	-	-	-
<b>結腸の悪性新生物</b>	(人)	946	-	119	-	-	-	-	-	-
ステージ0		¥710,958	-	¥167,388	-	-	-	-	-	-
ステージI		¥1,078,079	-	¥727,153	-	-	-	-	-	-
ステージII		¥1,285,312	-	¥540,148	-	-	-	-	-	-
ステージIII		¥790,200	-	¥485,969	-	-	-	-	-	-
ステージIV		¥816,617	-	¥590,858	-	-	-	-	-	-
不明		¥691,702	-	N/A	-	-	-	-	-	-
計		¥901,881	-	¥534,238	-	-	-	-	-	-
<b>直腸の悪性新生物</b>	(人)	523	-	104	-	-	-	-	-	-
ステージ0		¥540,109	-	¥240,003	-	-	-	-	-	-
ステージI		¥1,050,574	-	¥462,345	-	-	-	-	-	-
ステージII		¥1,463,398	-	¥736,979	-	-	-	-	-	-
ステージIII		¥1,033,892	-	¥381,065	-	-	-	-	-	-
ステージIV		¥630,241	-	¥328,046	-	-	-	-	-	-
不明		¥557,550	-	¥764,993	-	-	-	-	-	-
計		¥888,484	-	¥365,583	-	-	-	-	-	-
<b>気管支および肺の悪性新生物</b>	(人)	518	-	2	-	-	-	-	-	-
ステージ0		N/A	-	N/A	-	-	-	-	-	-
ステージI		¥1,084,149	-	N/A	-	-	-	-	-	-
ステージII		¥827,721	-	N/A	-	-	-	-	-	-
ステージIII		¥809,706	-	N/A	-	-	-	-	-	-
ステージIV		¥946,523	-	¥2,036,491	-	-	-	-	-	-
不明		¥468,247	-	N/A	-	-	-	-	-	-
計		¥842,795	-	¥2,036,491	-	-	-	-	-	-
<b>急性心筋梗塞</b>	(人)	289	-	2	-	-	-	-	-	-
Killip I		¥1,696,859	-	N/A	-	-	-	-	-	-
Killip II		¥1,845,592	-	N/A	-	-	-	-	-	-
Killip III		¥2,194,720	-	N/A	-	-	-	-	-	-
Killip IV		¥2,420,502	-	¥765,205	-	-	-	-	-	-
不明		¥723,963	-	N/A	-	-	-	-	-	-
計		¥1,857,752	-	¥765,205	-	-	-	-	-	-
<b>肺炎</b>	(人)	1,858	-	78	-	-	-	-	-	-
軽症		¥504,437	-	¥383,481	-	-	-	-	-	-
中等症		¥759,505	-	¥410,222	-	-	-	-	-	-
重症		¥807,798	-	¥824,792	-	-	-	-	-	-
不明		¥250,196	-	N/A	-	-	-	-	-	-
計		¥618,339	-	¥677,173	-	-	-	-	-	-
<b>喘息</b>	(人)	274	-	10	-	-	-	-	-	-
軽症間欠型		¥346,736	-	N/A	-	-	-	-	-	-
軽症持続型		¥336,864	-	¥567,100	-	-	-	-	-	-
中等症持続型		¥365,604	-	¥485,754	-	-	-	-	-	-
重症持続型		¥405,937	-	N/A	-	-	-	-	-	-
不明		¥332,284	-	N/A	-	-	-	-	-	-
計		¥357,505	-	¥518,293	-	-	-	-	-	-
<b>脳梗塞</b>	(人)	1,184	-	2	-	-	-	-	-	-
JCS 0-1		¥1,150,468	-	¥393,032	-	-	-	-	-	-
JCS 2-3		¥1,510,572	-	N/A	-	-	-	-	-	-
JCS 10-100		¥1,858,361	-	N/A	-	-	-	-	-	-







# 【重症度別集計】表

(単位:円)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	¥2,699,241	¥1,546,460	¥1,160,337	N/A	¥2,308,314	N/A	¥140,490	¥3,014,201	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥1,340,123	¥829,470	¥1,254,206	¥2,017,777	¥1,347,348	¥892,516	¥1,090,323	¥2,963,476	-
脳出血	(人)	480	21	216	3	153	1	21	12	-
	JCS 0-1	¥2,061,495	¥890,646	¥1,856,024	¥1,577,870	¥2,148,156	N/A	¥644,353	¥3,847,915	-
	JCS 2-3	¥2,090,816	¥494,904	¥2,416,223	N/A	¥1,766,088	N/A	¥1,435,346	¥5,497,660	-
	JCS 10-100	¥2,714,836	¥2,301,605	¥2,981,629	¥1,280,618	¥2,609,055	N/A	¥2,775,209	¥1,332,140	-
	JCS 200-300	¥2,419,315	¥5,855,390	¥2,295,927	¥75,980	¥3,373,467	¥1,605,250	¥933,845	¥146,770	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥2,264,282	¥1,570,346	¥2,311,823	¥978,156	¥2,338,256	¥1,605,250	¥1,584,326	¥3,467,317	-
糖尿病	(人)	348	59	29	7	64	64	29	26	-
	軽症	¥542,107	¥506,898	¥602,916	¥567,431	¥542,386	¥537,265	¥631,846	¥606,506	-
	中等症	¥647,344	¥471,084	¥750,584	¥628,763	¥573,096	¥669,486	¥767,338	¥550,264	-
	重症	¥601,909	¥283,172	N/A	N/A	¥536,124	¥706,885	¥967,451	¥659,572	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥584,308	¥475,191	¥623,284	¥593,716	¥546,961	¥618,964	¥771,364	¥610,466	-
大腿骨頸部骨折	(人)	393	122	0	1	121	1	2	24	-
	重症度Ⅰ	¥1,774,471	¥1,608,818	N/A	N/A	¥1,681,016	¥1,026,352	N/A	¥2,506,084	-
	重症度Ⅱ	¥1,772,974	¥1,737,504	N/A	N/A	¥1,383,048	N/A	N/A	¥3,454,805	-
	重症度Ⅲ	¥2,387,181	¥2,035,224	N/A	N/A	¥1,769,515	N/A	N/A	¥3,124,730	-
	重症度Ⅳ	¥1,983,008	¥2,627,630	N/A	¥1,395,060	¥1,527,380	N/A	N/A	N/A	-
	不明	¥509,575	N/A	N/A	N/A	N/A	N/A	¥509,575	N/A	-
計	¥1,905,628	¥1,717,736	N/A	¥1,395,060	¥1,619,996	¥1,026,352	¥509,575	¥2,933,997	-	
胃潰瘍	(人)	138	18	12	1	24	15	4	25	-
	ショックなし(収縮期血圧90mmHg以上)	¥589,964	¥655,939	¥610,081	¥625,490	¥565,409	¥422,930	¥336,225	¥777,680	-
	ショックあり(収縮期血圧90mmHg未満)	¥805,040	¥1,793,279	N/A	N/A	¥1,085,735	¥448,604	N/A	¥743,733	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	¥611,783	¥782,310	¥610,081	¥625,490	¥608,770	¥426,353	¥336,225	¥773,606	-	
急性腸炎	(人)	559	113	43	23	46	60	44	59	-
	血便なし	¥237,889	¥203,603	¥207,014	¥251,417	¥285,011	¥217,679	¥293,121	¥288,587	-
	血便あり	¥306,355	¥315,305	¥293,749	N/A	¥269,494	¥315,322	¥478,103	¥308,228	-
	不明	¥233,032	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	¥244,249	¥213,488	¥223,150	¥251,417	¥283,325	¥224,188	¥322,550	¥290,251	-	
急性虫垂炎	(人)	377	71	11	0	81	46	23	75	-
	白血球15000/mm3未満	¥533,451	¥480,979	¥381,671	N/A	¥505,064	¥553,441	¥467,440	¥558,727	-
	白血球15000/mm3以上	¥587,312	¥552,071	¥354,650	N/A	¥675,326	¥492,311	¥598,068	¥553,921	-
	不明	¥537,840	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	¥547,606	¥499,002	¥379,215	N/A	¥551,308	¥540,152	¥524,235	¥557,189	-	
胆石症	(人)	955	138	42	9	200	130	68	198	-
	黄疸なし(T Bill 5mg/dl 未満)	¥715,444	¥613,625	¥837,243	¥351,161	¥719,977	¥697,418	¥775,399	¥746,052	-
	黄疸あり(T Bill 5mg/dl 以上)	¥867,647	¥815,023	¥1,132,180	¥1,942,610	¥991,147	¥649,318	¥484,152	¥780,846	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	¥728,194	¥642,813	¥886,400	¥527,988	¥730,823	¥692,978	¥771,116	¥749,566	-	
前立腺肥大症	(人)	54	22	0	0	0	3	1	28	-
	前立腺容積20ml未満	¥444,510	¥444,510	N/A	N/A	N/A	N/A	N/A	N/A	-
	前立腺容積50ml未満	¥581,365	¥408,055	N/A	N/A	N/A	N/A	N/A	¥675,898	-
	前立腺容積50ml以上	¥503,953	¥485,530	N/A	N/A	N/A	¥200,040	N/A	¥534,463	-
	不明	¥445,610	¥550,022	N/A	N/A	N/A	¥456,320	¥142,518	¥205,220	-
計	¥517,499	¥477,193	N/A	N/A	N/A	¥370,893	¥142,518	¥578,268	-	
白内障	(人)	588	278	0	0	0	0	0	0	-
	1眼(処置対象のもの)	¥226,885	¥225,712	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	¥379,652	¥379,652	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	¥227,145	¥226,265	N/A	N/A	N/A	N/A	N/A	N/A	-	
痔核	(人)	109	4	1	5	17	60	3	3	-
	第一度(出血のみ)	¥205,189	¥233,645	¥349,610	¥113,023	¥156,060	¥248,686	¥253,530	¥267,120	-
	第二度(還納可能)	¥302,434	N/A	N/A	N/A	¥220,863	¥351,303	¥221,035	N/A	-
	第三度(脱肛)	¥317,820	¥246,420	N/A	N/A	¥256,688	¥341,900	N/A	¥435,015	-
	不明	¥144,704	N/A	N/A	¥105,162	¥204,730	N/A	N/A	N/A	-
計	¥280,876	¥240,033	¥349,610	¥111,451	¥223,633	¥327,161	¥231,867	¥379,050	-	
子宮筋腫	(人)	115	83	17	0	0	0	0	2	-
	貧血なし(Hb10g/dl以上)	¥730,195	¥736,146	¥831,184	N/A	N/A	N/A	N/A	¥804,235	-
	貧血あり(Hb10g/dl未満)	¥755,489	¥783,894	¥785,910	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	¥734,814	¥743,050	¥809,878	N/A	N/A	N/A	N/A	¥804,235	-	
狭心症	(人)	1,649	177	124	1	335	198	155	598	-
	重症度の指標なし	¥683,890	¥435,212	¥535,953	¥207,730	¥954,256	¥793,333	¥373,411	¥698,515	-
	計	¥683,890	¥435,212	¥535,953	¥207,730	¥954,256	¥793,333	¥373,411	¥698,515	-
腎結石及び尿管結石	(人)	352	155	1	3	11	81	4	94	-
	水腎・水尿管なし	¥320,236	¥363,019	¥96,270	¥166,220	¥762,296	¥183,737	¥205,638	¥283,515	-
	水腎・水尿管あり	¥371,296	¥407,353	N/A	¥90,880	¥845,763	¥313,077	N/A	¥333,734	-

# 【重症度別集計】表

		平均	病院コード										
			1012	1013	1015	1018	1019	1025	1039	1046			
		(単位:円)											
脳梗塞	JCS 200-300	¥2,699,241	¥80,190	-	¥23,741,360	-	-	-	-	-	¥4,147,515		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
	計	¥1,340,123	¥856,669	-	¥1,847,984	-	-	-	-	-	¥1,940,807		
脳出血	(人)	480	21	-	9	-	-	-	-	-	21		
	JCS 0-1	¥2,061,495	¥821,116	-	¥940,220	-	-	-	-	-	¥4,029,720		
	JCS 2-3	¥2,090,816	¥854,114	-	¥1,764,850	-	-	-	-	-	¥3,886,788		
	JCS 10-100	¥2,714,836	¥2,418,279	-	N/A	-	-	-	-	-	¥3,189,557		
	JCS 200-300	¥2,419,315	¥1,924,328	-	N/A	-	-	-	-	-	¥83,090		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥2,264,282	¥1,571,496	-	¥1,306,722	-	-	-	-	-	¥3,318,667			
糖尿病	(人)	348	5	-	34	-	-	-	-	-	9		
	軽症	¥542,107	¥371,405	-	¥252,012	-	-	-	-	-	¥951,820		
	中等症	¥647,344	¥389,182	-	¥499,887	-	-	-	-	-	¥1,763,380		
	重症	¥601,909	¥707,272	-	¥687,924	-	-	-	-	-	N/A		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥584,308	¥442,134	-	¥429,244	-	-	-	-	-	¥1,402,687			
大腿骨頸部骨折	(人)	393	20	-	95	-	-	-	-	-	7		
	重症度Ⅰ	¥1,774,471	¥1,781,666	-	¥2,232,439	-	-	-	-	-	¥1,622,369		
	重症度Ⅱ	¥1,772,974	¥2,152,967	-	¥2,054,830	-	-	-	-	-	¥1,813,729		
	重症度Ⅲ	¥2,387,181	¥1,892,217	-	¥2,476,088	-	-	-	-	-	¥2,043,830		
	重症度Ⅳ	¥1,983,008	N/A	-	¥2,212,570	-	-	-	-	-	N/A		
	不明	¥509,575	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥1,905,628	¥1,872,509	-	¥2,310,299	-	-	-	-	-	¥1,791,926			
胃潰瘍	(人)	138	8	-	10	-	-	-	-	-	1		
	ショックなし(収縮期血圧90mmHg以上)	¥589,964	¥404,733	-	¥724,869	-	-	-	-	-	¥607,082		
	ショックあり(収縮期血圧90mmHg未満)	¥805,040	N/A	-	N/A	-	-	-	-	-	N/A		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥611,783	¥404,733	-	¥724,869	-	-	-	-	-	¥607,082			
急性腸炎	(人)	559	32	-	74	-	-	-	-	-	3		
	血便なし	¥237,889	¥132,705	-	¥241,433	-	-	-	-	-	¥503,745		
	血便あり	¥306,355	N/A	-	¥241,669	-	-	-	-	-	N/A		
	不明	¥233,032	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥244,249	¥132,705	-	¥241,459	-	-	-	-	-	¥503,745			
急性虫垂炎	(人)	377	16	-	16	-	-	-	-	-	1		
	白血球15000/mm3未満	¥533,451	¥539,782	-	¥640,299	-	-	-	-	-	¥91,870		
	白血球15000/mm3以上	¥587,312	¥576,893	-	¥551,828	-	-	-	-	-	N/A		
	不明	¥537,840	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥547,606	¥546,741	-	¥607,122	-	-	-	-	-	¥91,870			
胆石症	(人)	955	54	-	30	-	-	-	-	-	1		
	黄疸なし(T Bill 5mg/dl 未満)	¥715,444	¥577,020	-	¥848,930	-	-	-	-	-	¥648,740		
	黄疸あり(T Bill 5mg/dl 以上)	¥867,647	¥698,270	-	¥684,789	-	-	-	-	-	N/A		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥728,194	¥579,265	-	¥832,516	-	-	-	-	-	¥648,740			
前立腺肥大症	(人)	54	0	-	0	-	-	-	-	-	0		
	前立腺容積20ml未満	¥444,510	N/A	-	N/A	-	-	-	-	-	N/A		
	前立腺容積50ml未満	¥581,365	N/A	-	N/A	-	-	-	-	-	N/A		
	前立腺容積50ml以上	¥503,953	N/A	-	N/A	-	-	-	-	-	N/A		
	不明	¥445,610	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥517,499	N/A	-	N/A	-	-	-	-	-	N/A			
白内障	(人)	588	109	-	201	-	-	-	-	-	0		
	1眼(処置対象のもの)	¥226,885	¥231,388	-	¥226,060	-	-	-	-	-	N/A		
	2眼(処置対象のもの)	¥379,652	N/A	-	N/A	-	-	-	-	-	N/A		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥227,145	¥231,388	-	¥226,060	-	-	-	-	-	N/A			
痔核	(人)	109	7	-	4	-	-	-	-	-	0		
	第一度(出血のみ)	¥205,189	N/A	-	¥144,759	-	-	-	-	-	N/A		
	第二度(還納可能)	¥302,434	¥147,430	-	¥286,920	-	-	-	-	-	N/A		
	第三度(脱肛)	¥317,820	¥261,186	-	N/A	-	-	-	-	-	N/A		
	不明	¥144,704	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥280,876	¥228,684	-	¥180,300	-	-	-	-	-	N/A			
子宮筋腫	(人)	115	13	-	0	-	-	-	-	-	0		
	貧血なし(Hb10g/dl以上)	¥730,195	¥606,898	-	N/A	-	-	-	-	-	N/A		
	貧血あり(Hb10g/dl未満)	¥755,489	¥171,260	-	N/A	-	-	-	-	-	N/A		
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A		
計	¥734,814	¥573,388	-	N/A	-	-	-	-	-	N/A			
狭心症	(人)	1,649	59	-	1	-	-	-	-	-	0		
	重症度の指標なし	¥683,890	¥460,985	-	¥4,334,524	-	-	-	-	-	N/A		
	計	¥683,890	¥460,985	-	¥4,334,524	-	-	-	-	-	N/A		
腎結石及び尿管結石	(人)	352	1	-	1	-	-	-	-	-	0		
	水腎・水尿管なし	¥320,236	¥236,800	-	N/A	-	-	-	-	-	N/A		
	水腎・水尿管あり	¥371,296	N/A	-	¥1,120,430	-	-	-	-	-	N/A		

# 【重症度別集計】表

		平均	病院コード							
			1047	1069	1129	1167	1201	1202	1501	1502
脳梗塞	JCS 200-300	¥2,699,241	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
	計	¥1,340,123	-	¥393,032	-	-	-	-	-	-
脳出血	(人)	480	-	2	-	-	-	-	-	-
	JCS 0-1	¥2,061,495	-	N/A	-	-	-	-	-	-
	JCS 2-3	¥2,090,816	-	N/A	-	-	-	-	-	-
	JCS 10-100	¥2,714,836	-	¥1,449,355	-	-	-	-	-	-
	JCS 200-300	¥2,419,315	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	¥2,264,282	-	¥1,449,355	-	-	-	-	-	-	
糖尿病	(人)	348	-	22	-	-	-	-	-	-
	軽症	¥542,107	-	¥610,438	-	-	-	-	-	-
	中等症	¥647,344	-	¥423,657	-	-	-	-	-	-
	重症	¥601,909	-	¥275,286	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	¥584,308	-	¥490,071	-	-	-	-	-	-	
大腿骨頸部骨折	(人)	393	-	0	-	-	-	-	-	-
	重症度Ⅰ	¥1,774,471	-	N/A	-	-	-	-	-	-
	重症度Ⅱ	¥1,772,974	-	N/A	-	-	-	-	-	-
	重症度Ⅲ	¥2,387,181	-	N/A	-	-	-	-	-	-
	重症度Ⅳ	¥1,983,008	-	N/A	-	-	-	-	-	-
	不明	¥509,575	-	N/A	-	-	-	-	-	-
計	¥1,905,628	-	N/A	-	-	-	-	-	-	
胃潰瘍	(人)	138	-	20	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥589,964	-	¥481,961	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥805,040	-	¥476,826	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	¥611,783	-	¥480,677	-	-	-	-	-	-	
急性腸炎	(人)	559	-	62	-	-	-	-	-	-
	血便なし	¥237,889	-	¥256,705	-	-	-	-	-	-
	血便あり	¥306,355	-	¥199,488	-	-	-	-	-	-
	不明	¥233,032	-	¥233,032	-	-	-	-	-	-
計	¥244,249	-	¥251,709	-	-	-	-	-	-	
急性虫垂炎	(人)	377	-	37	-	-	-	-	-	-
	白血球15000/mm3未満	¥533,451	-	¥666,154	-	-	-	-	-	-
	白血球15000/mm3以上	¥587,312	-	¥751,052	-	-	-	-	-	-
	不明	¥537,840	-	¥537,840	-	-	-	-	-	-
計	¥547,606	-	¥674,159	-	-	-	-	-	-	
胆石症	(人)	955	-	85	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥715,444	-	¥795,660	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥867,647	-	¥1,238,386	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	¥728,194	-	¥832,120	-	-	-	-	-	-	
前立腺肥大症	(人)	54	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	¥444,510	-	N/A	-	-	-	-	-	-
	前立腺容積50ml未満	¥581,365	-	N/A	-	-	-	-	-	-
	前立腺容積50ml以上	¥503,953	-	N/A	-	-	-	-	-	-
	不明	¥445,610	-	N/A	-	-	-	-	-	-
計	¥517,499	-	N/A	-	-	-	-	-	-	
白内障	(人)	588	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	¥226,885	-	N/A	-	-	-	-	-	-
	2眼(処置対象のもの)	¥379,652	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	¥227,145	-	N/A	-	-	-	-	-	-	
痔核	(人)	109	-	5	-	-	-	-	-	-
	第一度(出血のみ)	¥205,189	-	¥161,590	-	-	-	-	-	-
	第二度(還納可能)	¥302,434	-	N/A	-	-	-	-	-	-
	第三度(脱肛)	¥317,820	-	¥292,177	-	-	-	-	-	-
	不明	¥144,704	-	¥124,220	-	-	-	-	-	-
計	¥280,876	-	¥232,468	-	-	-	-	-	-	
子宮筋腫	(人)	115	-	0	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥730,195	-	N/A	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	¥755,489	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	¥734,814	-	N/A	-	-	-	-	-	-	
狭心症	(人)	1,649	-	1	-	-	-	-	-	-
	重症度の指標なし	¥683,890	-	¥157,130	-	-	-	-	-	-
	計	¥683,890	-	¥157,130	-	-	-	-	-	-
腎結石及び尿管結石	(人)	352	-	1	-	-	-	-	-	-
	水腎・水尿管なし	¥320,236	-	¥119,130	-	-	-	-	-	-
	水腎・水尿管あり	¥371,296	-	N/A	-	-	-	-	-	-

















