

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201704 ~ 201803  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 病院コード・昇順

## ■ 医療費

	(単位:円)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
<b>胃の悪性新生物</b>	(人)	491	69	57	9	30	84	24	173	-
ステージ0		¥2,816,780	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
ステージI		¥1,035,463	¥1,126,745	¥1,043,219	N/A	¥1,699,978	¥893,654	¥650,932	¥988,261	-
ステージII		¥1,281,804	¥1,426,715	¥1,381,425	N/A	¥1,211,390	¥697,316	¥544,530	¥1,302,191	-
ステージIII		¥1,543,153	¥898,916	¥2,174,143	N/A	¥2,890,824	¥1,469,181	¥929,333	¥1,097,019	-
ステージIV		¥829,032	¥721,748	¥1,470,779	N/A	¥979,566	¥565,308	¥573,279	¥709,781	-
不明		¥691,747	¥267,126	¥880,643	¥760,006	N/A	¥688,237	¥675,063	¥224,185	-
計		¥1,034,923	¥855,184	¥1,349,965	¥760,006	¥1,537,415	¥801,403	¥649,612	¥944,280	-
<b>結腸の悪性新生物</b>	(人)	755	86	47	5	119	255	56	137	-
ステージ0		¥423,020	N/A	¥1,970,620	N/A	¥204,115	¥422,124	¥224,077	¥349,994	-
ステージI		¥1,116,184	¥841,935	¥901,600	¥142,242	¥1,682,369	¥1,051,918	¥1,156,779	¥1,180,681	-
ステージII		¥1,212,579	¥1,013,773	¥1,441,344	N/A	¥1,727,192	¥988,912	¥1,365,650	¥1,303,513	-
ステージIII		¥923,794	¥1,283,806	¥1,235,635	N/A	¥1,423,021	¥479,371	¥1,537,282	¥1,195,378	-
ステージIV		¥966,598	¥1,002,444	¥1,933,402	N/A	¥1,306,383	¥743,212	¥852,373	¥895,173	-
不明		¥642,462	¥542,271	¥122,027	¥725,499	¥649,993	¥550,188	¥234,800	¥992,678	-
計		¥973,951	¥970,614	¥1,333,523	¥608,848	¥1,394,312	¥668,982	¥912,950	¥1,108,709	-
<b>直腸の悪性新生物</b>	(人)	424	21	21	3	100	150	20	91	-
ステージ0		¥986,203	N/A	¥1,071,317	N/A	¥2,004,203	¥443,354	N/A	¥653,527	-
ステージI		¥1,390,656	¥772,875	¥1,202,136	N/A	¥1,498,410	¥941,123	¥1,447,803	¥1,405,600	-
ステージII		¥1,347,172	¥1,247,180	N/A	¥602,890	¥2,098,059	¥727,481	¥1,601,004	¥1,391,026	-
ステージIII		¥1,216,361	¥1,207,935	¥922,510	¥1,013,300	¥1,773,167	¥625,346	¥917,018	¥1,251,160	-
ステージIV		¥694,949	¥737,950	¥774,424	N/A	¥931,785	¥490,670	¥349,603	¥1,143,135	-
不明		¥705,879	¥386,977	N/A	¥227,560	¥753,675	¥386,044	¥259,765	¥1,004,510	-
計		¥1,025,734	¥948,121	¥928,055	¥614,583	¥1,446,986	¥557,393	¥1,007,303	¥1,238,765	-
<b>気管支および肺の悪性新生物</b>	(人)	515	12	2	3	184	74	36	188	-
ステージ0		¥939,196	N/A	N/A	N/A	¥1,617,037	¥265,135	N/A	¥253,798	-
ステージI		¥868,118	N/A	N/A	N/A	¥998,675	¥298,238	¥351,950	¥1,073,155	-
ステージII		¥938,607	N/A	¥236,705	N/A	¥1,238,305	¥333,490	¥971,916	¥904,979	-
ステージIII		¥930,168	¥407,070	N/A	N/A	¥594,488	¥267,657	¥920,650	¥1,229,496	-
ステージIV		¥905,980	¥887,022	N/A	N/A	¥534,691	¥1,047,384	¥864,227	¥1,139,753	-
不明		¥408,679	¥874,319	N/A	¥1,254,108	¥166,850	¥341,413	¥682,427	¥277,793	-
計		¥830,177	¥844,909	¥236,705	¥1,254,108	¥713,237	¥727,212	¥672,802	¥1,026,636	-
<b>急性心筋梗塞</b>	(人)	306	16	18	4	81	64	19	69	-
Killip I		¥1,669,012	¥1,278,518	¥1,517,103	¥131,675	¥1,849,438	¥1,365,037	¥801,680	¥1,816,604	-
Killip II		¥1,954,299	¥1,018,250	¥2,457,191	N/A	¥3,207,883	¥1,820,358	¥1,149,192	¥2,188,449	-
Killip III		¥2,637,011	N/A	¥2,695,701	N/A	¥6,634,047	¥2,448,255	¥815,966	¥1,042,759	-
Killip IV		¥2,635,586	¥2,145,210	¥1,105,027	N/A	¥5,199,152	¥2,262,256	¥187,680	¥1,616,460	-
不明		¥390,910	N/A	¥130,210	¥60,150	¥206,880	¥73,616	N/A	¥926,767	-
計		¥1,871,489	¥1,533,093	¥1,734,131	¥95,913	¥2,594,016	¥1,781,460	¥1,027,682	¥1,767,078	-
<b>肺炎</b>	(人)	1,687	175	139	119	299	134	218	144	-
軽症		¥582,853	¥473,450	¥769,980	¥1,078,861	¥448,462	¥459,143	¥516,264	¥702,698	-
中等症		¥796,983	¥642,719	¥971,781	¥1,100,878	¥661,025	¥496,999	¥773,871	¥471,402	-
重症		¥772,512	¥788,562	¥780,308	¥1,058,348	¥651,125	¥710,469	¥918,421	¥735,119	-
不明		¥237,117	N/A	N/A	N/A	N/A	N/A	N/A	¥303,699	-
計		¥649,464	¥690,032	¥806,709	¥1,075,839	¥587,164	¥601,325	¥780,235	¥619,457	-
<b>喘息</b>	(人)	257	9	9	19	95	4	16	48	-
軽症間欠型		¥269,932	¥128,592	¥365,534	¥646,961	¥283,813	¥381,060	N/A	¥386,105	-
軽症持続型		¥325,784	¥698,150	¥502,808	¥345,021	¥316,063	N/A	¥120,563	N/A	-
中等症持続型		¥362,057	¥214,355	N/A	¥898,289	¥302,249	¥354,490	¥350,896	¥334,251	-
重症持続型		¥520,255	N/A	¥401,040	¥708,290	¥941,005	N/A	N/A	¥423,093	-
不明		¥542,482	N/A	N/A	N/A	¥607,006	N/A	N/A	N/A	-
計		¥350,164	¥347,032	¥415,237	¥659,781	¥332,847	¥367,775	¥307,709	¥375,280	-
<b>脳梗塞</b>	(人)	1,218	45	624	6	266	4	68	65	-
JCS 0-1		¥1,263,038	¥903,000	¥1,154,609	¥3,321,767	¥974,331	¥1,306,026	¥934,192	¥3,089,122	-
JCS 2-3		¥1,586,865	¥1,258,784	¥1,616,204	¥1,924,455	¥1,485,193	N/A	¥1,080,063	¥3,619,406	-
JCS 10-100		¥1,943,418	¥1,710,710	¥1,935,232	¥2,247,907	¥1,967,755	N/A	¥1,848,843	¥2,444,053	-

# 【重症度別集計】表

	(単位:円)	平均	病院コード								
			1012	1013	1015	1018	1019	1025	1039	1046	
<b>胃の悪性新生物</b>	(人)	491	31	-	13	-	-	-	-	-	1
ステージ0		¥2,816,780	N/A	-	¥2,816,780	-	-	-	-	-	N/A
ステージI		¥1,035,463	¥1,195,424	-	¥1,109,944	-	-	-	-	-	¥229,490
ステージII		¥1,281,804	¥2,641,757	-	¥3,136,115	-	-	-	-	-	N/A
ステージIII		¥1,543,153	¥1,252,095	-	¥7,735,793	-	-	-	-	-	N/A
ステージIV		¥829,032	¥921,029	-	¥1,793,550	-	-	-	-	-	N/A
不明		¥691,747	¥796,756	-	¥1,664,276	-	-	-	-	-	N/A
計		¥1,034,923	¥1,161,345	-	¥2,825,300	-	-	-	-	-	¥229,490
<b>結腸の悪性新生物</b>	(人)	755	34	-	15	-	-	-	-	-	1
ステージ0		¥423,020	¥276,525	-	N/A	-	-	-	-	-	N/A
ステージI		¥1,116,184	¥1,031,988	-	N/A	-	-	-	-	-	N/A
ステージII		¥1,212,579	¥1,157,657	-	N/A	-	-	-	-	-	N/A
ステージIII		¥923,794	¥1,413,361	-	N/A	-	-	-	-	-	N/A
ステージIV		¥966,598	¥595,561	-	N/A	-	-	-	-	-	N/A
不明		¥642,462	¥455,217	-	¥1,219,383	-	-	-	-	-	¥251,728
計		¥973,951	¥825,467	-	¥1,219,383	-	-	-	-	-	¥251,728
<b>直腸の悪性新生物</b>	(人)	424	6	-	11	-	-	-	-	-	1
ステージ0		¥986,203	N/A	-	N/A	-	-	-	-	-	N/A
ステージI		¥1,390,656	¥1,803,469	-	N/A	-	-	-	-	-	N/A
ステージII		¥1,347,172	¥1,773,050	-	N/A	-	-	-	-	-	N/A
ステージIII		¥1,216,361	¥1,637,240	-	¥4,257,143	-	-	-	-	-	N/A
ステージIV		¥694,949	N/A	-	¥1,306,366	-	-	-	-	-	N/A
不明		¥705,879	N/A	-	¥996,480	-	-	-	-	-	¥665,664
計		¥1,025,734	¥1,742,990	-	¥1,942,095	-	-	-	-	-	¥665,664
<b>気管支および肺の悪性新生物</b>	(人)	515	15	-	1	-	-	-	-	-	0
ステージ0		¥939,196	N/A	-	N/A	-	-	-	-	-	N/A
ステージI		¥868,118	N/A	-	N/A	-	-	-	-	-	N/A
ステージII		¥938,607	N/A	-	N/A	-	-	-	-	-	N/A
ステージIII		¥930,168	¥1,957,344	-	N/A	-	-	-	-	-	N/A
ステージIV		¥905,980	¥609,533	-	¥1,222,470	-	-	-	-	-	N/A
不明		¥408,679	¥527,102	-	N/A	-	-	-	-	-	N/A
計		¥830,177	¥644,433	-	¥1,222,470	-	-	-	-	-	N/A
<b>急性心筋梗塞</b>	(人)	306	29	-	2	-	-	-	-	-	4
Killip I		¥1,669,012	¥1,520,186	-	N/A	-	-	-	-	-	¥977,536
Killip II		¥1,954,299	¥1,958,037	-	¥111,290	-	-	-	-	-	¥1,434,060
Killip III		¥2,637,011	¥1,070,450	-	¥665,525	-	-	-	-	-	N/A
Killip IV		¥2,635,586	¥4,122,472	-	N/A	-	-	-	-	-	¥118,585
不明		¥390,910	N/A	-	N/A	-	-	-	-	-	N/A
計		¥1,871,489	¥1,639,297	-	¥388,408	-	-	-	-	-	¥662,192
<b>肺炎</b>	(人)	1,687	107	-	304	-	-	-	-	-	48
軽症		¥582,853	¥380,036	-	¥599,981	-	-	-	-	-	¥664,169
中等症		¥796,983	¥659,630	-	¥796,262	-	-	-	-	-	¥1,257,665
重症		¥772,512	¥529,434	-	¥777,309	-	-	-	-	-	¥1,012,150
不明		¥237,117	N/A	-	¥225,960	-	-	-	-	-	N/A
計		¥649,464	¥448,054	-	¥418,011	-	-	-	-	-	¥922,576
<b>喘息</b>	(人)	257	25	-	30	-	-	-	-	-	2
軽症間欠型		¥269,932	¥193,521	-	¥228,770	-	-	-	-	-	N/A
軽症持続型		¥325,784	¥221,072	-	¥209,075	-	-	-	-	-	N/A
中等症持続型		¥362,057	¥147,655	-	¥606,340	-	-	-	-	-	N/A
重症持続型		¥520,255	¥1,444,366	-	¥400,877	-	-	-	-	-	N/A
不明		¥542,482	N/A	-	N/A	-	-	-	-	-	¥381,172
計		¥350,164	¥244,294	-	¥256,597	-	-	-	-	-	¥381,172
<b>脳梗塞</b>	(人)	1,218	59	-	56	-	-	-	-	-	25
JCS 0-1		¥1,263,038	¥897,221	-	¥1,239,046	-	-	-	-	-	¥3,203,738
JCS 2-3		¥1,586,865	¥1,126,653	-	¥1,174,399	-	-	-	-	-	N/A
JCS 10-100		¥1,943,418	¥2,124,559	-	¥1,194,416	-	-	-	-	-	¥2,127,098







# 【重症度別集計】表

(単位:円)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	¥1,726,725	¥1,024,100	¥1,155,401	¥3,782,030	¥1,752,776	N/A	¥440,683	¥5,655,268	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥1,407,115	¥1,048,645	¥1,344,861	¥2,807,639	¥1,213,735	¥1,306,026	¥1,001,705	¥3,201,807	-
脳出血	(人)	432	19	188	1	142	3	14	16	-
	JCS 0-1	¥2,013,462	¥465,097	¥2,203,972	N/A	¥1,558,900	¥1,641,656	¥1,545,475	¥2,753,269	-
	JCS 2-3	¥1,765,950	¥979,597	¥2,365,737	N/A	¥1,275,126	N/A	¥1,205,200	¥960,740	-
	JCS 10-100	¥2,708,457	¥3,199,174	¥3,044,436	¥2,019,548	¥2,449,700	¥77,520	¥1,778,950	¥1,791,635	-
	JCS 200-300	¥2,340,594	N/A	¥2,221,353	N/A	¥3,278,838	N/A	¥602,327	¥199,293	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥2,186,004	¥1,832,919	¥2,473,817	¥2,019,548	¥2,021,578	¥1,120,277	¥1,202,428	¥2,102,263	-
糖尿病	(人)	345	60	38	5	58	83	29	27	-
	軽症	¥571,297	¥409,226	¥526,966	¥1,225,717	¥403,532	¥660,341	¥746,157	¥524,572	-
	中等症	¥698,305	¥560,150	¥771,329	N/A	¥522,641	¥872,812	¥624,802	¥748,779	-
	重症	¥1,043,894	¥1,011,428	¥398,172	N/A	¥715,722	¥870,442	¥484,513	¥3,326,605	-
	不明	¥865,553	N/A	N/A	N/A	N/A	N/A	N/A	¥677,374	-
	計	¥670,468	¥482,048	¥645,758	¥1,225,717	¥516,350	¥711,339	¥642,461	¥1,074,038	-
大腿骨頸部骨折	(人)	379	73	1	0	131	2	3	53	-
	重症度Ⅰ	¥1,731,864	¥1,488,536	N/A	N/A	¥1,570,467	¥102,438	N/A	¥2,271,420	-
	重症度Ⅱ	¥1,937,858	¥1,995,327	¥1,408,460	N/A	¥1,593,496	N/A	N/A	¥3,392,984	-
	重症度Ⅲ	¥2,147,346	¥1,627,881	N/A	N/A	¥1,671,904	N/A	N/A	¥2,128,849	-
	重症度Ⅳ	¥1,743,621	¥1,526,400	N/A	N/A	¥1,390,897	¥2,000,736	N/A	¥1,916,165	-
	不明	¥1,111,908	N/A	N/A	N/A	¥1,407,210	N/A	¥634,425	N/A	-
	計	¥1,872,011	¥1,752,166	¥1,408,460	N/A	¥1,582,566	¥1,051,587	¥634,425	¥2,285,944	-
胃潰瘍	(人)	133	14	16	1	38	8	8	28	-
	ショックなし(収縮期血圧90mmHg以上)	¥604,350	¥621,872	¥562,015	¥1,863,242	¥433,383	¥613,412	¥702,533	¥786,759	-
	ショックあり(収縮期血圧90mmHg未満)	¥1,036,862	N/A	N/A	N/A	¥1,261,431	¥2,493,190	¥468,740	¥618,151	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥636,870	¥621,872	¥562,015	¥1,863,242	¥520,546	¥848,385	¥673,309	¥768,694	-
急性腸炎	(人)	487	103	44	20	63	49	52	53	-
	血便なし	¥242,027	¥194,847	¥202,229	¥202,604	¥374,081	¥235,385	¥268,797	¥279,966	-
	血便あり	¥262,060	¥350,851	¥131,375	N/A	¥216,401	¥248,561	¥323,868	¥307,433	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥243,796	¥205,449	¥199,008	¥202,604	¥344,047	¥236,729	¥277,269	¥282,039	-
急性虫垂炎	(人)	368	86	19	2	89	45	23	80	-
	白血球15000/mm3未満	¥488,848	¥416,610	¥472,781	¥89,860	¥517,255	¥496,567	¥616,394	¥518,358	-
	白血球15000/mm3以上	¥523,827	¥458,873	¥621,858	¥243,820	¥521,407	¥583,269	¥493,958	¥567,618	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥498,733	¥430,861	¥519,858	¥166,840	¥518,608	¥517,760	¥589,777	¥530,057	-
胆石症	(人)	910	101	56	9	228	175	43	230	-
	黄疸なし(T Bill 5mg/dl 未満)	¥675,275	¥628,180	¥1,051,121	¥437,840	¥676,885	¥637,630	¥846,762	¥635,883	-
	黄疸あり(T Bill 5mg/dl 以上)	¥789,491	¥687,905	¥987,701	¥386,924	¥743,931	¥772,033	¥1,105,728	¥924,509	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥685,065	¥637,050	¥1,045,459	¥432,182	¥679,237	¥662,974	¥864,830	¥649,687	-
前立腺肥大症	(人)	43	21	0	0	1	3	0	18	-
	前立腺容積20ml未満	¥428,352	¥524,961	N/A	N/A	N/A	N/A	N/A	¥363,947	-
	前立腺容積50ml未満	¥555,376	¥489,654	N/A	N/A	N/A	¥772,310	N/A	¥569,336	-
	前立腺容積50ml以上	¥461,550	¥491,150	N/A	N/A	N/A	¥205,185	N/A	¥497,673	-
	不明	¥2,946,302	¥304,738	N/A	N/A	¥15,000,101	N/A	N/A	¥1,458,760	-
	計	¥834,948	¥458,507	N/A	N/A	¥15,000,101	¥394,227	N/A	¥560,629	-
白内障	(人)	530	264	0	0	0	0	0	0	-
	1眼(処置対象のもの)	¥226,017	¥226,573	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	¥901,450	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥227,292	¥226,573	N/A	N/A	N/A	N/A	N/A	N/A	-
痔核	(人)	105	6	2	4	36	43	4	6	-
	第一度(出血のみ)	¥213,652	¥90,905	¥134,584	¥109,689	¥222,362	¥243,023	¥394,830	¥390,400	-
	第二度(還納可能)	¥295,293	¥241,050	¥124,700	N/A	¥323,752	¥306,926	N/A	¥279,235	-
	第三度(脱肛)	¥292,165	¥284,840	N/A	N/A	¥281,827	¥351,419	¥258,457	¥305,043	-
	不明	¥118,992	N/A	N/A	¥118,992	N/A	N/A	N/A	N/A	-
	計	¥275,975	¥205,598	¥129,642	¥112,015	¥284,049	¥306,419	¥292,550	¥310,667	-
子宮筋腫	(人)	118	76	21	0	0	0	0	5	-
	貧血なし(Hb10g/dl以上)	¥747,398	¥768,896	¥732,403	N/A	N/A	N/A	N/A	¥982,526	-
	貧血あり(Hb10g/dl未満)	¥764,135	¥761,603	¥714,456	N/A	N/A	N/A	N/A	¥930,586	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	¥754,348	¥765,346	¥727,275	N/A	N/A	N/A	N/A	¥961,750	-
狭心症	(人)	1,534	164	112	3	342	174	141	544	-
	重症度の指標なし	¥729,484	¥487,204	¥613,902	¥495,569	¥1,018,107	¥1,212,754	¥364,027	¥608,454	-
	計	¥729,484	¥487,204	¥613,902	¥495,569	¥1,018,107	¥1,212,754	¥364,027	¥608,454	-
腎結石及び尿管結石	(人)	306	148	0	1	3	85	3	59	-
	水腎・水尿管なし	¥343,109	¥411,716	N/A	N/A	¥682,086	¥308,117	¥112,920	¥246,616	-
	水腎・水尿管あり	¥345,769	¥419,424	N/A	¥315,730	¥1,111,746	¥285,545	¥127,940	¥278,312	-

# 【重症度別集計】表

		平均	病院コード									
			1012	1013	1015	1018	1019	1025	1039	1046		
		(単位:円)										
脳梗塞	JCS 200-300	¥1,726,725	¥1,431,640	-	N/A	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
	計	¥1,407,115	¥1,069,823	-	¥1,223,160	-	-	-	-	-	¥2,988,410	
脳出血	(人)	432	27	-	8	-	-	-	-	-	14	
	JCS 0-1	¥2,013,462	¥830,852	-	¥1,223,319	-	-	-	-	-	¥5,089,125	
	JCS 2-3	¥1,765,950	¥968,689	-	¥1,612,758	-	-	-	-	-	¥3,422,668	
	JCS 10-100	¥2,708,457	¥2,079,507	-	N/A	-	-	-	-	-	¥1,913,565	
	JCS 200-300	¥2,340,594	¥1,350,220	-	¥100,590	-	-	-	-	-	¥807,100	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
	計	¥2,186,004	¥1,330,303	-	¥1,180,337	-	-	-	-	-	¥4,012,516	
糖尿病	(人)	345	10	-	25	-	-	-	-	-	10	
	軽症	¥571,297	¥588,519	-	¥730,815	-	-	-	-	-	¥832,321	
	中等症	¥698,305	¥404,301	-	¥917,298	-	-	-	-	-	¥1,308,982	
	重症	¥1,043,894	¥2,241,966	-	¥544,162	-	-	-	-	-	¥1,000,782	
	不明	¥865,553	¥592,646	-	N/A	-	-	-	-	-	¥1,049,051	
	計	¥670,468	¥681,002	-	¥738,240	-	-	-	-	-	¥983,525	
大腿骨頸部骨折	(人)	379	20	-	92	-	-	-	-	-	4	
	重症度Ⅰ	¥1,731,864	¥1,331,759	-	¥2,159,980	-	-	-	-	-	N/A	
	重症度Ⅱ	¥1,937,858	¥1,664,486	-	¥2,270,936	-	-	-	-	-	¥1,896,726	
	重症度Ⅲ	¥2,147,346	¥1,682,030	-	¥2,436,715	-	-	-	-	-	N/A	
	重症度Ⅳ	¥1,743,621	¥1,935,128	-	¥1,897,125	-	-	-	-	-	N/A	
	不明	¥1,111,908	N/A	-	N/A	-	-	-	-	-	¥1,680,480	
計	¥1,872,011	¥1,480,136	-	¥2,292,835	-	-	-	-	-	¥1,788,603		
胃潰瘍	(人)	133	5	-	13	-	-	-	-	-	2	
	ショックなし(収縮期血圧90mmHg以上)	¥604,350	¥774,941	-	¥512,135	-	-	-	-	-	¥568,718	
	ショックあり(収縮期血圧90mmHg未満)	¥1,036,862	N/A	-	¥506,518	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥636,870	¥774,941	-	¥511,703	-	-	-	-	-	¥568,718		
急性腸炎	(人)	487	35	-	64	-	-	-	-	-	4	
	血便なし	¥242,027	¥200,306	-	¥225,583	-	-	-	-	-	¥227,153	
	血便あり	¥262,060	N/A	-	¥177,914	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥243,796	¥200,306	-	¥221,859	-	-	-	-	-	¥227,153		
急性虫垂炎	(人)	368	12	-	11	-	-	-	-	-	1	
	白血球15000/mm3未満	¥488,848	¥546,186	-	¥232,721	-	-	-	-	-	¥883,166	
	白血球15000/mm3以上	¥523,827	¥553,310	-	¥648,910	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥498,733	¥547,373	-	¥308,392	-	-	-	-	-	¥883,166		
胆石症	(人)	910	44	-	23	-	-	-	-	-	1	
	黄疸なし(T Bill 5mg/dl 未満)	¥675,275	¥570,227	-	¥605,178	-	-	-	-	-	¥274,608	
	黄疸あり(T Bill 5mg/dl 以上)	¥789,491	¥508,540	-	¥512,438	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥685,065	¥568,825	-	¥601,145	-	-	-	-	-	¥274,608		
前立腺肥大症	(人)	43	0	-	0	-	-	-	-	-	0	
	前立腺容積20ml未満	¥428,352	N/A	-	N/A	-	-	-	-	-	N/A	
	前立腺容積50ml未満	¥555,376	N/A	-	N/A	-	-	-	-	-	N/A	
	前立腺容積50ml以上	¥461,550	N/A	-	N/A	-	-	-	-	-	N/A	
	不明	¥2,946,302	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥834,948	N/A	-	N/A	-	-	-	-	-	N/A		
白内障	(人)	530	77	-	189	-	-	-	-	-	0	
	1眼(処置対象のもの)	¥226,017	¥226,802	-	¥224,915	-	-	-	-	-	N/A	
	2眼(処置対象のもの)	¥901,450	N/A	-	¥901,450	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥227,292	¥226,802	-	¥228,494	-	-	-	-	-	N/A		
痔核	(人)	105	2	-	2	-	-	-	-	-	0	
	第一度(出血のみ)	¥213,652	N/A	-	N/A	-	-	-	-	-	N/A	
	第二度(還納可能)	¥295,293	N/A	-	¥71,140	-	-	-	-	-	N/A	
	第三度(脱肛)	¥292,165	¥170,185	-	¥188,900	-	-	-	-	-	N/A	
	不明	¥118,992	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥275,975	¥170,185	-	¥130,020	-	-	-	-	-	N/A		
子宮筋腫	(人)	118	16	-	0	-	-	-	-	-	0	
	貧血なし(Hb10g/dl以上)	¥747,398	¥637,491	-	N/A	-	-	-	-	-	N/A	
	貧血あり(Hb10g/dl未満)	¥764,135	¥778,853	-	N/A	-	-	-	-	-	N/A	
	不明	N/A	N/A	-	N/A	-	-	-	-	-	N/A	
計	¥754,348	¥672,831	-	N/A	-	-	-	-	-	N/A		
狭心症	(人)	1,534	52	-	2	-	-	-	-	-	0	
	重症度の指標なし	¥729,484	¥486,174	-	¥1,031,863	-	-	-	-	-	N/A	
	計	¥729,484	¥486,174	-	¥1,031,863	-	-	-	-	-	N/A	
腎結石及び尿管結石	(人)	306	1	-	6	-	-	-	-	-	0	
	水腎・水尿管なし	¥343,109	¥145,290	-	¥95,885	-	-	-	-	-	N/A	
	水腎・水尿管あり	¥345,769	N/A	-	¥84,525	-	-	-	-	-	N/A	















