

【重症度別集計】表

絞込条件

対象年月設定: 201804 ~ 201903
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 医療費

	(単位:円)	平均	病院コード								
			0003	0202	0203	0235	1001	1002	1003	1004	
胃の悪性新生物	(人)	-	-	36	-	-	-	-	-	-	-
ステージ0		¥723,474	¥723,474	N/A	N/A	N/A	N/A	-	N/A	-	
ステージI		¥1,174,776	¥1,745,629	¥1,387,877	N/A	¥1,750,151	¥797,815	-	¥980,556	-	
ステージII		¥1,308,066	¥1,481,563	¥1,210,105	N/A	¥715,186	¥1,169,698	-	¥1,666,863	-	
ステージIII		¥1,565,783	¥1,050,773	¥2,504,027	¥840,300	¥1,752,546	¥978,828	-	¥1,589,331	-	
ステージIV		¥839,978	¥707,656	¥1,325,492	N/A	¥848,121	¥556,157	-	¥955,824	-	
不明		¥887,076	¥1,690,490	¥924,135	¥636,558	¥455,425	N/A	-	¥473,567	-	
計		¥1,099,483	¥1,291,236	¥1,434,537	¥670,515	¥1,216,699	¥726,881	-	¥1,123,868	-	
結腸の悪性新生物	(人)	-	77	48	-	-	-	166	-	116	-
ステージ0		¥690,737	¥693,851	N/A	N/A	¥888,567	¥569,506	-	¥712,327	-	
ステージI		¥1,116,084	¥874,456	¥1,097,334	N/A	¥1,758,302	¥898,333	-	¥1,098,977	-	
ステージII		¥1,257,604	¥1,279,853	¥2,527,282	N/A	¥1,405,229	¥740,414	-	¥1,318,588	-	
ステージIII		¥1,106,604	¥1,296,158	¥2,045,622	¥1,033,870	¥1,342,422	¥587,680	-	¥1,239,138	-	
ステージIV		¥979,510	¥850,214	¥1,356,634	N/A	¥1,349,142	¥641,023	-	¥910,239	-	
不明		¥693,289	¥346,028	¥1,027,994	¥1,081,994	N/A	¥110,869	-	¥670,549	-	
計		¥1,053,250	¥952,486	¥1,714,337	¥1,075,979	¥1,358,166	¥627,589	-	¥1,128,206	-	
直腸の悪性新生物	(人)	-	-	49	-	77	-	-	-	-	-
ステージ0		¥864,296	N/A	N/A	N/A	¥1,207,787	¥429,682	-	¥703,048	-	
ステージI		¥1,175,607	¥1,096,752	¥1,393,571	N/A	¥1,150,680	¥99,042	-	¥1,300,067	-	
ステージII		¥1,416,519	¥1,410,255	¥1,818,733	N/A	¥1,735,225	¥742,645	-	¥1,778,046	-	
ステージIII		¥1,394,946	¥1,636,487	¥1,347,079	N/A	¥1,465,726	¥891,554	-	¥1,608,759	-	
ステージIV		¥867,304	¥1,157,790	¥1,706,909	¥1,617,110	¥1,149,200	¥567,609	-	¥816,445	-	
不明		¥1,659,701	N/A	¥1,130,943	¥3,713,353	¥757,670	N/A	-	¥149,600	-	
計		¥1,176,052	¥1,320,957	¥1,514,224	¥3,294,104	¥1,338,967	¥643,502	-	¥1,310,883	-	
気管支および肺の悪性新生物	(人)	-	-	9	-	254	-	-	-	-	-
ステージ0		¥1,021,158	N/A	¥130,060	N/A	¥1,243,933	N/A	-	N/A	-	
ステージI		¥1,052,202	N/A	¥970,013	N/A	¥1,078,368	¥147,800	-	¥1,004,523	-	
ステージII		¥789,985	N/A	N/A	N/A	¥705,350	¥157,466	-	¥1,137,431	-	
ステージIII		¥964,437	N/A	¥1,495,251	¥1,829,762	¥741,595	¥657,428	-	¥1,250,236	-	
ステージIV		¥1,053,898	¥822,526	¥1,507,165	N/A	¥739,132	¥1,173,536	-	¥1,258,356	-	
不明		¥275,543	¥374,155	¥633,729	¥903,246	¥176,361	¥147,739	-	¥234,850	-	
計		¥891,876	¥694,420	¥1,038,042	¥1,088,549	¥760,613	¥887,662	-	¥1,074,049	-	
急性心筋梗塞	(人)	-	-	20	-	93	-	-	-	-	-
Killip I		¥1,751,226	¥1,446,289	¥1,632,792	N/A	¥1,924,382	¥1,096,774	-	¥1,770,915	-	
Killip II		¥1,958,025	¥1,461,045	¥1,425,168	N/A	¥1,903,572	¥1,921,430	-	¥3,370,084	-	
Killip III		¥2,158,253	¥880,252	N/A	¥1,045,517	¥2,499,750	¥2,778,791	-	¥3,225,411	-	
Killip IV		¥2,610,846	¥1,348,043	¥1,594,938	N/A	¥3,163,023	¥4,187,664	-	¥2,495,189	-	
不明		¥1,721,419	N/A	N/A	N/A	¥1,751,756	N/A	-	¥1,670,856	-	
計		¥1,948,624	¥1,362,637	¥1,591,210	¥1,045,517	¥2,114,876	¥2,008,300	-	¥1,958,587	-	
肺炎	(人)	-	-	154	-	-	-	-	-	154	-
軽症		¥618,270	¥565,666	¥592,215	¥792,542	¥578,835	¥528,283	-	¥401,159	-	
中等症		¥723,059	¥715,236	¥920,502	¥782,823	¥578,293	¥414,873	-	¥525,162	-	
重症		¥875,945	¥876,480	¥903,828	¥1,373,783	¥780,344	¥699,150	-	¥857,220	-	
不明		¥330,454	N/A	N/A	N/A	N/A	N/A	-	¥330,454	-	
計		¥765,000	¥771,928	¥807,818	¥993,445	¥727,081	¥611,385	-	¥634,282	-	
喘息	(人)	-	-	12	-	-	-	-	-	-	-
軽症間欠型		¥342,942	¥520,838	¥276,816	¥356,062	¥291,352	¥297,677	-	¥52,880	-	
軽症持続型		¥340,188	¥384,090	¥305,151	¥302,973	¥329,432	¥255,585	-	¥579,683	-	
中等症持続型		¥381,261	¥427,920	¥369,927	¥553,252	¥344,031	N/A	-	¥331,173	-	
重症持続型		¥861,157	N/A	N/A	¥1,314,868	¥393,830	N/A	-	¥821,231	-	
不明		¥624,870	N/A	N/A	¥1,362,392	¥256,109	N/A	-	N/A	-	
計		¥423,072	¥495,320	¥309,539	¥564,587	¥330,667	¥276,631	-	¥458,817	-	
脳梗塞	(人)	-	-	591	-	-	-	-	-	-	-
JCS 0-1		¥1,292,657	¥1,036,596	¥1,239,126	¥308,251	¥1,160,236	¥1,500,642	-	¥2,815,686	-	
JCS 2-3		¥1,768,924	¥1,335,035	¥1,830,573	¥13,362,090	¥1,491,278	N/A	-	¥1,830,704	-	
JCS 10-100		¥1,929,510	¥1,573,035	¥1,869,257	N/A	¥1,965,293	N/A	-	¥2,356,487	-	

【重症度別集計】表

		平均	病院コード
(単位:円)	9021		
胃の悪性新生物	(人)	-	-
ステージ0		¥723,474	-
ステージI		¥1,174,776	-
ステージII		¥1,308,066	-
ステージIII		¥1,565,783	-
ステージIV		¥839,978	-
不明		¥887,076	-
計		¥1,099,483	-
結腸の悪性新生物	(人)	-	-
ステージ0		¥690,737	-
ステージI		¥1,116,084	-
ステージII		¥1,257,604	-
ステージIII		¥1,106,604	-
ステージIV		¥979,510	-
不明		¥693,289	-
計		¥1,053,250	-
直腸の悪性新生物	(人)	-	-
ステージ0		¥864,296	-
ステージI		¥1,175,607	-
ステージII		¥1,416,519	-
ステージIII		¥1,394,946	-
ステージIV		¥867,304	-
不明		¥1,659,701	-
計		¥1,176,052	-
気管支および肺の悪性新生物	(人)	-	-
ステージ0		¥1,021,158	-
ステージI		¥1,052,202	-
ステージII		¥789,985	-
ステージIII		¥964,437	-
ステージIV		¥1,053,898	-
不明		¥275,543	-
計		¥891,876	-
急性心筋梗塞	(人)	-	-
Killip I		¥1,751,226	-
Killip II		¥1,958,025	-
Killip III		¥2,158,253	-
Killip IV		¥2,610,846	-
不明		¥1,721,419	-
計		¥1,948,624	-
肺炎	(人)	-	-
軽症		¥618,270	-
中等症		¥723,059	-
重症		¥875,945	-
不明		¥330,454	-
計		¥765,000	-
喘息	(人)	-	-
軽症間欠型		¥342,942	-
軽症持続型		¥340,188	-
中等症持続型		¥381,261	-
重症持続型		¥861,157	-
不明		¥624,870	-
計		¥423,072	-
脳梗塞	(人)	-	-
JCS 0-1		¥1,292,657	-
JCS 2-3		¥1,768,924	-
JCS 10-100		¥1,929,510	-

【重症度別集計】表

(単位:円)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	¥2,702,310	N/A	¥2,943,774	N/A	¥2,117,662	N/A	-	¥3,096,355	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥1,478,921	¥1,101,404	¥1,451,895	¥4,659,531	¥1,327,807	¥1,500,642	-	¥2,593,055	-
脳出血	(人)	-	-	182	-	-	-	-	-	-
	JCS 0-1	¥2,148,207	¥1,280,340	¥2,295,019	N/A	¥2,042,643	¥857,894	-	¥121,370	-
	JCS 2-3	¥2,100,354	¥1,747,474	¥2,716,517	N/A	¥1,422,253	N/A	-	¥1,200,848	-
	JCS 10-100	¥3,460,866	¥1,461,487	¥3,745,897	N/A	¥3,504,072	¥52,310	-	N/A	-
	JCS 200-300	¥2,150,853	¥296,270	¥1,996,602	N/A	¥3,181,995	N/A	-	¥262,969	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥2,386,991	¥1,438,260	¥2,554,156	N/A	¥2,418,832	¥455,102	-	¥436,385	-
糖尿病	(人)	-	-	22	-	-	-	-	-	-
	軽症	¥597,409	¥597,590	¥755,308	¥698,195	¥415,785	¥636,663	-	¥593,214	-
	中等症	¥671,680	¥432,720	¥1,458,594	N/A	¥522,444	¥672,876	-	¥657,230	-
	重症	¥856,909	¥767,445	¥795,738	N/A	¥914,375	¥924,475	-	¥664,565	-
	不明	¥1,947,090	N/A	N/A	N/A	N/A	¥1,947,090	-	N/A	-
	計	¥668,352	¥585,178	¥980,919	¥698,195	¥622,175	¥706,286	-	¥611,295	-
大腿骨頸部骨折	(人)	-	-	1	-	125	-	-	-	-
	重症度Ⅰ	¥1,843,990	¥1,749,467	N/A	N/A	¥1,737,270	N/A	-	¥2,256,411	-
	重症度Ⅱ	¥2,012,447	¥1,824,942	N/A	N/A	¥2,034,873	N/A	-	¥2,995,449	-
	重症度Ⅲ	¥1,664,722	¥1,749,357	N/A	¥872,410	¥1,508,704	N/A	-	¥2,110,682	-
	重症度Ⅳ	¥1,901,749	¥1,159,873	¥251,660	N/A	¥1,940,872	N/A	-	¥2,729,788	-
	不明	¥908,180	N/A	N/A	N/A	¥908,180	N/A	-	N/A	-
	計	¥1,817,175	¥1,732,373	¥251,660	¥872,410	¥1,691,126	N/A	-	¥2,301,490	-
胃潰瘍	(人)	-	-	7	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥615,875	¥580,315	¥542,691	N/A	¥652,904	¥563,272	-	¥638,902	-
	ショックあり(収縮期血圧90mmHg未満)	¥1,016,483	¥660,995	N/A	N/A	¥1,727,460	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥647,502	¥600,485	¥542,691	N/A	¥746,344	¥563,272	-	¥638,902	-
急性腸炎	(人)	-	-	48	-	-	-	-	-	-
	血便なし	¥252,423	¥371,046	¥228,749	¥319,857	¥214,843	¥264,324	-	¥257,842	-
	血便あり	¥320,646	¥449,865	¥289,408	¥405,105	¥279,650	¥313,662	-	¥294,080	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥262,703	¥393,566	¥235,068	¥353,956	¥231,045	¥271,914	-	¥261,984	-
急性虫垂炎	(人)	-	-	20	-	-	-	-	-	-
	白血球15000/mm3未満	¥512,429	¥212,410	¥537,299	N/A	N/A	¥503,362	-	¥522,193	-
	白血球15000/mm3以上	¥657,710	N/A	¥554,333	N/A	N/A	¥748,178	-	¥645,588	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥558,859	¥212,410	¥542,409	N/A	N/A	¥561,345	-	¥574,149	-
胆石症	(人)	-	-	61	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥702,992	¥582,392	¥1,151,916	¥295,515	¥725,300	¥656,978	-	¥669,289	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,116,473	¥836,855	¥986,648	¥470,520	¥838,101	¥836,018	-	¥1,782,251	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥726,986	¥591,730	¥1,132,950	¥314,960	¥728,586	¥673,030	-	¥732,586	-
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	¥500,645	¥500,645	N/A	N/A	N/A	N/A	-	N/A	-
	前立腺容積50ml未満	¥384,435	¥412,462	N/A	N/A	N/A	N/A	-	¥362,014	-
	前立腺容積50ml以上	¥581,454	¥559,321	N/A	N/A	N/A	¥1,008,770	-	¥556,107	-
	不明	¥505,562	¥558,420	N/A	N/A	N/A	N/A	-	¥470,323	-
	計	¥515,333	¥517,757	N/A	N/A	N/A	¥1,008,770	-	¥483,883	-
白内障	(人)	-	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	¥190,694	¥190,694	N/A	N/A	N/A	N/A	-	N/A	-
	2眼(処置対象のもの)	¥367,911	¥367,911	N/A	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥204,568	¥204,568	N/A	N/A	N/A	N/A	-	N/A	-
痔核	(人)	-	-	2	-	-	-	-	-	-
	第一度(出血のみ)	¥342,722	N/A	¥182,940	N/A	N/A	N/A	-	¥422,613	-
	第二度(還納可能)	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	第三度(脱肛)	¥484,053	N/A	¥342,920	N/A	N/A	¥522,161	-	¥282,210	-
	不明	¥1,318,112	N/A	N/A	N/A	N/A	¥1,318,112	-	N/A	-
	計	¥511,391	N/A	¥262,930	N/A	N/A	¥601,756	-	¥375,812	-
子宮筋腫	(人)	-	-	17	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥734,919	¥737,460	¥723,120	N/A	N/A	N/A	-	N/A	-
	貧血あり(Hb10g/dl未満)	¥707,014	¥739,013	¥520,523	N/A	N/A	N/A	-	¥690,490	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥728,840	¥737,797	¥687,368	N/A	N/A	N/A	-	¥690,490	-
狭心症	(人)	-	236	93	-	403	162	-	433	-
	重症度の指標なし	¥696,071	¥488,426	¥608,606	¥173,620	¥931,247	¥941,217	-	¥518,639	-
	計	¥696,071	¥488,426	¥608,606	¥173,620	¥931,247	¥941,217	-	¥518,639	-
腎結石及び尿管結石	(人)	-	-	3	-	-	-	-	-	-
	水腎・水尿管なし	¥356,978	¥413,162	¥68,300	¥500,030	¥1,258,567	¥230,346	-	¥273,501	-
	水腎・水尿管あり	¥356,073	¥482,526	¥217,395	N/A	¥564,530	¥228,167	-	¥345,079	-

【重症度別集計】表

		平均	病院コード 9021
(単位:円)			
脳梗塞	JCS 200-300	¥2,702,310	-
	不明	N/A	-
	計	¥1,478,921	-
脳出血	(人)	-	-
	JCS 0-1	¥2,148,207	-
	JCS 2-3	¥2,100,354	-
	JCS 10-100	¥3,460,866	-
	JCS 200-300	¥2,150,853	-
	不明	N/A	-
	計	¥2,386,991	-
糖尿病	(人)	-	-
	軽症	¥597,409	-
	中等症	¥671,680	-
	重症	¥856,909	-
	不明	¥1,947,090	-
	計	¥668,352	-
大腿骨頸部骨折	(人)	-	-
	重症度Ⅰ	¥1,843,990	-
	重症度Ⅱ	¥2,012,447	-
	重症度Ⅲ	¥1,664,722	-
	重症度Ⅳ	¥1,901,749	-
	不明	¥908,180	-
	計	¥1,817,175	-
胃潰瘍	(人)	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥615,875	-
	ショックあり(収縮期血圧90mmHg未満)	¥1,016,483	-
	不明	N/A	-
	計	¥647,502	-
急性腸炎	(人)	-	-
	血便なし	¥252,423	-
	血便あり	¥320,646	-
	不明	N/A	-
	計	¥262,703	-
急性虫垂炎	(人)	-	-
	白血球15000/mm3未満	¥512,429	-
	白血球15000/mm3以上	¥657,710	-
	不明	N/A	-
	計	¥558,859	-
胆石症	(人)	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥702,992	-
	黄疸あり(T Bill 5mg/dl 以上)	¥1,116,473	-
	不明	N/A	-
	計	¥726,986	-
前立腺肥大症	(人)	-	-
	前立腺容積20ml未満	¥500,645	-
	前立腺容積50ml未満	¥384,435	-
	前立腺容積50ml以上	¥581,454	-
	不明	¥505,562	-
	計	¥515,333	-
白内障	(人)	-	-
	1眼(処置対象のもの)	¥190,694	-
	2眼(処置対象のもの)	¥367,911	-
	不明	N/A	-
	計	¥204,568	-
痔核	(人)	-	-
	第一度(出血のみ)	¥342,722	-
	第二度(還納可能)	N/A	-
	第三度(脱肛)	¥484,053	-
	不明	¥1,318,112	-
	計	¥511,391	-
子宮筋腫	(人)	-	-
	貧血なし(Hb10g/dl以上)	¥734,919	-
	貧血あり(Hb10g/dl未満)	¥707,014	-
	不明	N/A	-
	計	¥728,840	-
狭心症	(人)	-	-
	重症度の指標なし	¥696,071	-
	計	¥696,071	-
腎結石及び尿管結石	(人)	-	-
	水腎・水尿管なし	¥356,978	-
	水腎・水尿管あり	¥356,073	-

【重症度別集計】表

(単位:円)		平均	病院コード
			9021
腎結石及び尿管結石	不明	N/A	-
	計	¥356,576	-
乳房の悪性新生物	(人)	-	-
	ステージ0	¥677,227	-
	ステージI	¥744,422	-
	ステージII	¥771,351	-
	ステージIII	¥636,871	-
	ステージIV	¥1,056,801	-
	不明	¥731,373	-
計	¥746,398	-	
膝関節症	(人)	-	-
	骨移植なし	¥1,919,550	-
	骨移植あり	¥1,778,557	-
	不明	N/A	-
計	¥1,915,695	-	
鼠径ヘルニア	(人)	-	-
	重症度の指標なし	¥394,614	-
計	¥394,614	-	
全疾患合計		¥962,223	-
集計病院数		6	