

【重症度別集計】表

絞込条件

対象年月設定: 201904 ~ 202003
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 医療費

	(単位:円)	平均	病院コード								
			0003	0202	0203	0235	1001	1002	1003	1004	
胃の悪性新生物	(人)	-	-	41	-	-	-	-	-	-	-
ステージ0		¥1,745,715	N/A	¥2,587,440	N/A	¥1,465,139	N/A	-	N/A	-	-
ステージI		¥1,055,542	¥1,000,036	¥949,306	N/A	¥1,768,713	¥772,362	-	¥945,528	-	-
ステージII		¥1,343,708	¥2,116,075	¥1,468,915	N/A	¥1,750,953	¥867,393	-	¥1,279,196	-	-
ステージIII		¥1,182,595	¥1,642,755	¥887,078	N/A	¥1,093,789	¥774,965	-	¥1,439,845	-	-
ステージIV		¥958,375	¥947,272	¥1,549,762	N/A	¥910,637	¥485,096	-	¥1,103,308	-	-
不明		¥500,528	¥700,624	N/A	¥568,664	¥374,780	¥168,277	-	¥603,150	-	-
計		¥1,050,752	¥1,045,348	¥1,244,611	¥568,664	¥1,338,627	¥604,872	-	¥1,094,448	-	-
結腸の悪性新生物	(人)	-	80	60	-	-	-	147	-	-	-
ステージ0		¥618,858	¥410,257	¥838,533	N/A	¥885,266	¥469,209	-	¥496,161	-	-
ステージI		¥971,888	¥519,031	¥1,296,454	N/A	¥1,475,378	¥545,378	-	¥1,178,697	-	-
ステージII		¥1,482,225	¥968,990	¥1,787,448	N/A	¥2,196,115	¥1,408,702	-	¥1,257,671	-	-
ステージIII		¥1,032,223	¥1,440,484	¥1,529,678	N/A	¥1,178,721	¥548,362	-	¥1,232,795	-	-
ステージIV		¥849,541	¥657,902	¥1,337,568	N/A	¥835,130	¥726,614	-	¥881,993	-	-
不明		¥330,123	¥135,551	¥169,309	¥404,723	¥735,454	¥163,332	-	¥488,711	-	-
計		¥978,899	¥743,677	¥1,410,626	¥404,723	¥1,184,711	¥698,806	-	¥1,068,864	-	-
直腸の悪性新生物	(人)	-	-	45	-	-	113	-	-	-	-
ステージ0		¥539,806	¥630,330	¥329,030	N/A	¥963,366	N/A	-	¥490,531	-	-
ステージI		¥1,171,692	¥944,435	¥323,949	N/A	¥1,287,580	¥860,722	-	¥1,435,266	-	-
ステージII		¥1,462,601	¥1,290,189	¥2,688,103	N/A	¥1,303,080	¥784,163	-	¥2,146,470	-	-
ステージIII		¥1,199,406	¥1,070,725	¥1,991,352	N/A	¥1,137,384	¥759,356	-	¥1,214,769	-	-
ステージIV		¥1,233,704	¥734,091	¥1,566,866	N/A	¥1,469,782	¥935,694	-	¥1,428,044	-	-
不明		¥450,634	¥203,753	¥217,780	N/A	¥507,808	N/A	-	¥413,728	-	-
計		¥1,188,029	¥945,616	¥1,584,904	N/A	¥1,155,746	¥795,333	-	¥1,401,882	-	-
気管支および肺の悪性新生物	(人)	-	-	9	-	-	-	-	-	-	-
ステージ0		¥1,125,869	N/A	¥131,280	N/A	¥1,849,286	N/A	-	¥1,261,455	-	-
ステージI		¥952,512	N/A	¥633,325	N/A	¥1,056,710	¥368,158	-	¥735,129	-	-
ステージII		¥807,817	N/A	N/A	N/A	¥674,878	¥687,822	-	¥1,268,788	-	-
ステージIII		¥898,450	¥515,060	N/A	¥1,569,307	¥718,452	¥781,362	-	¥1,217,166	-	-
ステージIV		¥1,013,964	¥770,060	¥474,557	N/A	¥686,254	¥1,299,783	-	¥1,209,180	-	-
不明		¥242,141	¥545,298	¥135,622	¥805,284	¥203,313	¥219,407	-	¥188,770	-	-
計		¥823,086	¥669,414	¥486,960	¥1,023,576	¥770,607	¥833,179	-	¥914,451	-	-
急性心筋梗塞	(人)	-	-	24	-	-	-	-	-	84	-
Killip I		¥1,494,701	¥1,058,828	¥1,714,198	¥477,600	¥1,654,521	¥173,237	-	¥1,481,210	-	-
Killip II		¥2,143,740	¥1,391,614	N/A	N/A	¥2,753,735	¥1,819,434	-	¥2,654,227	-	-
Killip III		¥3,282,615	N/A	N/A	N/A	¥2,069,273	¥8,654,625	-	¥3,514,181	-	-
Killip IV		¥2,705,094	¥2,340,531	¥2,244,187	N/A	¥3,973,392	¥1,790,849	-	¥1,667,847	-	-
不明		¥745,739	N/A	N/A	N/A	¥116,910	¥302,940	-	¥960,065	-	-
計		¥1,927,830	¥1,423,942	¥2,111,690	¥477,600	¥2,266,978	¥1,824,401	-	¥1,713,221	-	-
肺炎	(人)	-	-	142	-	-	-	-	-	151	-
軽症		¥662,030	¥509,494	¥715,371	¥1,167,875	¥482,056	¥489,246	-	¥487,195	-	-
中等症		¥606,335	¥661,466	¥697,694	¥542,146	¥439,440	¥504,065	-	¥463,513	-	-
重症		¥790,140	¥716,418	¥998,889	¥977,230	¥668,896	¥996,875	-	¥803,485	-	-
不明		¥317,021	N/A	N/A	N/A	N/A	N/A	-	¥317,021	-	-
計		¥708,989	¥649,512	¥822,824	¥1,030,828	¥610,341	¥802,227	-	¥560,275	-	-
喘息	(人)	-	-	4	-	-	-	-	-	-	-
軽症間欠型		¥622,399	¥535,550	¥480,392	¥1,223,687	¥295,153	N/A	-	N/A	-	-
軽症持続型		¥351,060	¥401,844	¥555,992	¥282,138	¥303,544	N/A	-	¥675,710	-	-
中等症持続型		¥390,383	¥308,495	¥285,926	¥504,422	¥383,747	N/A	-	¥385,806	-	-
重症持続型		¥684,653	N/A	N/A	N/A	¥1,021,639	N/A	-	¥639,722	-	-
不明		¥207,090	N/A	N/A	N/A	¥207,090	N/A	-	N/A	-	-
計		¥487,937	¥377,875	¥469,576	¥774,699	¥379,122	N/A	-	¥517,595	-	-
脳梗塞	(人)	-	-	659	-	-	-	-	-	-	-
JCS 0-1		¥1,396,744	¥902,394	¥1,400,591	¥2,490,975	¥1,330,542	¥2,039,611	-	¥2,022,698	-	-
JCS 2-3		¥1,761,113	¥1,170,547	¥1,739,025	N/A	¥1,808,834	¥864,806	-	¥2,862,200	-	-
JCS 10-100		¥2,681,825	¥860,143	¥2,733,688	N/A	¥2,954,440	N/A	-	¥2,316,070	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード	
			9022	9023
胃の悪性新生物	(人)	-	-	-
ステージ0		¥1,745,715	-	-
ステージI		¥1,055,542	-	-
ステージII		¥1,343,708	-	-
ステージIII		¥1,182,595	-	-
ステージIV		¥958,375	-	-
不明		¥500,528	-	-
計		¥1,050,752	-	-
結腸の悪性新生物	(人)	-	-	-
ステージ0		¥618,858	-	-
ステージI		¥971,888	-	-
ステージII		¥1,482,225	-	-
ステージIII		¥1,032,223	-	-
ステージIV		¥849,541	-	-
不明		¥330,123	-	-
計		¥978,899	-	-
直腸の悪性新生物	(人)	-	-	-
ステージ0		¥539,806	-	-
ステージI		¥1,171,692	-	-
ステージII		¥1,462,601	-	-
ステージIII		¥1,199,406	-	-
ステージIV		¥1,233,704	-	-
不明		¥450,634	-	-
計		¥1,188,029	-	-
気管支および肺の悪性新生物	(人)	-	-	-
ステージ0		¥1,125,869	-	-
ステージI		¥952,512	-	-
ステージII		¥807,817	-	-
ステージIII		¥898,450	-	-
ステージIV		¥1,013,964	-	-
不明		¥242,141	-	-
計		¥823,086	-	-
急性心筋梗塞	(人)	-	-	-
Killip I		¥1,494,701	-	-
Killip II		¥2,143,740	-	-
Killip III		¥3,282,615	-	-
Killip IV		¥2,705,094	-	-
不明		¥745,739	-	-
計		¥1,927,830	-	-
肺炎	(人)	-	-	-
軽症		¥662,030	-	-
中等症		¥606,335	-	-
重症		¥790,140	-	-
不明		¥317,021	-	-
計		¥708,989	-	-
喘息	(人)	-	-	-
軽症間欠型		¥622,399	-	-
軽症持続型		¥351,060	-	-
中等症持続型		¥390,383	-	-
重症持続型		¥684,653	-	-
不明		¥207,090	-	-
計		¥487,937	-	-
脳梗塞	(人)	-	-	-
JCS 0-1		¥1,396,744	-	-
JCS 2-3		¥1,761,113	-	-
JCS 10-100		¥2,681,825	-	-

【重症度別集計】表

(単位:円)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	¥2,619,217	N/A	¥2,959,675	¥514,912	¥2,407,240	N/A	-	¥1,826,395	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥1,583,301	¥952,337	¥1,587,089	¥1,996,959	¥1,563,491	¥1,745,910	-	¥2,175,793	-
脳出血	(人)	-	-	217	-	-	-	-	-	-
	JCS 0-1	¥2,659,708	¥1,188,860	¥3,174,865	N/A	¥2,359,198	N/A	-	¥1,558,182	-
	JCS 2-3	¥2,113,295	¥846,110	¥2,321,502	N/A	¥1,598,303	N/A	-	¥442,570	-
	JCS 10-100	¥2,967,970	¥1,260,173	¥2,790,897	N/A	¥3,788,324	N/A	-	¥555,297	-
	JCS 200-300	¥2,030,541	¥2,322,310	¥1,447,098	N/A	¥3,160,669	N/A	-	¥246,950	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥2,481,389	¥1,296,455	¥2,528,511	N/A	¥2,614,603	N/A	-	¥995,954	-
糖尿病	(人)	-	-	18	-	-	-	-	-	-
	軽症	¥529,621	¥388,045	¥617,861	¥1,529,397	¥340,044	¥648,726	-	¥632,569	-
	中等症	¥654,454	¥486,992	¥937,903	¥924,570	¥676,281	¥786,888	-	¥442,826	-
	重症	¥814,863	¥1,583,576	N/A	N/A	¥770,234	¥584,148	-	¥649,865	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥615,287	¥496,643	¥777,882	¥1,327,788	¥625,002	¥683,683	-	¥608,141	-
大腿骨頸部骨折	(人)	-	-	28	-	-	-	-	-	-
	重症度 I	¥1,990,014	¥1,761,899	¥2,330,817	N/A	¥1,908,084	N/A	-	¥2,153,412	-
	重症度 II	¥1,837,704	¥1,662,586	¥2,052,009	N/A	¥1,682,978	N/A	-	¥9,386,515	-
	重症度 III	¥1,818,676	¥1,861,075	¥2,549,174	N/A	¥1,745,360	N/A	-	¥1,719,412	-
	重症度 IV	¥1,961,856	N/A	¥2,163,050	N/A	¥1,670,480	N/A	-	¥2,066,496	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥1,924,300	¥1,740,510	¥2,343,903	N/A	¥1,807,261	N/A	-	¥2,161,132	-
胃潰瘍	(人)	-	-	11	-	-	-	-	-	-
	ショックなし (収縮期血圧90mmHg以上)	¥693,227	¥934,339	¥506,597	N/A	¥660,876	¥709,529	-	¥602,429	-
	ショックあり (収縮期血圧90mmHg未満)	¥670,935	N/A	N/A	N/A	¥1,143,286	¥449,240	-	¥635,127	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥690,838	¥934,339	¥506,597	N/A	¥679,430	¥657,471	-	¥611,966	-
急性腸炎	(人)	-	-	39	-	-	-	-	-	-
	血便なし	¥242,038	¥171,062	¥250,956	¥235,014	¥295,048	¥231,523	-	¥243,284	-
	血便あり	¥301,755	¥239,257	¥345,597	N/A	¥350,310	¥374,907	-	¥275,827	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥250,460	¥200,288	¥258,236	¥235,014	¥301,956	¥244,861	-	¥250,169	-
急性虫垂炎	(人)	-	-	19	-	-	-	-	-	-
	白血球15000/mm ³ 未満	¥601,451	¥346,827	¥550,096	¥90,540	¥544,460	¥683,222	-	¥599,025	-
	白血球15000/mm ³ 以上	¥602,754	N/A	¥935,808	¥93,000	N/A	¥638,615	-	¥528,238	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥601,636	¥346,827	¥631,298	¥91,770	¥544,460	¥680,344	-	¥587,848	-
胆石症	(人)	-	-	65	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥672,412	¥606,557	¥666,317	¥417,277	¥676,440	¥654,090	-	¥721,082	-
	黄疸あり(T Bill 5mg/dl 以上)	¥826,923	¥670,558	¥1,190,455	¥84,720	¥943,552	¥628,870	-	¥774,302	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥682,153	¥608,982	¥746,954	¥361,851	¥685,057	¥652,236	-	¥724,868	-
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	¥534,044	¥477,055	N/A	N/A	N/A	¥519,025	-	¥678,060	-
	前立腺容積50ml未満	¥557,408	¥517,015	N/A	N/A	N/A	¥636,203	-	¥686,550	-
	前立腺容積50ml以上	¥626,698	¥548,842	N/A	N/A	N/A	¥529,606	-	¥697,393	-
	不明	¥745,251	N/A	N/A	N/A	N/A	¥745,251	-	N/A	-
	計	¥595,656	¥521,416	N/A	N/A	N/A	¥599,316	-	¥695,072	-
白内障	(人)	-	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	¥186,993	¥186,993	N/A	N/A	N/A	N/A	-	N/A	-
	2眼(処置対象のもの)	¥375,127	¥375,127	N/A	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥231,714	¥231,714	N/A	N/A	N/A	N/A	-	N/A	-
痔核	(人)	-	-	2	-	-	-	-	-	-
	第一度(出血のみ)	¥231,890	N/A	¥164,585	N/A	N/A	N/A	-	¥299,195	-
	第二度(還納可能)	¥158,810	N/A	N/A	N/A	N/A	¥158,810	-	N/A	-
	第三度(脱肛)	¥338,568	N/A	N/A	N/A	N/A	¥350,915	-	¥313,875	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥273,049	N/A	¥164,585	N/A	N/A	¥286,880	-	¥306,535	-
子宮筋腫	(人)	-	-	32	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	¥730,079	¥766,486	¥576,784	N/A	N/A	N/A	-	N/A	-
	貧血あり(Hb10g/dl未満)	¥746,306	¥757,016	¥733,124	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥733,755	¥764,908	¥640,297	N/A	N/A	N/A	-	N/A	-
狭心症	(人)	-	240	77	3	382	178	-	227	-
	重症度の指標なし	¥710,673	¥482,359	¥613,917	¥537,021	¥907,933	¥883,769	-	¥519,496	-
	計	¥710,673	¥482,359	¥613,917	¥537,021	¥907,933	¥883,769	-	¥519,496	-
腎結石及び尿管結石	(人)	-	-	5	-	-	-	-	-	-
	水腎・水尿管なし	¥340,736	¥388,156	¥499,384	¥93,290	¥1,199,467	¥343,804	-	¥260,101	-
	水腎・水尿管あり	¥375,801	¥399,674	¥125,050	N/A	¥840,535	¥306,364	-	¥384,643	-

【重症度別集計】表

		平均	病院コード	
			9022	9023
		(単位:円)		
脳梗塞	JCS 200-300	¥2,619,217	-	-
	不明	N/A	-	-
	計	¥1,583,301	-	-
脳出血		(人)	-	-
	JCS 0-1	¥2,659,708	-	-
	JCS 2-3	¥2,113,295	-	-
	JCS 10-100	¥2,967,970	-	-
	JCS 200-300	¥2,030,541	-	-
	不明	N/A	-	-
	計	¥2,481,389	-	-
糖尿病		(人)	-	-
	軽症	¥529,621	-	-
	中等症	¥654,454	-	-
	重症	¥814,863	-	-
	不明	N/A	-	-
	計	¥615,287	-	-
大腿骨頸部骨折		(人)	-	-
	重症度Ⅰ	¥1,990,014	-	-
	重症度Ⅱ	¥1,837,704	-	-
	重症度Ⅲ	¥1,818,676	-	-
	重症度Ⅳ	¥1,961,856	-	-
	不明	N/A	-	-
	計	¥1,924,300	-	-
胃潰瘍		(人)	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥693,227	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥670,935	-	-
	不明	N/A	-	-
	計	¥690,838	-	-
急性腸炎		(人)	-	-
	血便なし	¥242,038	-	-
	血便あり	¥301,755	-	-
	不明	N/A	-	-
	計	¥250,460	-	-
急性虫垂炎		(人)	-	-
	白血球15000/mm3未満	¥601,451	-	-
	白血球15000/mm3以上	¥602,754	-	-
	不明	N/A	-	-
	計	¥601,636	-	-
胆石症		(人)	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥672,412	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥826,923	-	-
	不明	N/A	-	-
	計	¥682,153	-	-
前立腺肥大症		(人)	-	-
	前立腺容積20ml未満	¥534,044	-	-
	前立腺容積50ml未満	¥557,408	-	-
	前立腺容積50ml以上	¥626,698	-	-
	不明	¥745,251	-	-
	計	¥595,656	-	-
白内障		(人)	-	-
	1眼(処置対象のもの)	¥186,993	-	-
	2眼(処置対象のもの)	¥375,127	-	-
	不明	N/A	-	-
	計	¥231,714	-	-
痔核		(人)	-	-
	第一度(出血のみ)	¥231,890	-	-
	第二度(還納可能)	¥158,810	-	-
	第三度(脱肛)	¥338,568	-	-
	不明	N/A	-	-
	計	¥273,049	-	-
子宮筋腫		(人)	-	-
	貧血なし(Hb10g/dl以上)	¥730,079	-	-
	貧血あり(Hb10g/dl未満)	¥746,306	-	-
	不明	N/A	-	-
	計	¥733,755	-	-
狭心症		(人)	-	-
	重症度の指標なし	¥710,673	-	-
	計	¥710,673	-	-
腎結石及び尿管結石		(人)	-	-
	水腎・水尿管なし	¥340,736	-	-
	水腎・水尿管あり	¥375,801	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
腎結石及び尿管結石	不明	¥236,330	¥236,330	N/A	N/A	N/A	N/A	-	N/A	-
	計	¥358,890	¥392,392	¥349,650	¥93,290	¥971,056	¥320,867	-	¥321,182	-
乳房の悪性新生物	(人)	-	-	9	-	-	-	-	-	-
	ステージ0	¥680,874	¥724,240	N/A	N/A	¥678,976	N/A	-	¥685,770	-
	ステージI	¥674,484	¥622,427	¥1,187,142	N/A	¥676,613	¥590,239	-	¥616,441	-
	ステージII	¥726,867	¥669,402	¥659,843	N/A	¥767,907	¥587,037	-	¥829,402	-
	ステージIII	¥674,785	¥1,616,840	N/A	N/A	¥778,550	¥357,993	-	¥767,222	-
	ステージIV	¥871,344	¥683,507	N/A	N/A	¥1,145,339	¥497,293	-	¥1,326,655	-
	不明	¥1,290,899	¥2,191,220	N/A	N/A	¥840,738	N/A	-	N/A	-
計	¥721,511	¥774,578	¥1,011,376	N/A	¥719,823	¥544,064	-	¥862,246	-	
膝関節症	(人)	-	-	6	-	-	-	-	-	-
	骨移植なし	¥1,892,219	¥1,319,705	¥1,898,913	N/A	¥1,897,771	N/A	-	N/A	-
	骨移植あり	¥2,165,682	¥2,165,682	N/A	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	¥1,917,406	¥2,092,118	¥1,898,913	N/A	¥1,897,771	N/A	-	N/A	-	
鼠径ヘルニア	(人)	-	64	29	-	60	176	-	98	-
	重症度の指標なし	¥410,368	¥303,280	¥408,898	N/A	¥402,825	¥509,682	-	¥306,995	-
	計	¥410,368	¥303,280	¥408,898	N/A	¥402,825	¥509,682	-	¥306,995	-
全疾患合計		¥978,406	¥645,121	¥1,449,294	¥915,636	¥1,154,369	¥688,059	-	¥847,660	-
集計病院数			6							

【重症度別集計】表

		平均	病院コード							
			1012	1013	1019	1025	1129	1167	1175	1201
腎結石及び尿管結石	不明	¥236,330	-	-	-	-	-	-	-	-
	計	¥358,890	-	-	-	-	-	-	-	-
乳房の悪性新生物	(人)	-	-	-	-	-	-	-	-	-
	ステージ0	¥680,874	-	-	-	-	-	-	-	-
	ステージI	¥674,484	-	-	-	-	-	-	-	-
	ステージII	¥726,867	-	-	-	-	-	-	-	-
	ステージIII	¥674,785	-	-	-	-	-	-	-	-
	ステージIV	¥871,344	-	-	-	-	-	-	-	-
	不明	¥1,290,899	-	-	-	-	-	-	-	-
	計	¥721,511	-	-	-	-	-	-	-	-
膝関節症	(人)	-	-	-	-	-	-	-	-	-
	骨移植なし	¥1,892,219	-	-	-	-	-	-	-	-
	骨移植あり	¥2,165,682	-	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-	-
	計	¥1,917,406	-	-	-	-	-	-	-	-
鼠径ヘルニア	(人)	-	-	-	-	-	-	-	-	-
	重症度の指標なし	¥410,368	-	-	-	-	-	-	-	-
	計	¥410,368	-	-	-	-	-	-	-	-
全疾患合計		¥978,406	-	-	-	-	-	-	-	
集計病院数		6								

【重症度別集計】表

		平均	病院コード	
			9022	9023
腎結石及び尿管結石	不明	¥236,330	-	-
	計	¥358,890	-	-
乳房の悪性新生物	(人)	-	-	-
	ステージ0	¥680,874	-	-
	ステージI	¥674,484	-	-
	ステージII	¥726,867	-	-
	ステージIII	¥674,785	-	-
	ステージIV	¥871,344	-	-
	不明	¥1,290,899	-	-
計	¥721,511	-	-	
膝関節症	(人)	-	-	-
	骨移植なし	¥1,892,219	-	-
	骨移植あり	¥2,165,682	-	-
	不明	N/A	-	-
計	¥1,917,406	-	-	
鼠径ヘルニア	(人)	-	-	-
	重症度の指標なし	¥410,368	-	-
計	¥410,368	-	-	
全疾患合計		¥978,406	-	-
集計病院数		6		