

【重症度別集計】表

絞込条件

対象年月設定: 202004 ~ 202103
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 医療費

	(単位:円)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	-	-	57	-	60	-	-	-	-
ステージ0		¥482,339	-	N/A	N/A	¥482,339	-	-	-	-
ステージI		¥987,722	-	¥777,463	N/A	¥1,197,981	-	-	-	-
ステージII		¥1,210,968	-	¥1,065,620	N/A	¥1,380,542	-	-	-	-
ステージIII		¥1,252,155	-	¥1,168,493	N/A	¥1,352,549	-	-	-	-
ステージIV		¥1,221,753	-	¥1,997,404	N/A	¥609,396	-	-	-	-
不明		¥778,970	-	¥1,117,134	¥110,712	¥438,115	-	-	-	-
計		¥1,075,629	-	¥1,204,844	¥110,712	¥968,957	-	-	-	-
結腸の悪性新生物	(人)	-	-	70	-	-	-	-	-	-
ステージ0		¥470,054	-	¥513,528	N/A	¥461,060	-	-	-	-
ステージI		¥1,199,535	-	¥1,519,919	N/A	¥1,123,253	-	-	-	-
ステージII		¥1,712,983	-	¥1,792,834	¥651,476	¥1,703,587	-	-	-	-
ステージIII		¥1,193,373	-	¥1,242,020	N/A	¥1,163,436	-	-	-	-
ステージIV		¥1,671,821	-	¥2,570,766	N/A	¥1,339,603	-	-	-	-
不明		¥228,687	-	¥300,713	¥145,232	¥168,090	-	-	-	-
計		¥1,288,230	-	¥1,621,129	¥398,354	¥1,152,864	-	-	-	-
直腸の悪性新生物	(人)	-	-	35	-	-	-	-	-	-
ステージ0		¥709,588	-	¥1,026,542	N/A	¥471,873	-	-	-	-
ステージI		¥1,477,690	-	¥1,795,974	N/A	¥1,326,126	-	-	-	-
ステージII		¥1,356,012	-	¥558,665	N/A	¥1,449,818	-	-	-	-
ステージIII		¥1,642,059	-	¥1,189,245	N/A	¥1,925,068	-	-	-	-
ステージIV		¥1,175,264	-	¥1,780,260	N/A	¥966,645	-	-	-	-
不明		¥121,260	-	N/A	¥121,260	N/A	-	-	-	-
計		¥1,343,007	-	¥1,481,479	¥121,260	¥1,301,343	-	-	-	-
気管支および肺の悪性新生物	(人)	-	-	11	-	155	-	-	-	-
ステージ0		¥934,936	-	N/A	N/A	¥934,936	-	-	-	-
ステージI		¥1,000,325	-	¥942,248	N/A	¥1,004,971	-	-	-	-
ステージII		¥1,454,620	-	N/A	N/A	¥1,454,620	-	-	-	-
ステージIII		¥732,463	-	¥755,268	N/A	¥728,316	-	-	-	-
ステージIV		¥901,047	-	¥3,029,135	N/A	¥810,490	-	-	-	-
不明		¥631,414	-	¥1,977,810	¥1,549,982	¥307,398	-	-	-	-
計		¥883,207	-	¥1,347,831	¥1,549,982	¥820,121	-	-	-	-
急性心筋梗塞	(人)	-	-	28	-	-	-	-	-	-
Killip I		¥1,735,518	-	¥1,333,452	N/A	¥1,774,937	-	-	-	-
Killip II		¥2,020,594	-	¥1,077,704	N/A	¥2,334,891	-	-	-	-
Killip III		¥1,447,669	-	¥2,041,352	N/A	¥1,328,932	-	-	-	-
Killip IV		¥3,140,768	-	¥2,390,794	N/A	¥4,640,715	-	-	-	-
不明		¥1,825,535	-	N/A	N/A	¥1,825,535	-	-	-	-
計		¥2,159,291	-	¥2,095,711	N/A	¥2,183,677	-	-	-	-
肺炎	(人)	-	-	114	-	-	-	-	-	-
軽症		¥839,595	-	¥698,748	¥1,217,946	¥482,234	-	-	-	-
中等症		¥1,092,710	-	¥899,404	¥1,904,643	¥443,113	-	-	-	-
重症		¥862,205	-	¥846,163	¥1,066,279	¥844,175	-	-	-	-
不明		N/A	-	N/A	N/A	N/A	-	-	-	-
計		¥876,215	-	¥808,125	¥1,271,120	¥701,605	-	-	-	-
喘息	(人)	-	-	0	-	-	-	-	-	-
軽症間欠型		¥463,613	-	N/A	¥520,517	¥349,805	-	-	-	-
軽症持続型		¥244,596	-	N/A	¥288,050	¥209,832	-	-	-	-
中等症持続型		¥288,262	-	N/A	¥547,648	¥214,151	-	-	-	-
重症持続型		¥614,678	-	N/A	¥551,933	¥865,660	-	-	-	-
不明		¥893,100	-	N/A	N/A	¥893,100	-	-	-	-
計		¥391,961	-	N/A	¥473,646	¥315,082	-	-	-	-
脳梗塞	(人)	-	-	667	-	-	-	-	-	-
JCS 0-1		¥1,305,766	-	¥1,384,597	¥3,905,249	¥1,108,133	-	-	-	-
JCS 2-3		¥1,806,172	-	¥1,840,496	N/A	¥1,565,909	-	-	-	-
JCS 10-100		¥1,924,719	-	¥1,807,510	N/A	¥2,706,114	-	-	-	-

【重症度別集計】表

	(単位:円)	平均	病院コード	
			9022	9023
胃の悪性新生物	(人)	-	-	-
ステージ0		¥482,339	-	-
ステージI		¥987,722	-	-
ステージII		¥1,210,968	-	-
ステージIII		¥1,252,155	-	-
ステージIV		¥1,221,753	-	-
不明		¥778,970	-	-
計		¥1,075,629	-	-
結腸の悪性新生物	(人)	-	-	-
ステージ0		¥470,054	-	-
ステージI		¥1,199,535	-	-
ステージII		¥1,712,983	-	-
ステージIII		¥1,193,373	-	-
ステージIV		¥1,671,821	-	-
不明		¥228,687	-	-
計		¥1,288,230	-	-
直腸の悪性新生物	(人)	-	-	-
ステージ0		¥709,588	-	-
ステージI		¥1,477,690	-	-
ステージII		¥1,356,012	-	-
ステージIII		¥1,642,059	-	-
ステージIV		¥1,175,264	-	-
不明		¥121,260	-	-
計		¥1,343,007	-	-
気管支および肺の悪性新生物	(人)	-	-	-
ステージ0		¥934,936	-	-
ステージI		¥1,000,325	-	-
ステージII		¥1,454,620	-	-
ステージIII		¥732,463	-	-
ステージIV		¥901,047	-	-
不明		¥631,414	-	-
計		¥883,207	-	-
急性心筋梗塞	(人)	-	-	-
Killip I		¥1,735,518	-	-
Killip II		¥2,020,594	-	-
Killip III		¥1,447,669	-	-
Killip IV		¥3,140,768	-	-
不明		¥1,825,535	-	-
計		¥2,159,291	-	-
肺炎	(人)	-	-	-
軽症		¥839,595	-	-
中等症		¥1,092,710	-	-
重症		¥862,205	-	-
不明		N/A	-	-
計		¥876,215	-	-
喘息	(人)	-	-	-
軽症間欠型		¥463,613	-	-
軽症持続型		¥244,596	-	-
中等症持続型		¥288,262	-	-
重症持続型		¥614,678	-	-
不明		¥893,100	-	-
計		¥391,961	-	-
脳梗塞	(人)	-	-	-
JCS 0-1		¥1,305,766	-	-
JCS 2-3		¥1,806,172	-	-
JCS 10-100		¥1,924,719	-	-

【重症度別集計】表

		平均	病院コード										
			0003	0202	0203	0235	1001	1002	1003	1004			
		(単位:円)											
脳梗塞	JCS 200-300	¥1,875,897	-	¥1,754,519	N/A	¥3,150,364	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥1,474,826	-	¥1,555,573	¥3,905,249	¥1,218,970	-	-	-	-	-	-	
脳出血	(人)	-	-	245	-	-	-	-	-	-	-	-	
	JCS 0-1	¥2,044,239	-	¥1,934,461	N/A	¥2,149,443	-	-	-	-	-	-	
	JCS 2-3	¥2,325,592	-	¥2,490,688	N/A	¥1,717,344	-	-	-	-	-	-	
	JCS 10-100	¥2,873,816	-	¥3,164,308	N/A	¥2,147,588	-	-	-	-	-	-	
	JCS 200-300	¥2,401,812	-	¥1,738,443	N/A	¥4,469,962	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥2,262,524	-	¥2,201,572	N/A	¥2,366,226	-	-	-	-	-	-	
糖尿病	(人)	-	-	19	-	-	-	-	-	-	-	-	
	軽症	¥691,165	-	¥681,026	¥2,445,989	¥427,432	-	-	-	-	-	-	
	中等症	¥998,473	-	¥681,585	N/A	¥1,262,546	-	-	-	-	-	-	
	重症	¥641,552	-	¥1,319,010	N/A	¥603,916	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥782,073	-	¥714,898	¥2,445,989	¥734,364	-	-	-	-	-	-	
大腿骨頸部骨折	(人)	-	-	54	-	-	-	-	-	-	-	-	
	重症度Ⅰ	¥1,662,564	-	¥1,908,770	N/A	¥1,591,737	-	-	-	-	-	-	
	重症度Ⅱ	¥1,838,051	-	¥2,051,468	N/A	¥1,603,293	-	-	-	-	-	-	
	重症度Ⅲ	¥1,690,119	-	¥1,849,671	N/A	¥1,636,934	-	-	-	-	-	-	
	重症度Ⅳ	¥1,734,585	-	¥2,176,895	N/A	¥1,144,839	-	-	-	-	-	-	
	不明	¥2,455,860	-	N/A	¥2,455,860	N/A	-	-	-	-	-	-	
	計	¥1,717,444	-	¥1,979,107	¥2,455,860	¥1,590,366	-	-	-	-	-	-	
胃潰瘍	(人)	-	-	14	-	-	-	-	-	-	-	-	
	ショックなし(収縮期血圧90mmHg以上)	¥651,004	-	¥937,761	N/A	¥450,275	-	-	-	-	-	-	
	ショックあり(収縮期血圧90mmHg未満)	¥650,030	-	N/A	N/A	¥650,030	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥650,800	-	¥937,761	N/A	¥512,268	-	-	-	-	-	-	
急性腸炎	(人)	-	-	31	-	-	-	-	-	-	-	-	
	血便なし	¥321,974	-	¥232,164	¥584,041	¥282,810	-	-	-	-	-	-	
	血便あり	¥317,099	-	¥283,978	N/A	¥383,340	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥321,364	-	¥238,850	¥584,041	¥311,533	-	-	-	-	-	-	
急性虫垂炎	(人)	-	-	21	-	-	-	-	-	-	-	-	
	白血球15000/mm3未満	¥580,755	-	¥531,483	N/A	¥950,289	-	-	-	-	-	-	
	白血球15000/mm3以上	¥565,958	-	¥565,958	N/A	N/A	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥576,895	-	¥541,333	N/A	¥950,289	-	-	-	-	-	-	
胆石症	(人)	-	-	69	-	-	-	-	-	-	-	-	
	黄疸なし(T Bill 5mg/dl 未満)	¥674,408	-	¥846,273	¥377,577	¥635,110	-	-	-	-	-	-	
	黄疸あり(T Bill 5mg/dl 以上)	¥829,339	-	¥901,698	N/A	¥729,845	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥683,873	-	¥855,109	¥377,577	¥638,281	-	-	-	-	-	-	
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-	-	-	
	前立腺容積20ml未満	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	前立腺容積50ml未満	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	前立腺容積50ml以上	¥304,520	-	N/A	N/A	¥304,520	-	-	-	-	-	-	
	不明	¥345,704	-	N/A	N/A	¥345,704	-	-	-	-	-	-	
	計	¥325,112	-	N/A	N/A	¥325,112	-	-	-	-	-	-	
白内障	(人)	-	-	0	-	-	-	-	-	-	-	-	
	1眼(処置対象のもの)	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	2眼(処置対象のもの)	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
痔核	(人)	-	-	1	-	-	-	-	-	-	-	-	
	第一度(出血のみ)	¥506,327	-	¥914,062	¥98,592	N/A	-	-	-	-	-	-	
	第二度(還納可能)	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	第三度(脱肛)	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	不明	¥97,062	-	N/A	¥97,062	N/A	-	-	-	-	-	-	
	計	¥369,905	-	¥914,062	¥97,827	N/A	-	-	-	-	-	-	
子宮筋腫	(人)	-	-	27	-	-	-	-	-	-	-	-	
	貧血なし(Hb10g/dl以上)	¥584,829	-	¥584,829	N/A	N/A	-	-	-	-	-	-	
	貧血あり(Hb10g/dl未満)	¥654,948	-	¥654,948	N/A	N/A	-	-	-	-	-	-	
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-	-	-	
	計	¥605,605	-	¥605,605	N/A	N/A	-	-	-	-	-	-	
狭心症	(人)	-	-	95	-	338	-	-	-	-	-	-	
	重症度の指標なし	¥850,014	-	¥545,779	¥373,636	¥936,933	-	-	-	-	-	-	
	計	¥850,014	-	¥545,779	¥373,636	¥936,933	-	-	-	-	-	-	
腎結石及び尿管結石	(人)	-	-	2	-	-	-	-	-	-	-	-	
	水腎・水尿管なし	¥413,905	-	¥119,715	N/A	¥497,959	-	-	-	-	-	-	
	水腎・水尿管あり	¥682,970	-	N/A	¥1,623,188	¥447,916	-	-	-	-	-	-	

【重症度別集計】表

(単位:円)		平均	病院コード	
			9022	9023
脳梗塞	JCS 200-300	¥1,875,897	-	-
	不明	N/A	-	-
	計	¥1,474,826	-	-
脳出血	(人)	-	-	-
	JCS 0-1	¥2,044,239	-	-
	JCS 2-3	¥2,325,592	-	-
	JCS 10-100	¥2,873,816	-	-
	JCS 200-300	¥2,401,812	-	-
	不明	N/A	-	-
計	¥2,262,524	-	-	
糖尿病	(人)	-	-	-
	軽症	¥691,165	-	-
	中等症	¥998,473	-	-
	重症	¥641,552	-	-
	不明	N/A	-	-
計	¥782,073	-	-	
大腿骨頸部骨折	(人)	-	-	-
	重症度Ⅰ	¥1,662,564	-	-
	重症度Ⅱ	¥1,838,051	-	-
	重症度Ⅲ	¥1,690,119	-	-
	重症度Ⅳ	¥1,734,585	-	-
	不明	¥2,455,860	-	-
計	¥1,717,444	-	-	
胃潰瘍	(人)	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	¥651,004	-	-
	ショックあり(収縮期血圧90mmHg未満)	¥650,030	-	-
	不明	N/A	-	-
計	¥650,800	-	-	
急性腸炎	(人)	-	-	-
	血便なし	¥321,974	-	-
	血便あり	¥317,099	-	-
	不明	N/A	-	-
計	¥321,364	-	-	
急性虫垂炎	(人)	-	-	-
	白血球15000/mm3未満	¥580,755	-	-
	白血球15000/mm3以上	¥565,958	-	-
	不明	N/A	-	-
計	¥576,895	-	-	
胆石症	(人)	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	¥674,408	-	-
	黄疸あり(T Bill 5mg/dl 以上)	¥829,339	-	-
	不明	N/A	-	-
計	¥683,873	-	-	
前立腺肥大症	(人)	-	-	-
	前立腺容積20ml未満	N/A	-	-
	前立腺容積50ml未満	N/A	-	-
	前立腺容積50ml以上	¥304,520	-	-
	不明	¥345,704	-	-
計	¥325,112	-	-	
白内障	(人)	-	-	-
	1眼(処置対象のもの)	N/A	-	-
	2眼(処置対象のもの)	N/A	-	-
	不明	N/A	-	-
計	N/A	-	-	
痔核	(人)	-	-	-
	第一度(出血のみ)	¥506,327	-	-
	第二度(還納可能)	N/A	-	-
	第三度(脱肛)	N/A	-	-
	不明	¥97,062	-	-
計	¥369,905	-	-	
子宮筋腫	(人)	-	-	-
	貧血なし(Hb10g/dl以上)	¥584,829	-	-
	貧血あり(Hb10g/dl未満)	¥654,948	-	-
	不明	N/A	-	-
計	¥605,605	-	-	
狭心症	(人)	-	-	-
	重症度の指標なし	¥850,014	-	-
計	¥850,014	-	-	
腎結石及び尿管結石	(人)	-	-	-
	水腎・水尿管なし	¥413,905	-	-
	水腎・水尿管あり	¥682,970	-	-

【重症度別集計】表

		平均	病院コード							
			1012	1013	1019	1025	1129	1167	1175	1201
腎結石及び尿管結石	不明	N/A	-	-	-	-	-	-	-	-
	計	¥509,999	-	-	-	-	-	-	-	-
乳房の悪性新生物	(人)	-	-	-	-	-	-	-	-	-
	ステージ0	¥738,399	-	-	-	-	-	-	-	-
	ステージI	¥688,989	-	-	-	-	-	-	-	-
	ステージII	¥807,603	-	-	-	-	-	-	-	-
	ステージIII	¥921,958	-	-	-	-	-	-	-	-
	ステージIV	¥809,044	-	-	-	-	-	-	-	-
	不明	¥692,543	-	-	-	-	-	-	-	-
	計	¥760,577	-	-	-	-	-	-	-	-
膝関節症	(人)	-	-	-	-	-	-	-	-	-
	骨移植なし	¥1,940,814	-	-	-	-	-	-	-	-
	骨移植あり	N/A	-	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-	-
	計	¥1,940,814	-	-	-	-	-	-	-	-
鼠径ヘルニア	(人)	-	-	-	-	-	-	-	-	-
	重症度の指標なし	¥428,979	-	-	-	-	-	-	-	-
	計	¥428,979	-	-	-	-	-	-	-	-
全疾患合計		¥1,243,760	-	-	-	-	-	-	-	
集計病院数		3								

【重症度別集計】表

		平均	病院コード	
			9022	9023
腎結石及び尿管結石	不明	N/A	-	-
	計	¥509,999	-	-
乳房の悪性新生物	(人)	-	-	-
	ステージ0	¥738,399	-	-
	ステージI	¥688,989	-	-
	ステージII	¥807,603	-	-
	ステージIII	¥921,958	-	-
	ステージIV	¥809,044	-	-
	不明	¥692,543	-	-
計	¥760,577	-	-	
膝関節症	(人)	-	-	-
	骨移植なし	¥1,940,814	-	-
	骨移植あり	N/A	-	-
	不明	N/A	-	-
計	¥1,940,814	-	-	
鼠径ヘルニア	(人)	-	-	-
	重症度の指標なし	¥428,979	-	-
計	¥428,979	-	-	
全疾患合計		¥1,243,760	-	-
集計病院数		3		