

【重症度別集計】表

絞込条件

対象年月設定: 201304 ~ 201403
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 死亡退院率

	(単位:%)	平均	退院年月							
			2013/04	2013/05	2013/06	2013/07	2013/08	2013/09	2013/10	2013/11
胃の悪性新生物	(人)	969	88	91	96	92	65	70	76	80
ステージ0		0.0%	N/A	0.0%	0.0%	0.0%	N/A	N/A	0.0%	0.0%
ステージI		0.8%	0.0%	4.5%	0.0%	0.0%	0.0%	0.0%	0.0%	5.3%
ステージII		2.9%	8.3%	0.0%	0.0%	0.0%	20.0%	6.7%	0.0%	0.0%
ステージIII		9.6%	9.1%	5.9%	11.8%	12.5%	9.1%	0.0%	0.0%	12.5%
ステージIV		18.3%	26.7%	13.3%	18.8%	20.0%	12.0%	16.7%	25.0%	18.2%
不明		18.0%	25.0%	9.1%	12.5%	25.0%	0.0%	11.1%	22.2%	12.5%
計		10.5%	14.8%	7.7%	10.4%	10.9%	7.7%	7.1%	14.5%	11.3%
結腸の悪性新生物	(人)	1,187	111	98	73	122	102	100	94	99
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%	0.0%
ステージII		2.4%	0.0%	6.3%	0.0%	0.0%	0.0%	7.1%	0.0%	0.0%
ステージIII		3.8%	4.8%	6.7%	0.0%	9.1%	4.5%	3.8%	3.4%	5.6%
ステージIV		10.7%	13.5%	10.8%	10.7%	5.7%	8.1%	11.1%	13.3%	16.0%
不明		8.8%	19.0%	8.3%	0.0%	0.0%	8.3%	10.0%	7.1%	10.5%
計		5.8%	9.0%	7.1%	4.1%	3.3%	4.9%	7.0%	6.4%	7.1%
直腸の悪性新生物	(人)	557	42	62	51	46	46	33	58	48
ステージ0		3.7%	0.0%	0.0%	100.0%	0.0%	0.0%	N/A	0.0%	0.0%
ステージI		1.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		3.3%	20.0%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		2.8%	11.1%	0.0%	0.0%	4.8%	11.8%	0.0%	0.0%	0.0%
ステージIV		8.6%	6.3%	9.5%	0.0%	0.0%	16.7%	0.0%	0.0%	22.2%
不明		10.0%	0.0%	50.0%	25.0%	0.0%	20.0%	0.0%	0.0%	0.0%
計		4.8%	7.1%	4.8%	5.9%	2.2%	10.9%	0.0%	0.0%	4.2%
気管支および肺の悪性新生物	(人)	1,312	142	119	106	146	113	106	113	99
ステージ0		14.3%	N/A	0.0%	N/A	0.0%	0.0%	0.0%	N/A	N/A
ステージI		1.9%	0.0%	0.0%	0.0%	4.5%	0.0%	0.0%	3.7%	0.0%
ステージII		2.9%	0.0%	16.7%	14.3%	0.0%	0.0%	0.0%	6.3%	0.0%
ステージIII		8.6%	12.0%	4.5%	0.0%	3.6%	9.1%	22.2%	17.4%	14.3%
ステージIV		18.7%	14.3%	16.7%	13.6%	14.9%	19.6%	29.5%	27.6%	24.4%
不明		9.0%	3.4%	4.3%	10.0%	8.7%	5.9%	15.8%	22.2%	0.0%
計		11.1%	8.5%	9.2%	8.5%	9.6%	10.6%	18.9%	15.9%	13.1%
急性心筋梗塞	(人)	370	30	32	43	31	24	16	26	43
Killip I		2.5%	9.1%	0.0%	4.3%	0.0%	0.0%	0.0%	18.2%	0.0%
Killip II		3.3%	10.0%	0.0%	14.3%	7.7%	0.0%	0.0%	0.0%	0.0%
Killip III		20.0%	0.0%	0.0%	0.0%	25.0%	33.3%	0.0%	50.0%	N/A
Killip IV		52.2%	25.0%	100.0%	100.0%	33.3%	25.0%	N/A	25.0%	25.0%
不明		33.3%	N/A	0.0%	N/A	N/A	100.0%	N/A	0.0%	100.0%
計		11.4%	10.0%	3.1%	16.3%	9.7%	16.7%	0.0%	15.4%	7.0%
肺炎	(人)	3,253	295	361	297	293	222	198	198	196
軽症		1.7%	0.0%	2.2%	0.0%	1.5%	0.0%	5.2%	2.5%	5.9%
中等症		9.5%	0.0%	9.7%	6.5%	4.8%	5.0%	5.6%	8.3%	16.7%
重症		16.1%	17.9%	15.3%	20.5%	12.2%	12.0%	17.8%	19.2%	19.2%
不明		1.8%	2.3%	0.0%	1.8%	0.9%	0.0%	4.1%	0.0%	2.1%
計		7.3%	6.4%	6.6%	7.4%	5.1%	4.5%	9.6%	8.6%	11.2%
喘息	(人)	1,141	94	119	106	113	96	118	100	105
軽症間欠型		0.3%	0.0%	0.0%	0.0%	2.8%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.8%	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
不明		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	N/A
計		0.3%	1.1%	0.0%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%
脳梗塞	(人)	1,735	155	150	143	138	125	138	161	143
JCS 0-1		2.6%	1.0%	1.9%	4.9%	3.2%	3.3%	1.9%	1.0%	0.0%
JCS 2-3		6.3%	6.7%	14.8%	0.0%	0.0%	10.0%	0.0%	5.1%	19.4%
JCS 10-100		17.1%	11.8%	23.1%	0.0%	15.8%	18.2%	25.0%	13.3%	25.0%

【重症度別集計】表

	(単位:%)	平均	退院年月			
			2013/12	2014/01	2014/02	2014/03
胃の悪性新生物	(人)	969	79	82	68	82
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%
ステージI		0.8%	0.0%	0.0%	0.0%	0.0%
ステージII		2.9%	0.0%	0.0%	0.0%	0.0%
ステージIII		9.6%	10.0%	27.3%	14.3%	0.0%
ステージIV		18.3%	16.7%	13.8%	20.0%	16.7%
不明		18.0%	16.7%	41.7%	0.0%	11.1%
計		10.5%	10.1%	14.6%	8.8%	7.3%
結腸の悪性新生物	(人)	1,187	107	96	84	101
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		1.6%	0.0%	0.0%	0.0%	8.3%
ステージII		2.4%	4.3%	5.6%	0.0%	5.3%
ステージIII		3.8%	0.0%	5.0%	0.0%	4.3%
ステージIV		10.7%	3.7%	17.9%	10.5%	7.7%
不明		8.8%	0.0%	16.7%	8.3%	7.1%
計		5.8%	1.9%	9.4%	3.6%	5.9%
直腸の悪性新生物	(人)	557	47	42	40	42
ステージ0		3.7%	0.0%	0.0%	0.0%	0.0%
ステージI		1.4%	0.0%	9.1%	0.0%	0.0%
ステージII		3.3%	9.1%	0.0%	0.0%	0.0%
ステージIII		2.8%	9.1%	0.0%	0.0%	0.0%
ステージIV		8.6%	0.0%	15.4%	37.5%	0.0%
不明		10.0%	11.1%	0.0%	33.3%	0.0%
計		4.8%	6.4%	7.1%	10.0%	0.0%
気管支および肺の悪性新生物	(人)	1,312	117	88	77	86
ステージ0		14.3%	100.0%	N/A	0.0%	N/A
ステージI		1.9%	0.0%	8.3%	0.0%	10.0%
ステージII		2.9%	0.0%	0.0%	0.0%	0.0%
ステージIII		8.6%	4.0%	10.0%	0.0%	5.6%
ステージIV		18.7%	10.5%	16.1%	19.2%	23.1%
不明		9.0%	6.3%	11.8%	13.3%	7.7%
計		11.1%	6.0%	11.4%	9.1%	14.0%
急性心筋梗塞	(人)	370	33	30	26	36
Killip I		2.5%	0.0%	0.0%	0.0%	0.0%
Killip II		3.3%	0.0%	0.0%	0.0%	0.0%
Killip III		20.0%	0.0%	66.7%	50.0%	0.0%
Killip IV		52.2%	50.0%	66.7%	100.0%	66.7%
不明		33.3%	0.0%	0.0%	N/A	N/A
計		11.4%	12.1%	20.0%	11.5%	11.1%
肺炎	(人)	3,253	274	294	330	295
軽症		1.7%	0.0%	2.4%	2.1%	0.0%
中等症		9.5%	23.1%	18.5%	6.5%	4.3%
重症		16.1%	13.1%	17.4%	13.9%	17.0%
不明		1.8%	2.8%	2.2%	3.2%	3.4%
計		7.3%	7.7%	8.5%	6.7%	7.1%
喘息	(人)	1,141	59	60	74	97
軽症間欠型		0.3%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.8%	0.0%	0.0%	0.0%	5.9%
重症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
不明		0.0%	0.0%	N/A	N/A	0.0%
計		0.3%	0.0%	0.0%	0.0%	1.0%
脳梗塞	(人)	1,735	139	152	135	156
JCS 0-1		2.6%	1.9%	5.9%	5.4%	1.0%
JCS 2-3		6.3%	5.6%	5.0%	3.4%	2.6%
JCS 10-100		17.1%	30.0%	0.0%	36.4%	16.7%

【重症度別集計】表

(単位:%)		平均	退院年月			
			2013/12	2014/01	2014/02	2014/03
脳梗塞	JCS 200-300	52.3%	66.7%	100.0%	50.0%	75.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	5.8%	7.2%	7.2%	8.1%	4.5%
脳出血	(人)	667	48	72	62	81
	JCS 0-1	2.3%	0.0%	0.0%	0.0%	6.1%
	JCS 2-3	4.3%	0.0%	4.8%	7.1%	0.0%
	JCS 10-100	5.6%	14.3%	0.0%	14.3%	16.7%
	JCS 200-300	63.2%	90.9%	72.7%	50.0%	50.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	14.7%	22.9%	12.5%	12.9%	13.6%
糖尿病	(人)	855	59	54	61	76
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%
	中等症	0.8%	0.0%	0.0%	0.0%	0.0%
	重症	2.2%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.4%	0.0%	0.0%	0.0%	0.0%
大腿骨頸部骨折	(人)	648	64	55	52	52
	重症度Ⅰ	2.6%	0.0%	0.0%	0.0%	7.4%
	重症度Ⅱ	0.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅲ	3.8%	22.2%	0.0%	0.0%	0.0%
	重症度Ⅳ	5.6%	25.0%	0.0%	0.0%	0.0%
	不明	0.0%	0.0%	0.0%	0.0%	0.0%
	計	2.3%	7.8%	0.0%	0.0%	3.8%
胃潰瘍	(人)	252	20	18	21	20
	ショックなし(収縮期血圧90mmHg以上)	1.0%	0.0%	0.0%	0.0%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	7.7%	N/A	0.0%	0.0%	100.0%
	不明	0.0%	0.0%	N/A	N/A	N/A
	計	1.6%	0.0%	0.0%	0.0%	5.0%
急性腸炎	(人)	896	90	70	52	71
	血便なし	0.6%	1.4%	1.7%	0.0%	0.0%
	血便あり	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	0.0%	0.0%	0.0%	N/A
	計	0.6%	1.1%	1.4%	0.0%	0.0%
急性虫垂炎	(人)	703	71	41	42	48
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	4.2%	N/A	N/A	N/A	N/A
	計	0.1%	0.0%	0.0%	0.0%	0.0%
胆石症	(人)	1,413	102	101	96	130
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	1.0%	1.1%	0.0%	0.8%
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	0.0%	0.0%	16.7%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.6%	1.0%	1.0%	1.0%	0.8%
前立腺肥大症	(人)	189	20	11	10	5
	前立腺容積20ml未満	0.0%	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml未満	0.0%	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml以上	0.0%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
白内障	(人)	1,194	85	77	86	81
	1眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
痔核	(人)	140	11	10	13	16
	第一度(出血のみ)	0.0%	0.0%	0.0%	0.0%	0.0%
	第二度(還納可能)	0.0%	N/A	0.0%	0.0%	0.0%
	第三度(脱肛)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
子宮筋腫	(人)	476	46	21	34	39
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
狭心症	(人)	2,070	143	145	144	142
	重症度の指標なし	0.1%	0.0%	0.7%	0.0%	0.7%
	計	0.1%	0.0%	0.7%	0.0%	0.7%
腎結石及び尿管結石	(人)	632	56	36	37	47
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	0.0%	0.0%	0.0%

【重症度別集計】表

(単位:%)		平均	退院年月								
			2013/04	2013/05	2013/06	2013/07	2013/08	2013/09	2013/10	2013/11	
腎結石及び尿管結石	不明	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	576	50	52	63	68	40	43	48	51	
	ステージ0	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	ステージI	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	ステージII	1.6%	0.0%	0.0%	0.0%	4.3%	0.0%	5.6%	0.0%	0.0%	
	ステージIII	3.3%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	
	ステージIV	22.4%	25.0%	37.5%	37.5%	14.3%	0.0%	0.0%	33.3%	22.2%	
	不明	11.8%	16.7%	0.0%	12.5%	0.0%	0.0%	0.0%	0.0%	33.3%	
計	4.3%	4.0%	5.8%	6.3%	4.4%	0.0%	2.3%	2.1%	7.8%		
膝関節症	(人)	386	37	46	37	44	35	33	30	29	
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	骨移植あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	N/A	N/A	N/A	
	不明	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A	N/A	N/A	
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
鼠径ヘルニア	(人)	912	81	78	85	92	104	57	69	63	
	重症度の指標なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
全疾患合計		3.9%	3.9%	3.6%	3.5%	3.2%	3.2%	4.0%	4.1%	4.6%	
集計病院数		-	17	17	17	17	16	16	16	16	

【重症度別集計】表

		平均	退院年月			
			2013/12	2014/01	2014/02	2014/03
腎結石及び尿管結石	不明	0.0%	0.0%	0.0%	N/A	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	576	43	35	40	43
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	0.5%	0.0%	0.0%	0.0%	5.9%
	ステージII	1.6%	0.0%	11.1%	0.0%	0.0%
	ステージIII	3.3%	0.0%	16.7%	0.0%	0.0%
	ステージIV	22.4%	0.0%	33.3%	0.0%	33.3%
	不明	11.8%	50.0%	0.0%	100.0%	0.0%
	計	4.3%	2.3%	8.6%	2.5%	4.7%
膝関節症	(人)	386	23	22	28	22
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%
	骨移植あり	0.0%	N/A	N/A	N/A	N/A
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
鼠径ヘルニア	(人)	912	66	57	78	82
	重症度の指標なし	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
全疾患合計		3.9%	4.1%	5.5%	3.9%	4.1%
集計病院数	-		16	16	16	16