

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201504 ~ 201603  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 退院年月・昇順

## ■ 死亡退院率

	(単位:%)	平均	退院年月							
			2015/04	2015/05	2015/06	2015/07	2015/08	2015/09	2015/10	2015/11
<b>胃の悪性新生物</b>	(人)	586	44	53	49	46	55	52	31	46
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A
ステージI		1.3%	0.0%	0.0%	0.0%	7.1%	8.3%	0.0%	0.0%	0.0%
ステージII		6.9%	16.7%	8.3%	0.0%	0.0%	10.0%	25.0%	0.0%	0.0%
ステージIII		7.9%	16.7%	30.0%	40.0%	0.0%	0.0%	10.0%	0.0%	0.0%
ステージIV		20.4%	30.8%	6.7%	28.6%	11.1%	33.3%	26.3%	30.0%	15.8%
不明		25.0%	25.0%	0.0%	25.0%	0.0%	66.7%	50.0%	0.0%	20.0%
計		11.4%	18.2%	9.4%	18.4%	4.3%	18.2%	15.4%	9.7%	8.7%
<b>結腸の悪性新生物</b>	(人)	957	74	62	74	86	77	79	88	79
ステージ0		3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		1.4%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%
ステージII		3.2%	0.0%	0.0%	0.0%	5.0%	4.2%	4.8%	0.0%	0.0%
ステージIII		3.9%	5.0%	11.8%	4.2%	4.3%	4.8%	3.8%	3.6%	3.2%
ステージIV		10.7%	10.0%	12.5%	10.5%	11.5%	15.8%	4.5%	13.0%	16.7%
不明		19.2%	22.2%	28.6%	14.3%	0.0%	37.5%	28.6%	14.3%	20.0%
計		6.5%	6.8%	9.7%	5.4%	5.8%	11.7%	6.3%	5.7%	6.3%
<b>直腸の悪性新生物</b>	(人)	515	42	30	35	46	41	43	55	44
ステージ0		0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		3.2%	0.0%	0.0%	20.0%	10.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		4.3%	0.0%	28.6%	8.3%	6.3%	0.0%	0.0%	6.3%	7.7%
ステージIV		4.6%	13.3%	0.0%	0.0%	6.7%	5.3%	0.0%	5.9%	0.0%
不明		4.2%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		3.7%	7.1%	6.7%	5.7%	6.5%	2.4%	0.0%	3.6%	2.3%
<b>気管支および肺の悪性新生物</b>	(人)	522	49	39	39	56	32	40	40	44
ステージ0		0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	N/A	N/A
ステージI		6.5%	11.1%	0.0%	0.0%	0.0%	14.3%	0.0%	14.3%	0.0%
ステージII		10.0%	0.0%	0.0%	N/A	25.0%	N/A	0.0%	20.0%	0.0%
ステージIII		13.8%	20.0%	12.5%	0.0%	11.1%	20.0%	0.0%	16.7%	0.0%
ステージIV		22.8%	7.7%	13.3%	40.0%	17.4%	18.2%	25.0%	23.1%	0.0%
不明		13.5%	18.2%	25.0%	11.8%	14.3%	22.2%	9.1%	0.0%	21.4%
計		15.3%	14.3%	12.8%	15.4%	14.3%	18.8%	12.5%	15.0%	6.8%
<b>急性心筋梗塞</b>	(人)	316	31	24	31	14	31	28	28	24
Killip I		1.5%	0.0%	0.0%	0.0%	14.3%	0.0%	0.0%	0.0%	0.0%
Killip II		3.8%	0.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	10.0%
Killip III		20.8%	0.0%	100.0%	N/A	0.0%	0.0%	25.0%	50.0%	0.0%
Killip IV		55.6%	75.0%	0.0%	0.0%	N/A	50.0%	50.0%	50.0%	80.0%
不明		33.3%	0.0%	N/A	100.0%	100.0%	33.3%	0.0%	N/A	25.0%
計		11.7%	9.7%	8.3%	3.2%	14.3%	9.7%	7.1%	10.7%	25.0%
<b>肺炎</b>	(人)	1,893	139	135	158	143	147	142	173	155
軽症		1.8%	2.2%	5.0%	0.0%	4.3%	0.0%	1.8%	1.9%	0.0%
中等症		7.0%	7.1%	5.6%	0.0%	25.0%	0.0%	0.0%	0.0%	18.2%
重症		14.4%	10.0%	9.8%	13.6%	16.1%	7.1%	24.0%	29.2%	15.0%
不明		0.3%	0.0%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%
計		6.8%	5.8%	5.9%	6.3%	9.1%	2.7%	9.2%	11.6%	7.1%
<b>喘息</b>	(人)	367	18	36	24	28	23	60	44	28
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		5.9%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	16.7%	0.0%
不明		0.0%	N/A	0.0%	N/A	0.0%	N/A	N/A	N/A	N/A
計		1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.5%	0.0%
<b>脳梗塞</b>	(人)	1,234	91	117	121	101	114	75	116	99
JCS 0-1		1.5%	1.8%	4.2%	1.6%	0.0%	1.5%	0.0%	2.7%	0.0%
JCS 2-3		3.6%	0.0%	0.0%	4.7%	0.0%	4.9%	4.3%	0.0%	8.0%
JCS 10-100		12.6%	14.3%	0.0%	7.7%	16.7%	28.6%	0.0%	0.0%	20.0%

# 【重症度別集計】表

	(単位:%)	平均	退院年月			
			2015/12	2016/01	2016/02	2016/03
<b>胃の悪性新生物</b>	(人)	586	53	48	46	63
ステージ0		0.0%	0.0%	N/A	0.0%	N/A
ステージI		1.3%	0.0%	0.0%	0.0%	0.0%
ステージII		6.9%	0.0%	16.7%	0.0%	0.0%
ステージIII		7.9%	11.1%	0.0%	0.0%	0.0%
ステージIV		20.4%	25.0%	18.8%	0.0%	11.1%
不明		25.0%	50.0%	16.7%	0.0%	33.3%
計		11.4%	17.0%	10.4%	0.0%	6.3%
<b>結腸の悪性新生物</b>	(人)	957	84	77	79	98
ステージ0		3.7%	0.0%	0.0%	0.0%	50.0%
ステージI		1.4%	0.0%	0.0%	0.0%	0.0%
ステージII		3.2%	0.0%	5.3%	7.7%	9.1%
ステージIII		3.9%	3.4%	3.8%	3.3%	0.0%
ステージIV		10.7%	0.0%	5.6%	9.1%	18.5%
不明		19.2%	0.0%	40.0%	0.0%	0.0%
計		6.5%	1.2%	6.5%	5.1%	8.2%
<b>直腸の悪性新生物</b>	(人)	515	44	55	37	43
ステージ0		0.0%	N/A	0.0%	N/A	N/A
ステージI		0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		3.2%	0.0%	14.3%	0.0%	0.0%
ステージIII		4.3%	0.0%	0.0%	0.0%	0.0%
ステージIV		4.6%	0.0%	0.0%	0.0%	16.7%
不明		4.2%	0.0%	0.0%	0.0%	0.0%
計		3.7%	0.0%	1.8%	0.0%	9.3%
<b>気管支および肺の悪性新生物</b>	(人)	522	43	46	41	53
ステージ0		0.0%	0.0%	N/A	N/A	0.0%
ステージI		6.5%	0.0%	22.2%	0.0%	12.5%
ステージII		10.0%	0.0%	0.0%	0.0%	25.0%
ステージIII		13.8%	16.7%	33.3%	22.2%	0.0%
ステージIV		22.8%	22.2%	40.0%	16.7%	33.3%
不明		13.5%	16.7%	11.1%	0.0%	12.5%
計		15.3%	14.0%	28.3%	9.8%	20.8%
<b>急性心筋梗塞</b>	(人)	316	34	24	18	29
Killip I		1.5%	0.0%	0.0%	0.0%	5.9%
Killip II		3.8%	0.0%	22.2%	0.0%	0.0%
Killip III		20.8%	16.7%	50.0%	0.0%	0.0%
Killip IV		55.6%	66.7%	75.0%	50.0%	100.0%
不明		33.3%	0.0%	0.0%	100.0%	0.0%
計		11.7%	8.8%	25.0%	16.7%	10.3%
<b>肺炎</b>	(人)	1,893	182	169	185	165
軽症		1.8%	1.6%	0.0%	1.7%	3.2%
中等症		7.0%	0.0%	16.0%	8.3%	5.9%
重症		14.4%	20.0%	11.7%	7.5%	9.7%
不明		0.3%	0.0%	0.0%	0.0%	0.0%
計		6.8%	7.1%	6.5%	4.3%	6.1%
<b>喘息</b>	(人)	367	35	28	17	26
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.7%	9.1%	0.0%	0.0%	0.0%
重症持続型		5.9%	0.0%	25.0%	0.0%	0.0%
不明		0.0%	N/A	N/A	N/A	0.0%
計		1.1%	2.9%	3.6%	0.0%	0.0%
<b>脳梗塞</b>	(人)	1,234	111	91	77	121
JCS 0-1		1.5%	0.0%	2.1%	0.0%	2.4%
JCS 2-3		3.6%	10.7%	5.7%	0.0%	4.5%
JCS 10-100		12.6%	16.7%	20.0%	25.0%	0.0%



# 【重症度別集計】表

(単位:%)		平均	退院年月			
			2015/12	2016/01	2016/02	2016/03
脳梗塞	JCS 200-300	40.0%	20.0%	50.0%	0.0%	100.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	3.7%	4.5%	6.6%	2.6%	4.1%
脳出血	(人)	525	60	41	48	52
	JCS 0-1	2.0%	0.0%	0.0%	0.0%	0.0%
	JCS 2-3	5.6%	7.1%	0.0%	25.0%	5.9%
	JCS 10-100	13.4%	18.2%	10.0%	9.1%	25.0%
	JCS 200-300	56.3%	50.0%	87.5%	40.0%	71.4%
	不明	N/A	N/A	N/A	N/A	N/A
計	14.3%	15.0%	19.5%	14.6%	15.4%	
糖尿病	(人)	407	28	30	34	38
	軽症	0.8%	0.0%	0.0%	4.3%	0.0%
	中等症	1.1%	0.0%	0.0%	0.0%	0.0%
	重症	1.5%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
計	1.0%	0.0%	0.0%	2.9%	0.0%	
大腿骨頸部骨折	(人)	429	47	35	38	41
	重症度Ⅰ	0.5%	0.0%	0.0%	4.8%	0.0%
	重症度Ⅱ	1.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅲ	3.3%	0.0%	7.1%	11.1%	0.0%
	重症度Ⅳ	5.6%	N/A	0.0%	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	0.0%
計	1.6%	0.0%	2.9%	5.3%	0.0%	
胃潰瘍	(人)	157	10	15	16	14
	ショックなし(収縮期血圧90mmHg以上)	1.4%	0.0%	0.0%	6.3%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	7.7%	N/A	0.0%	N/A	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	1.9%	0.0%	0.0%	6.3%	0.0%	
急性腸炎	(人)	518	50	49	32	41
	血便なし	0.0%	0.0%	0.0%	0.0%	0.0%
	血便あり	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
急性虫垂炎	(人)	423	32	16	35	45
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	0.0%	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
胆石症	(人)	923	77	67	71	81
	黄疸なし(T Bill 5mg/dl 未満)	0.8%	0.0%	3.4%	3.0%	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	0.8%	0.0%	3.0%	2.8%	0.0%	
前立腺肥大症	(人)	43	7	0	2	9
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	0.0%
	前立腺容積50ml未満	0.0%	N/A	N/A	N/A	0.0%
	前立腺容積50ml以上	0.0%	0.0%	N/A	0.0%	0.0%
	不明	0.0%	0.0%	N/A	N/A	0.0%
計	0.0%	0.0%	N/A	0.0%	0.0%	
白内障	(人)	647	40	43	59	69
	1眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	0.0%	N/A	N/A	N/A	N/A
	不明	0.0%	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
痔核	(人)	109	11	3	9	16
	第一度(出血のみ)	0.0%	0.0%	0.0%	0.0%	0.0%
	第二度(還納可能)	0.0%	0.0%	N/A	0.0%	0.0%
	第三度(脱肛)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	0.0%	0.0%	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
子宮筋腫	(人)	90	6	6	5	13
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	N/A	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
狭心症	(人)	1,688	143	120	136	156
	重症度の指標なし	0.1%	0.7%	0.8%	0.0%	0.0%
計	0.1%	0.7%	0.8%	0.0%	0.0%	
腎結石及び尿管結石	(人)	363	21	18	30	30
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	0.0%	0.0%	0.0%



# 【重症度別集計】表

		平均	退院年月			
			2015/12	2016/01	2016/02	2016/03
腎結石及び尿管結石	不明	0.0%	0.0%	N/A	N/A	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	469	40	34	47	37
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージII	1.2%	0.0%	0.0%	0.0%	0.0%
	ステージIII	3.6%	0.0%	0.0%	16.7%	0.0%
	ステージIV	20.5%	25.0%	25.0%	0.0%	66.7%
	不明	12.5%	50.0%	N/A	0.0%	0.0%
	計	3.6%	7.5%	2.9%	2.1%	5.4%
膝関節症	(人)	311	23	16	20	18
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%
	骨移植あり	0.0%	N/A	0.0%	0.0%	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
鼠径ヘルニア	(人)	574	47	40	43	49
	重症度の指標なし	0.2%	0.0%	0.0%	0.0%	0.0%
	計	0.2%	0.0%	0.0%	0.0%	0.0%
全疾患合計		4.0%	4.2%	5.7%	3.1%	4.2%
集計病院数		-	11	11	11	11