

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201604 ~ 201703  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 退院年月・昇順

## ■ 死亡退院率

	(単位:%)	平均	退院年月							
			2016/04	2016/05	2016/06	2016/07	2016/08	2016/09	2016/10	2016/11
<b>胃の悪性新生物</b>	(人)	578	39	51	54	55	43	52	39	45
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		1.7%	0.0%	0.0%	6.3%	0.0%	0.0%	0.0%	0.0%	7.1%
ステージII		4.5%	0.0%	0.0%	12.5%	0.0%	0.0%	16.7%	0.0%	0.0%
ステージIII		20.2%	12.5%	10.0%	14.3%	9.1%	12.5%	16.7%	0.0%	33.3%
ステージIV		19.5%	20.0%	17.6%	23.5%	30.8%	30.8%	14.3%	30.0%	6.7%
不明		18.6%	0.0%	16.7%	0.0%	20.0%	0.0%	50.0%	40.0%	25.0%
計		11.6%	10.3%	9.8%	13.0%	10.9%	11.6%	13.5%	12.8%	8.9%
<b>結腸の悪性新生物</b>	(人)	946	54	77	80	75	61	79	93	83
ステージ0		0.0%	N/A	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%
ステージI		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		3.8%	0.0%	20.0%	0.0%	0.0%	7.1%	6.7%	4.5%	0.0%
ステージIII		2.5%	0.0%	7.1%	3.6%	0.0%	0.0%	6.9%	3.2%	3.3%
ステージIV		11.7%	8.7%	19.2%	4.8%	14.3%	4.0%	9.1%	20.7%	8.3%
不明		8.6%	25.0%	20.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%
計		5.7%	5.6%	13.0%	2.5%	5.3%	3.3%	7.6%	8.6%	3.6%
<b>直腸の悪性新生物</b>	(人)	523	29	45	39	47	49	45	52	42
ステージ0		0.0%	N/A	0.0%	N/A	0.0%	0.0%	N/A	0.0%	0.0%
ステージI		6.4%	0.0%	0.0%	25.0%	0.0%	20.0%	0.0%	0.0%	0.0%
ステージII		4.7%	20.0%	11.1%	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%
ステージIII		4.2%	20.0%	10.0%	9.1%	0.0%	0.0%	0.0%	0.0%	10.0%
ステージIV		7.0%	7.7%	7.1%	5.9%	0.0%	8.3%	13.0%	9.5%	11.8%
不明		16.7%	0.0%	0.0%	0.0%	0.0%	N/A	50.0%	50.0%	0.0%
計		6.1%	10.3%	6.7%	7.7%	0.0%	6.1%	8.9%	9.6%	7.1%
<b>気管支および肺の悪性新生物</b>	(人)	518	48	41	38	36	35	43	37	51
ステージ0		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ステージI		1.0%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%
ステージII		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%
ステージIII		14.3%	15.4%	33.3%	28.6%	0.0%	16.7%	11.1%	37.5%	0.0%
ステージIV		24.3%	21.4%	28.6%	26.7%	35.3%	13.3%	38.5%	26.7%	27.8%
不明		12.6%	0.0%	14.3%	0.0%	9.1%	0.0%	9.1%	33.3%	15.4%
計		14.5%	10.4%	22.0%	15.8%	22.2%	8.6%	16.3%	24.3%	13.7%
<b>急性心筋梗塞</b>	(人)	289	17	21	25	21	23	20	34	28
Killip I		2.6%	0.0%	0.0%	0.0%	9.1%	0.0%	0.0%	0.0%	9.1%
Killip II		3.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%
Killip III		39.1%	100.0%	100.0%	N/A	66.7%	0.0%	50.0%	0.0%	50.0%
Killip IV		57.1%	N/A	100.0%	100.0%	60.0%	20.0%	100.0%	50.0%	57.1%
不明		20.0%	100.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%
計		13.8%	11.8%	14.3%	4.0%	28.6%	4.3%	20.0%	11.8%	28.6%
<b>肺炎</b>	(人)	1,858	120	126	137	124	135	124	158	170
軽症		3.4%	5.7%	0.0%	6.7%	0.0%	5.3%	2.8%	0.0%	8.9%
中等症		9.5%	0.0%	0.0%	12.5%	14.3%	0.0%	0.0%	6.7%	6.3%
重症		12.2%	18.0%	17.5%	5.8%	4.1%	19.6%	22.6%	12.1%	16.7%
不明		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		7.3%	10.8%	7.9%	5.8%	2.4%	9.6%	10.5%	5.7%	10.0%
<b>喘息</b>	(人)	274	22	15	15	21	21	26	40	28
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		2.9%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
不明		0.0%	N/A							
計		0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
<b>脳梗塞</b>	(人)	1,184	60	96	87	78	104	81	117	104
JCS 0-1		1.8%	2.6%	1.9%	1.9%	0.0%	1.5%	1.7%	1.4%	0.0%
JCS 2-3		7.1%	20.0%	9.7%	0.0%	3.6%	3.1%	18.8%	14.8%	3.1%
JCS 10-100		18.9%	33.3%	16.7%	33.3%	0.0%	40.0%	20.0%	20.0%	10.0%

# 【重症度別集計】表

	(単位:%)	平均	退院年月			
			2016/12	2017/01	2017/02	2017/03
<b>胃の悪性新生物</b>	(人)	578	59	43	44	54
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		1.7%	0.0%	5.9%	0.0%	0.0%
ステージII		4.5%	0.0%	0.0%	0.0%	16.7%
ステージIII		20.2%	0.0%	100.0%	60.0%	57.1%
ステージIV		19.5%	5.6%	54.5%	11.1%	5.9%
不明		18.6%	0.0%	12.5%	33.3%	25.0%
計		11.6%	1.7%	23.3%	13.6%	13.0%
<b>結腸の悪性新生物</b>	(人)	946	96	74	79	95
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		3.8%	0.0%	0.0%	9.1%	0.0%
ステージIII		2.5%	0.0%	0.0%	4.5%	0.0%
ステージIV		11.7%	6.5%	13.0%	12.5%	17.4%
不明		8.6%	0.0%	0.0%	0.0%	25.0%
計		5.7%	2.1%	4.1%	6.3%	6.3%
<b>直腸の悪性新生物</b>	(人)	523	53	51	35	36
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		6.4%	0.0%	20.0%	0.0%	0.0%
ステージII		4.7%	0.0%	12.5%	0.0%	0.0%
ステージIII		4.2%	0.0%	0.0%	8.3%	0.0%
ステージIV		7.0%	7.7%	4.3%	6.7%	0.0%
不明		16.7%	0.0%	25.0%	N/A	0.0%
計		6.1%	3.8%	7.8%	5.7%	0.0%
<b>気管支および肺の悪性新生物</b>	(人)	518	66	38	41	44
ステージ0		N/A	N/A	N/A	N/A	N/A
ステージI		1.0%	0.0%	0.0%	0.0%	0.0%
ステージII		0.0%	0.0%	0.0%	0.0%	N/A
ステージIII		14.3%	7.7%	0.0%	0.0%	15.4%
ステージIV		24.3%	9.1%	20.0%	8.3%	40.0%
不明		12.6%	13.3%	16.7%	22.2%	16.7%
計		14.5%	7.6%	10.5%	7.3%	20.5%
<b>急性心筋梗塞</b>	(人)	289	28	23	21	28
Killip I		2.6%	0.0%	18.2%	0.0%	0.0%
Killip II		3.1%	10.0%	0.0%	0.0%	0.0%
Killip III		39.1%	50.0%	0.0%	0.0%	50.0%
Killip IV		57.1%	0.0%	60.0%	N/A	75.0%
不明		20.0%	N/A	N/A	N/A	N/A
計		13.8%	7.1%	21.7%	0.0%	14.3%
<b>肺炎</b>	(人)	1,858	205	202	188	169
軽症		3.4%	1.4%	1.7%	3.5%	5.3%
中等症		9.5%	5.9%	20.0%	13.3%	16.7%
重症		12.2%	8.0%	11.7%	6.5%	8.7%
不明		0.0%	0.0%	0.0%	0.0%	0.0%
計		7.3%	4.4%	8.9%	5.3%	7.1%
<b>喘息</b>	(人)	274	29	21	16	20
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		2.9%	0.0%	50.0%	N/A	0.0%
不明		0.0%	N/A	N/A	N/A	0.0%
計		0.4%	0.0%	4.8%	0.0%	0.0%
<b>脳梗塞</b>	(人)	1,184	139	106	113	99
JCS 0-1		1.8%	1.1%	1.5%	4.8%	2.9%
JCS 2-3		7.1%	3.2%	7.4%	8.6%	4.3%
JCS 10-100		18.9%	0.0%	10.0%	45.5%	0.0%



# 【重症度別集計】表

(単位:%)		平均	退院年月			
			2016/12	2017/01	2017/02	2017/03
脳梗塞	JCS 200-300	50.0%	0.0%	66.7%	50.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	5.7%	1.4%	5.7%	11.5%	3.0%
脳出血	(人)	480	52	36	45	53
	JCS 0-1	3.6%	3.8%	0.0%	0.0%	4.5%
	JCS 2-3	4.9%	0.0%	0.0%	7.7%	16.7%
	JCS 10-100	12.0%	20.0%	11.1%	18.2%	6.3%
	JCS 200-300	48.1%	50.0%	33.3%	71.4%	44.4%
	不明	N/A	N/A	N/A	N/A	N/A
計	13.1%	11.5%	8.3%	17.8%	13.2%	
糖尿病	(人)	348	28	19	19	33
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%
	中等症	1.8%	0.0%	0.0%	0.0%	0.0%
	重症	1.9%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	0.9%	0.0%	0.0%	0.0%	0.0%	
大腿骨頸部骨折	(人)	393	47	44	31	32
	重症度Ⅰ	1.6%	4.5%	0.0%	0.0%	0.0%
	重症度Ⅱ	1.9%	0.0%	12.5%	0.0%	0.0%
	重症度Ⅲ	1.3%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅳ	8.0%	50.0%	33.3%	N/A	0.0%
	不明	0.0%	N/A	0.0%	N/A	0.0%
計	2.0%	4.3%	6.8%	0.0%	0.0%	
胃潰瘍	(人)	138	20	7	10	12
	ショックなし(収縮期血圧90mmHg以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
急性腸炎	(人)	559	58	50	34	42
	血便なし	0.4%	0.0%	0.0%	0.0%	2.6%
	血便あり	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
計	0.4%	0.0%	0.0%	0.0%	2.4%	
急性虫垂炎	(人)	377	29	24	27	22
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
胆石症	(人)	955	83	76	66	75
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	0.0%	1.5%	0.0%	1.4%
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	0.7%	0.0%	1.3%	0.0%	1.3%	
前立腺肥大症	(人)	54	6	4	3	1
	前立腺容積20ml未満	0.0%	N/A	N/A	N/A	N/A
	前立腺容積50ml未満	0.0%	N/A	0.0%	0.0%	0.0%
	前立腺容積50ml以上	0.0%	0.0%	N/A	0.0%	N/A
	不明	0.0%	0.0%	0.0%	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
白内障	(人)	588	47	51	61	62
	1眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	0.0%	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
痔核	(人)	109	8	4	11	21
	第一度(出血のみ)	0.0%	0.0%	N/A	0.0%	0.0%
	第二度(還納可能)	0.0%	0.0%	N/A	0.0%	0.0%
	第三度(脱肛)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	0.0%	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
子宮筋腫	(人)	115	10	12	12	13
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
狭心症	(人)	1,649	147	127	144	172
	重症度の指標なし	0.1%	0.0%	0.0%	0.0%	0.0%
計	0.1%	0.0%	0.0%	0.0%	0.0%	
腎結石及び尿管結石	(人)	352	32	19	29	31
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	0.0%	0.0%	0.0%

# 【重症度別集計】表

(単位:%)		平均	退院年月							
			2016/04	2016/05	2016/06	2016/07	2016/08	2016/09	2016/10	2016/11
腎結石及び尿管結石	不明	0.0%	N/A	N/A	N/A	N/A	0.0%	0.0%	0.0%	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	436	22	37	23	48	37	33	41	36
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	0.7%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%
	ステージII	1.5%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%	7.7%	0.0%
	ステージIII	5.5%	0.0%	20.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%
	ステージIV	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%
計	1.8%	0.0%	5.4%	0.0%	2.1%	2.7%	3.0%	2.4%	0.0%	
膝関節症	(人)	77	24	18	3	2	1	7	6	6
	骨移植なし	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%
	骨移植あり	0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	N/A	0.0%
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
鼠径ヘルニア	(人)	535	31	41	49	51	51	46	39	53
	重症度の指標なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
全疾患合計		4.2%	4.7%	5.1%	3.7%	3.1%	3.9%	5.3%	5.2%	4.1%
集計病院数		-	9	10	10	10	10	10	11	11

# 【重症度別集計】表

		平均	退院年月			
			2016/12	2017/01	2017/02	2017/03
腎結石及び尿管結石	不明	0.0%	0.0%	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	436	37	44	34	44
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	0.7%	0.0%	0.0%	0.0%	0.0%
	ステージII	1.5%	0.0%	0.0%	0.0%	0.0%
	ステージIII	5.5%	0.0%	0.0%	0.0%	10.0%
	ステージIV	0.0%	N/A	0.0%	0.0%	0.0%
	不明	5.3%	0.0%	0.0%	33.3%	0.0%
	計	1.8%	0.0%	0.0%	2.9%	2.3%
膝関節症	(人)	77	2	1	3	4
	骨移植なし	0.0%	N/A	0.0%	0.0%	0.0%
	骨移植あり	0.0%	0.0%	N/A	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
鼠径ヘルニア	(人)	535	55	33	42	44
	重症度の指標なし	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
全疾患合計		4.2%	2.3%	5.2%	4.3%	4.2%
集計病院数	-		11	11	10	10