

【重症度別集計】表

絞込条件

対象年月設定: 201704 ~ 201803
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 死亡退院率

	(単位:%)	平均	退院年月							
			2017/04	2017/05	2017/06	2017/07	2017/08	2017/09	2017/10	2017/11
胃の悪性新生物	(人)	491	36	31	38	47	46	43	49	37
ステージ0		0.0%	N/A	0.0%						
ステージI		2.5%	0.0%	0.0%	0.0%	8.3%	0.0%	7.7%	0.0%	0.0%
ステージII		10.9%	16.7%	0.0%	0.0%	33.3%	33.3%	0.0%	16.7%	0.0%
ステージIII		18.8%	50.0%	0.0%	0.0%	33.3%	25.0%	16.7%	0.0%	40.0%
ステージIV		19.1%	26.7%	25.0%	8.3%	28.6%	14.3%	33.3%	21.1%	9.1%
不明		36.4%	0.0%	75.0%	0.0%	0.0%	40.0%	60.0%	33.3%	100.0%
計		13.8%	16.7%	19.4%	2.6%	21.3%	15.2%	23.3%	12.2%	13.5%
結腸の悪性新生物	(人)	755	67	71	73	75	61	65	60	68
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%	N/A	0.0%	0.0%	N/A
ステージI		1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%
ステージIII		3.4%	0.0%	0.0%	4.2%	0.0%	8.0%	4.8%	0.0%	0.0%
ステージIV		11.9%	6.3%	12.5%	23.5%	16.7%	17.6%	4.5%	10.5%	23.5%
不明		7.8%	0.0%	0.0%	14.3%	20.0%	0.0%	0.0%	50.0%	0.0%
計		5.6%	1.5%	2.8%	8.2%	6.7%	8.2%	3.1%	5.0%	7.4%
直腸の悪性新生物	(人)	424	36	36	35	28	32	41	34	33
ステージ0		0.0%	0.0%	0.0%	0.0%	N/A	0.0%	N/A	0.0%	N/A
ステージI		5.7%	25.0%	0.0%	0.0%	0.0%	0.0%	16.7%	25.0%	0.0%
ステージII		6.2%	0.0%	12.5%	0.0%	0.0%	12.5%	0.0%	12.5%	0.0%
ステージIII		3.6%	6.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージIV		6.6%	0.0%	0.0%	22.2%	10.0%	10.0%	6.3%	8.3%	0.0%
不明		0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%
計		5.2%	5.6%	2.8%	5.7%	3.6%	6.3%	4.9%	8.8%	0.0%
気管支および肺の悪性新生物	(人)	515	33	29	46	46	41	54	31	34
ステージ0		0.0%	N/A	0.0%	0.0%	N/A	0.0%	N/A	0.0%	N/A
ステージI		3.1%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		7.2%	16.7%	0.0%	0.0%	25.0%	11.1%	7.7%	20.0%	0.0%
ステージIV		14.8%	9.1%	21.4%	5.9%	10.5%	18.8%	8.3%	25.0%	25.0%
不明		8.9%	0.0%	33.3%	18.2%	20.0%	0.0%	15.4%	0.0%	0.0%
計		9.1%	6.1%	13.8%	8.7%	13.0%	9.8%	7.4%	12.9%	8.8%
急性心筋梗塞	(人)	306	30	28	22	31	19	28	16	29
Killip I		3.1%	0.0%	0.0%	5.9%	0.0%	8.3%	0.0%	12.5%	8.3%
Killip II		5.7%	12.5%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	10.0%
Killip III		36.8%	0.0%	N/A	0.0%	100.0%	0.0%	100.0%	0.0%	33.3%
Killip IV		58.1%	100.0%	40.0%	N/A	80.0%	0.0%	0.0%	50.0%	66.7%
不明		55.6%	66.7%	N/A	100.0%	N/A	0.0%	N/A	0.0%	100.0%
計		13.1%	16.7%	7.1%	9.1%	16.1%	5.3%	17.9%	12.5%	20.7%
肺炎	(人)	1,687	158	183	141	135	143	108	107	119
軽症		1.4%	1.8%	5.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症		7.6%	0.0%	10.0%	5.9%	0.0%	0.0%	11.1%	0.0%	35.7%
重症		13.0%	9.5%	13.1%	20.0%	9.5%	10.3%	12.8%	17.0%	11.3%
不明		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		7.4%	5.1%	8.7%	9.9%	4.4%	4.9%	6.5%	7.5%	9.2%
喘息	(人)	257	20	31	22	26	15	34	25	21
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		3.1%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	0.0%
不明		0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
計		0.4%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%
脳梗塞	(人)	1,218	111	108	111	104	118	106	107	90
JCS 0-1		1.9%	2.8%	2.6%	2.7%	1.6%	1.1%	4.8%	1.4%	0.0%
JCS 2-3		3.4%	3.4%	0.0%	0.0%	7.4%	0.0%	0.0%	3.7%	7.7%
JCS 10-100		15.5%	11.1%	0.0%	0.0%	22.2%	28.6%	25.0%	12.5%	11.1%

【重症度別集計】表

	(単位:%)	平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
胃の悪性新生物	(人)	491	49	45	40	30
ステージ0		0.0%	N/A	N/A	N/A	N/A
ステージI		2.5%	6.3%	0.0%	6.7%	0.0%
ステージII		10.9%	0.0%	25.0%	0.0%	0.0%
ステージIII		18.8%	25.0%	14.3%	0.0%	33.3%
ステージIV		19.1%	11.8%	27.8%	10.0%	0.0%
不明		36.4%	0.0%	0.0%	100.0%	0.0%
計		13.8%	10.2%	15.6%	7.5%	6.7%
結腸の悪性新生物	(人)	755	56	48	56	55
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		1.9%	0.0%	50.0%	0.0%	0.0%
ステージII		0.7%	0.0%	0.0%	0.0%	0.0%
ステージIII		3.4%	12.5%	0.0%	4.2%	12.5%
ステージIV		11.9%	14.3%	6.3%	0.0%	5.3%
不明		7.8%	0.0%	0.0%	20.0%	20.0%
計		5.6%	8.9%	4.2%	3.6%	7.3%
直腸の悪性新生物	(人)	424	43	37	45	24
ステージ0		0.0%	N/A	N/A	0.0%	N/A
ステージI		5.7%	0.0%	0.0%	0.0%	0.0%
ステージII		6.2%	20.0%	0.0%	0.0%	0.0%
ステージIII		3.6%	0.0%	16.7%	0.0%	16.7%
ステージIV		6.6%	0.0%	5.3%	11.1%	14.3%
不明		0.0%	0.0%	0.0%	0.0%	N/A
計		5.2%	2.3%	8.1%	4.4%	12.5%
気管支および肺の悪性新生物	(人)	515	48	46	48	59
ステージ0		0.0%	N/A	N/A	N/A	N/A
ステージI		3.1%	0.0%	14.3%	10.0%	0.0%
ステージII		2.4%	0.0%	0.0%	0.0%	20.0%
ステージIII		7.2%	0.0%	0.0%	9.1%	0.0%
ステージIV		14.8%	11.8%	14.3%	19.0%	12.5%
不明		8.9%	0.0%	0.0%	0.0%	0.0%
計		9.1%	4.2%	8.7%	12.5%	6.8%
急性心筋梗塞	(人)	306	31	17	28	27
Killip I		3.1%	0.0%	0.0%	7.7%	0.0%
Killip II		5.7%	7.7%	0.0%	0.0%	0.0%
Killip III		36.8%	33.3%	N/A	100.0%	0.0%
Killip IV		58.1%	100.0%	0.0%	60.0%	33.3%
不明		55.6%	N/A	100.0%	0.0%	N/A
計		13.1%	16.1%	5.9%	17.9%	3.7%
肺炎	(人)	1,687	152	156	164	121
軽症		1.4%	2.6%	2.4%	0.0%	0.0%
中等症		7.6%	0.0%	5.3%	27.3%	0.0%
重症		13.0%	12.7%	14.7%	14.3%	11.4%
不明		0.0%	0.0%	0.0%	0.0%	0.0%
計		7.4%	7.2%	8.3%	9.1%	6.6%
喘息	(人)	257	19	19	14	11
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		3.1%	0.0%	0.0%	0.0%	N/A
不明		0.0%	0.0%	0.0%	N/A	N/A
計		0.4%	0.0%	0.0%	0.0%	0.0%
脳梗塞	(人)	1,218	113	93	81	76
JCS 0-1		1.9%	0.0%	1.8%	2.1%	1.7%
JCS 2-3		3.4%	11.1%	3.7%	0.0%	0.0%
JCS 10-100		15.5%	16.7%	25.0%	28.6%	14.3%

【重症度別集計】表

		平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
脳梗塞	JCS 200-300	54.5%	N/A	50.0%	N/A	100.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	4.4%	4.4%	5.4%	3.7%	3.9%
脳出血	(人)	432	29	32	40	34
	JCS 0-1	3.7%	8.3%	6.7%	8.3%	0.0%
	JCS 2-3	4.4%	0.0%	0.0%	11.1%	0.0%
	JCS 10-100	12.5%	28.6%	0.0%	23.1%	0.0%
	JCS 200-300	54.7%	50.0%	25.0%	66.7%	57.1%
	不明	N/A	N/A	N/A	N/A	N/A
	計	14.8%	17.2%	6.3%	22.5%	11.8%
糖尿病	(人)	345	29	21	30	24
	軽症	1.0%	0.0%	14.3%	0.0%	0.0%
	中等症	1.2%	0.0%	12.5%	0.0%	0.0%
	重症	6.5%	20.0%	0.0%	25.0%	0.0%
	不明	0.0%	0.0%	N/A	N/A	N/A
	計	1.7%	3.4%	9.5%	3.3%	0.0%
大腿骨頸部骨折	(人)	379	37	38	22	22
	重症度Ⅰ	0.6%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅱ	1.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅲ	3.6%	0.0%	0.0%	40.0%	0.0%
	重症度Ⅳ	3.8%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	0.0%	N/A	N/A	N/A
	計	1.6%	0.0%	0.0%	9.1%	0.0%
胃潰瘍	(人)	133	14	7	10	9
	ショックなし(収縮期血圧90mmHg以上)	2.4%	7.7%	0.0%	11.1%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	20.0%	0.0%	100.0%	0.0%	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	3.8%	7.1%	14.3%	10.0%	0.0%
急性腸炎	(人)	487	36	29	35	33
	血便なし	0.7%	0.0%	0.0%	3.3%	0.0%
	血便あり	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.6%	0.0%	0.0%	2.9%	0.0%
急性虫垂炎	(人)	368	32	26	19	15
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
胆石症	(人)	910	80	44	55	66
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	0.0%	0.0%	0.0%	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.4%	0.0%	0.0%	0.0%	0.0%
前立腺肥大症	(人)	43	1	3	5	4
	前立腺容積20ml未満	0.0%	N/A	0.0%	N/A	N/A
	前立腺容積50ml未満	0.0%	N/A	0.0%	0.0%	0.0%
	前立腺容積50ml以上	0.0%	N/A	0.0%	0.0%	N/A
	不明	0.0%	0.0%	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
白内障	(人)	530	31	38	48	17
	1眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	0.0%	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
痔核	(人)	105	12	8	6	8
	第一度(出血のみ)	0.0%	0.0%	0.0%	0.0%	0.0%
	第二度(還納可能)	0.0%	0.0%	0.0%	0.0%	0.0%
	第三度(脱肛)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
子宮筋腫	(人)	118	7	13	7	2
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
狭心症	(人)	1,534	124	114	119	118
	重症度の指標なし	0.2%	0.8%	0.0%	0.0%	0.0%
	計	0.2%	0.8%	0.0%	0.0%	0.0%
腎結石及び尿管結石	(人)	306	31	19	25	12
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	0.0%	0.0%	0.0%

【重症度別集計】表

		平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
腎結石及び尿管結石	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	389	32	26	28	23
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	0.8%	0.0%	0.0%	0.0%	0.0%
	ステージII	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージIII	7.7%	20.0%	25.0%	50.0%	0.0%
	ステージIV	5.9%	N/A	0.0%	0.0%	0.0%
	不明	3.8%	0.0%	0.0%	N/A	0.0%
	計	1.8%	3.1%	3.8%	3.6%	0.0%
膝関節症	(人)	104	31	14	18	21
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%
	骨移植あり	0.0%	0.0%	0.0%	0.0%	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
鼠径ヘルニア	(人)	481	41	31	36	28
	重症度の指標なし	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
全疾患合計		4.0%	4.0%	4.4%	5.2%	3.5%
集計病院数		-	9	7	7	6