

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201804 ~ 201903  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 退院年月・昇順

## ■ 死亡退院率

	(単位:%)	平均	退院年月							
			2018/04	2018/05	2018/06	2018/07	2018/08	2018/09	2018/10	2018/11
<b>胃の悪性新生物</b>	(人)	-	-	-	-	-	-	-	-	-
ステージ0		0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	N/A	N/A
ステージI		1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		5.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	0.0%	25.0%
ステージIII		13.8%	0.0%	33.3%	12.5%	25.0%	16.7%	0.0%	0.0%	20.0%
ステージIV		20.1%	0.0%	25.0%	23.1%	28.6%	0.0%	30.0%	18.2%	22.2%
不明		28.6%	N/A	0.0%	50.0%	33.3%	50.0%	0.0%	50.0%	0.0%
計		12.3%	0.0%	13.8%	13.2%	21.7%	6.5%	9.7%	10.8%	14.0%
<b>結腸の悪性新生物</b>	(人)	-	-	-	-	-	-	-	53	-
ステージ0		0.0%	N/A	N/A	0.0%	0.0%	N/A	N/A	0.0%	0.0%
ステージI		6.5%	0.0%	50.0%	0.0%	0.0%	20.0%	0.0%	0.0%	14.3%
ステージII		7.2%	0.0%	16.7%	10.0%	0.0%	9.1%	12.5%	20.0%	0.0%
ステージIII		7.1%	20.0%	8.3%	0.0%	17.6%	0.0%	6.3%	0.0%	12.5%
ステージIV		11.1%	8.3%	18.8%	0.0%	10.0%	15.4%	9.1%	20.0%	0.0%
不明		7.1%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%
計		8.0%	9.1%	15.4%	2.2%	10.9%	8.5%	7.9%	7.5%	7.5%
<b>直腸の悪性新生物</b>	(人)	-	-	-	-	-	-	-	-	-
ステージ0		0.0%	N/A	0.0%	N/A	0.0%	N/A	0.0%	N/A	0.0%
ステージI		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		3.0%	11.1%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%
ステージIV		9.4%	0.0%	6.7%	7.7%	0.0%	9.1%	12.5%	0.0%	14.3%
不明		7.7%	0.0%	N/A	50.0%	0.0%	0.0%	N/A	0.0%	N/A
計		5.2%	4.0%	3.4%	6.5%	3.8%	3.2%	4.8%	0.0%	3.2%
<b>気管支および肺の悪性新生物</b>	(人)	-	-	-	-	-	-	-	-	-
ステージ0		20.0%	N/A	N/A	100.0%	N/A	0.0%	0.0%	0.0%	0.0%
ステージI		4.5%	0.0%	14.3%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%
ステージII		3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%
ステージIII		12.9%	6.7%	20.0%	12.5%	0.0%	0.0%	12.5%	28.6%	23.1%
ステージIV		16.3%	23.1%	10.0%	14.8%	18.5%	25.0%	7.7%	8.3%	20.0%
不明		8.3%	20.0%	0.0%	16.7%	0.0%	25.0%	0.0%	22.2%	12.5%
計		11.5%	12.2%	10.3%	12.5%	8.6%	14.6%	5.3%	15.4%	15.7%
<b>急性心筋梗塞</b>	(人)	-	-	-	-	-	-	-	-	-
Killip I		0.7%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Killip II		8.2%	0.0%	0.0%	16.7%	0.0%	0.0%	33.3%	0.0%	0.0%
Killip III		42.1%	100.0%	0.0%	0.0%	N/A	100.0%	0.0%	100.0%	50.0%
Killip IV		48.6%	50.0%	33.3%	50.0%	0.0%	33.3%	66.7%	50.0%	40.0%
不明		50.0%	0.0%	N/A	0.0%	0.0%	N/A	N/A	100.0%	100.0%
計		13.7%	13.3%	5.0%	15.8%	0.0%	10.0%	13.0%	26.7%	20.0%
<b>肺炎</b>	(人)	-	85	82	76	87	-	-	83	-
軽症		3.3%	9.1%	8.3%	0.0%	6.7%	0.0%	0.0%	3.4%	10.7%
中等症		6.5%	12.5%	12.5%	0.0%	0.0%	0.0%	16.7%	12.5%	0.0%
重症		11.3%	10.4%	6.4%	10.5%	12.5%	11.1%	7.7%	14.0%	13.3%
不明		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	N/A	0.0%	0.0%
計		8.0%	9.4%	7.3%	5.3%	8.0%	6.3%	5.8%	9.6%	11.3%
<b>喘息</b>	(人)	-	-	-	-	-	-	-	-	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
軽症持続型		2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		5.3%	0.0%	0.0%	0.0%	N/A	50.0%	N/A	0.0%	0.0%
不明		0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	N/A
計		1.2%	0.0%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%	0.0%
<b>脳梗塞</b>	(人)	-	-	-	-	-	-	-	-	-
JCS 0-1		0.8%	0.0%	1.6%	0.0%	0.0%	0.0%	0.0%	2.1%	0.0%
JCS 2-3		5.2%	7.1%	0.0%	0.0%	0.0%	6.7%	0.0%	13.6%	8.0%
JCS 10-100		16.4%	20.0%	25.0%	0.0%	25.0%	33.3%	12.5%	25.0%	0.0%

# 【重症度別集計】表

	(単位:%)	平均	退院年月			
			2018/12	2019/01	2019/02	2019/03
胃の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	N/A	N/A	N/A	N/A
ステージI		1.6%	18.2%	0.0%	0.0%	0.0%
ステージII		5.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		13.8%	0.0%	33.3%	0.0%	25.0%
ステージIV		20.1%	23.1%	17.6%	0.0%	26.7%
不明		28.6%	0.0%	0.0%	N/A	100.0%
計		12.3%	17.2%	12.9%	0.0%	17.6%
結腸の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		6.5%	0.0%	0.0%	0.0%	0.0%
ステージII		7.2%	0.0%	0.0%	33.3%	0.0%
ステージIII		7.1%	5.3%	0.0%	10.5%	5.3%
ステージIV		11.1%	0.0%	42.9%	14.3%	0.0%
不明		7.1%	0.0%	0.0%	100.0%	0.0%
計		8.0%	2.6%	8.1%	14.0%	2.1%
直腸の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	N/A	0.0%	N/A	0.0%
ステージI		0.0%	N/A	0.0%	0.0%	0.0%
ステージII		1.8%	0.0%	0.0%	0.0%	25.0%
ステージIII		3.0%	0.0%	12.5%	0.0%	0.0%
ステージIV		9.4%	18.2%	27.3%	8.3%	7.1%
不明		7.7%	0.0%	N/A	0.0%	0.0%
計		5.2%	6.9%	14.3%	3.2%	7.1%
気管支および肺の悪性新生物	(人)	-	-	-	-	-
ステージ0		20.0%	N/A	N/A	N/A	N/A
ステージI		4.5%	14.3%	0.0%	11.1%	0.0%
ステージII		3.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		12.9%	33.3%	0.0%	12.5%	12.5%
ステージIV		16.3%	6.7%	16.7%	20.0%	23.1%
不明		8.3%	0.0%	0.0%	0.0%	16.7%
計		11.5%	9.8%	5.9%	12.2%	13.9%
急性心筋梗塞	(人)	-	-	-	-	-
Killip I		0.7%	0.0%	0.0%	0.0%	0.0%
Killip II		8.2%	0.0%	16.7%	40.0%	0.0%
Killip III		42.1%	33.3%	0.0%	50.0%	0.0%
Killip IV		48.6%	50.0%	0.0%	66.7%	80.0%
不明		50.0%	100.0%	N/A	N/A	0.0%
計		13.7%	8.8%	5.9%	24.2%	16.7%
肺炎	(人)	-	73	160	-	-
軽症		3.3%	0.0%	0.0%	0.0%	4.3%
中等症		6.5%	0.0%	11.8%	6.3%	0.0%
重症		11.3%	4.8%	19.6%	8.5%	9.6%
不明		0.0%	0.0%	0.0%	0.0%	N/A
計		8.0%	2.7%	13.1%	5.9%	7.1%
喘息	(人)	-	-	-	-	-
軽症間欠型		0.0%	0.0%	N/A	0.0%	0.0%
軽症持続型		2.6%	0.0%	16.7%	0.0%	N/A
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		5.3%	0.0%	0.0%	0.0%	N/A
不明		0.0%	N/A	N/A	N/A	N/A
計		1.2%	0.0%	5.3%	0.0%	0.0%
脳梗塞	(人)	-	-	-	-	-
JCS 0-1		0.8%	4.3%	0.0%	2.9%	0.0%
JCS 2-3		5.2%	14.3%	0.0%	9.5%	0.0%
JCS 10-100		16.4%	12.5%	20.0%	16.7%	14.3%



# 【重症度別集計】表

		平均	退院年月			
			2018/12	2019/01	2019/02	2019/03
脳梗塞	JCS 200-300	38.9%	N/A	N/A	50.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	3.6%	8.0%	1.4%	7.8%	1.1%
脳出血	(人)	-	-	-	-	-
	JCS 0-1	1.5%	0.0%	0.0%	6.7%	0.0%
	JCS 2-3	6.3%	0.0%	11.1%	0.0%	11.1%
	JCS 10-100	3.1%	0.0%	0.0%	12.5%	0.0%
	JCS 200-300	60.9%	80.0%	33.3%	62.5%	62.5%
	不明	N/A	N/A	N/A	N/A	N/A
	計	14.0%	17.4%	8.0%	18.4%	20.7%
糖尿病	(人)	-	-	-	-	-
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%
	中等症	0.0%	0.0%	0.0%	0.0%	0.0%
	重症	4.8%	0.0%	0.0%	0.0%	33.3%
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.9%	0.0%	0.0%	0.0%	5.3%
大腿骨頸部骨折	(人)	-	-	-	-	-
	重症度Ⅰ	0.7%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅱ	0.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅲ	0.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅳ	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	0.0%	N/A	N/A	N/A
	計	0.4%	0.0%	0.0%	0.0%	0.0%
胃潰瘍	(人)	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	0.0%	N/A	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
急性腸炎	(人)	-	-	-	-	-
	血便なし	0.0%	0.0%	0.0%	0.0%	0.0%
	血便あり	4.5%	0.0%	50.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.7%	0.0%	8.3%	0.0%	0.0%
急性虫垂炎	(人)	-	-	-	-	-
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	N/A	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
胆石症	(人)	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	2.7%	0.0%	0.0%	2.5%
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.5%	2.6%	0.0%	0.0%	2.3%
前立腺肥大症	(人)	-	-	-	-	-
	前立腺容積20ml未満	0.0%	N/A	N/A	N/A	N/A
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	0.0%
	前立腺容積50ml以上	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	0.0%	0.0%	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
白内障	(人)	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	0.0%	0.0%	N/A	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
痔核	(人)	-	-	-	-	-
	第一度(出血のみ)	0.0%	N/A	N/A	0.0%	0.0%
	第二度(還納可能)	N/A	N/A	N/A	N/A	N/A
	第三度(脱肛)	0.0%	N/A	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A
	計	0.0%	N/A	0.0%	0.0%	0.0%
子宮筋腫	(人)	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
狭心症	(人)	1,328	98	108	100	92
	重症度の指標なし	0.1%	0.0%	0.0%	0.0%	0.0%
	計	0.1%	0.0%	0.0%	0.0%	0.0%
腎結石及び尿管結石	(人)	-	-	-	-	-
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	0.0%	0.0%	0.0%

# 【重症度別集計】表

(単位:%)		平均	退院年月								
			2018/04	2018/05	2018/06	2018/07	2018/08	2018/09	2018/10	2018/11	
腎結石及び尿管結石	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	-	-	-	-	-	-	-	-	-	-
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	
	ステージI	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	ステージII	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	ステージIII	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	ステージIV	8.3%	100.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	
	不明	0.0%	N/A	N/A	0.0%	N/A	0.0%	N/A	0.0%	N/A	
計	1.2%	4.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
膝関節症	(人)	-	-	-	-	-	-	-	-	-	-
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	骨移植あり	0.0%	N/A	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	N/A	
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
鼠径ヘルニア	(人)	423	33	32	34	38	36	41	39	36	
	重症度の指標なし	0.2%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	計	0.2%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
全疾患合計		4.2%	3.7%	3.8%	3.4%	3.9%	3.4%	3.1%	5.0%	5.1%	
集計病院数		-	6	6	6	6	6	5	6	6	

# 【重症度別集計】表

		平均	退院年月			
			2018/12	2019/01	2019/02	2019/03
腎結石及び尿管結石	不明	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	-	-	-	-	-
	ステージ0	0.0%	0.0%	0.0%	N/A	0.0%
	ステージI	0.9%	0.0%	10.0%	0.0%	0.0%
	ステージII	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージIII	2.9%	0.0%	33.3%	0.0%	0.0%
	ステージIV	8.3%	N/A	N/A	N/A	N/A
	不明	0.0%	N/A	N/A	N/A	N/A
計	1.2%	0.0%	11.8%	0.0%	0.0%	
膝関節症	(人)	-	-	-	-	-
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%
	骨移植あり	0.0%	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	0.0%	0.0%	0.0%	
鼠径ヘルニア	(人)	423	35	33	30	36
	重症度の指標なし	0.2%	0.0%	0.0%	0.0%	0.0%
計	0.2%	0.0%	0.0%	0.0%	0.0%	
全疾患合計		4.2%	3.9%	5.3%	5.1%	4.7%
集計病院数		-	6	6	6	6