

【重症度別集計】表

絞込条件

対象年月設定: 201904 ~ 202003
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 死亡退院率

	(単位:%)	平均	退院年月							
			2019/04	2019/05	2019/06	2019/07	2019/08	2019/09	2019/10	2019/11
胃の悪性新生物	(人)	-	-	-	-	-	-	-	-	-
ステージ0		0.0%	N/A	N/A	0.0%	0.0%	0.0%	N/A	N/A	N/A
ステージI		3.1%	9.1%	8.3%	14.3%	9.1%	0.0%	0.0%	0.0%	0.0%
ステージII		22.2%	0.0%	42.9%	20.0%	20.0%	0.0%	25.0%	0.0%	33.3%
ステージIII		13.0%	40.0%	0.0%	0.0%	25.0%	50.0%	0.0%	20.0%	0.0%
ステージIV		23.7%	29.4%	16.7%	9.1%	22.2%	18.2%	42.9%	25.0%	50.0%
不明		13.6%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		14.0%	21.6%	20.0%	11.1%	16.1%	11.1%	13.8%	11.5%	8.0%
結腸の悪性新生物	(人)	-	-	-	-	-	-	53	46	-
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%
ステージI		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		4.5%	16.7%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	11.1%
ステージIII		4.7%	5.0%	0.0%	5.9%	0.0%	0.0%	4.8%	7.1%	10.0%
ステージIV		10.4%	11.8%	7.1%	6.3%	15.8%	25.0%	28.6%	7.1%	5.6%
不明		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		5.7%	8.2%	1.9%	5.2%	6.4%	10.3%	9.4%	4.3%	6.5%
直腸の悪性新生物	(人)	-	-	-	-	-	-	-	-	-
ステージ0		0.0%	0.0%	N/A	0.0%	0.0%	0.0%	N/A	N/A	0.0%
ステージI		0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		1.4%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		3.3%	6.3%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	10.0%
ステージIV		14.3%	40.0%	20.0%	0.0%	0.0%	33.3%	20.0%	14.3%	0.0%
不明		5.3%	0.0%	0.0%	0.0%	N/A	N/A	0.0%	0.0%	33.3%
計		4.4%	12.5%	3.2%	0.0%	0.0%	3.4%	2.9%	6.9%	8.7%
気管支および肺の悪性新生物	(人)	-	-	-	-	-	-	-	-	-
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	0.0%
ステージI		2.1%	0.0%	0.0%	0.0%	0.0%	0.0%	7.1%	0.0%	0.0%
ステージII		3.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ステージIII		10.2%	22.2%	28.6%	10.0%	14.3%	14.3%	0.0%	0.0%	0.0%
ステージIV		13.6%	31.3%	0.0%	0.0%	21.7%	25.0%	15.0%	9.1%	11.1%
不明		4.7%	0.0%	11.1%	0.0%	14.3%	0.0%	14.3%	0.0%	0.0%
計		8.1%	20.6%	9.4%	2.8%	13.5%	12.5%	9.8%	2.9%	3.2%
急性心筋梗塞	(人)	-	-	-	-	-	-	-	-	-
Killip I		2.4%	14.3%	0.0%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%
Killip II		1.6%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%	0.0%	0.0%
Killip III		22.2%	0.0%	0.0%	100.0%	0.0%	N/A	N/A	N/A	N/A
Killip IV		30.4%	33.3%	71.4%	100.0%	42.9%	33.3%	12.5%	20.0%	N/A
不明		28.6%	N/A	N/A	0.0%	0.0%	N/A	0.0%	0.0%	N/A
計		8.9%	14.3%	15.6%	15.4%	15.4%	15.4%	3.2%	3.3%	0.0%
肺炎	(人)	-	90	121	91	92	83	-	109	-
軽症		2.2%	0.0%	2.9%	0.0%	4.8%	0.0%	6.7%	2.4%	0.0%
中等症		6.1%	20.0%	14.3%	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%
重症		10.4%	8.5%	6.9%	6.3%	11.1%	15.7%	13.3%	6.8%	13.5%
不明		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		6.9%	5.6%	5.8%	3.3%	7.6%	9.6%	9.0%	5.5%	9.4%
喘息	(人)	-	-	-	-	-	-	-	-	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
不明		0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	0.0%	N/A
計		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
脳梗塞	(人)	-	-	-	-	-	-	-	-	-
JCS 0-1		1.3%	1.7%	0.0%	2.1%	1.8%	0.0%	0.0%	0.0%	0.0%
JCS 2-3		5.9%	13.0%	13.3%	6.3%	3.4%	0.0%	3.6%	5.6%	6.1%
JCS 10-100		13.5%	0.0%	0.0%	0.0%	14.3%	11.1%	25.0%	33.3%	0.0%

【重症度別集計】表

	(単位:%)	平均	退院年月			
			2019/12	2020/01	2020/02	2020/03
胃の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	0.0%	N/A	N/A	N/A
ステージI		3.1%	0.0%	0.0%	0.0%	0.0%
ステージII		22.2%	0.0%	66.7%	0.0%	25.0%
ステージIII		13.0%	0.0%	20.0%	0.0%	0.0%
ステージIV		23.7%	25.0%	22.2%	16.7%	30.0%
不明		13.6%	20.0%	50.0%	0.0%	N/A
計		14.0%	10.0%	23.1%	3.8%	13.8%
結腸の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%
ステージI		0.0%	0.0%	N/A	0.0%	0.0%
ステージII		4.5%	0.0%	0.0%	10.0%	0.0%
ステージIII		4.7%	0.0%	0.0%	17.6%	0.0%
ステージIV		10.4%	5.3%	0.0%	0.0%	23.1%
不明		0.0%	0.0%	0.0%	0.0%	N/A
計		5.7%	2.0%	0.0%	7.8%	7.7%
直腸の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	0.0%	0.0%	0.0%	0.0%
ステージI		0.0%	0.0%	0.0%	0.0%	0.0%
ステージII		1.4%	0.0%	0.0%	0.0%	0.0%
ステージIII		3.3%	0.0%	9.1%	6.3%	0.0%
ステージIV		14.3%	42.9%	0.0%	0.0%	0.0%
不明		5.3%	0.0%	0.0%	0.0%	N/A
計		4.4%	8.6%	4.3%	3.0%	0.0%
気管支および肺の悪性新生物	(人)	-	-	-	-	-
ステージ0		0.0%	N/A	N/A	N/A	0.0%
ステージI		2.1%	0.0%	0.0%	16.7%	0.0%
ステージII		3.7%	25.0%	0.0%	0.0%	0.0%
ステージIII		10.2%	0.0%	20.0%	0.0%	14.3%
ステージIV		13.6%	9.1%	0.0%	9.1%	0.0%
不明		4.7%	0.0%	0.0%	0.0%	0.0%
計		8.1%	4.9%	3.0%	6.9%	3.2%
急性心筋梗塞	(人)	-	-	-	-	-
Killip I		2.4%	0.0%	0.0%	0.0%	11.1%
Killip II		1.6%	0.0%	0.0%	0.0%	0.0%
Killip III		22.2%	N/A	0.0%	0.0%	100.0%
Killip IV		30.4%	0.0%	0.0%	0.0%	25.0%
不明		28.6%	100.0%	100.0%	N/A	N/A
計		8.9%	4.8%	5.0%	0.0%	16.7%
肺炎	(人)	-	77	79	-	-
軽症		2.2%	0.0%	3.7%	0.0%	0.0%
中等症		6.1%	15.4%	0.0%	0.0%	0.0%
重症		10.4%	7.9%	14.0%	8.6%	16.7%
不明		0.0%	0.0%	0.0%	0.0%	0.0%
計		6.9%	6.5%	8.9%	4.2%	10.5%
喘息	(人)	-	-	-	-	-
軽症間欠型		0.0%	N/A	0.0%	0.0%	0.0%
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
重症持続型		0.0%	0.0%	0.0%	0.0%	0.0%
不明		0.0%	N/A	N/A	N/A	N/A
計		0.0%	0.0%	0.0%	0.0%	0.0%
脳梗塞	(人)	-	-	-	-	-
JCS 0-1		1.3%	1.4%	3.9%	1.5%	4.7%
JCS 2-3		5.9%	3.7%	5.3%	3.6%	4.8%
JCS 10-100		13.5%	100.0%	0.0%	0.0%	33.3%

【重症度別集計】表

(単位:%)		平均	退院年月			
			2019/12	2020/01	2020/02	2020/03
脳梗塞	JCS 200-300	35.3%	50.0%	0.0%	33.3%	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	3.8%	4.0%	3.9%	3.0%	7.1%
脳出血	(人)	-	-	-	-	-
	JCS 0-1	5.2%	12.5%	0.0%	0.0%	16.7%
	JCS 2-3	2.1%	11.1%	0.0%	0.0%	10.0%
	JCS 10-100	8.1%	0.0%	12.5%	12.5%	0.0%
	JCS 200-300	66.1%	80.0%	33.3%	50.0%	80.0%
	計	14.8%	18.9%	6.7%	11.8%	21.6%
糖尿病	(人)	-	-	-	-	-
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%
	中等症	1.4%	0.0%	0.0%	0.0%	0.0%
	重症	6.5%	0.0%	0.0%	0.0%	0.0%
	計	1.5%	0.0%	0.0%	0.0%	0.0%
大腿骨頸部骨折	(人)	-	-	-	-	-
	重症度Ⅰ	0.6%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅱ	0.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅲ	0.0%	0.0%	0.0%	0.0%	0.0%
	重症度Ⅳ	5.6%	0.0%	0.0%	0.0%	N/A
	計	0.7%	0.0%	0.0%	0.0%	0.0%
胃潰瘍	(人)	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.3%	0.0%	0.0%	0.0%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	0.0%	0.0%	0.0%	N/A	0.0%
	計	1.2%	0.0%	0.0%	0.0%	0.0%
急性腸炎	(人)	-	-	-	-	-
	血便なし	0.0%	0.0%	0.0%	0.0%	0.0%
	血便あり	4.5%	0.0%	0.0%	100.0%	N/A
	計	0.6%	0.0%	0.0%	6.7%	0.0%
急性虫垂炎	(人)	-	-	-	-	-
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
胆石症	(人)	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	0.0%	0.0%	1.4%	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	3.9%	0.0%	0.0%	0.0%	0.0%
	計	0.7%	0.0%	0.0%	1.3%	0.0%
前立腺肥大症	(人)	-	-	-	-	-
	前立腺容積20ml未満	0.0%	0.0%	0.0%	0.0%	N/A
	前立腺容積50ml未満	0.0%	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml以上	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
白内障	(人)	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
痔核	(人)	-	-	-	-	-
	第一度(出血のみ)	0.0%	0.0%	N/A	N/A	N/A
	第二度(還納可能)	0.0%	N/A	0.0%	N/A	N/A
	第三度(脱肛)	0.0%	0.0%	0.0%	0.0%	N/A
	計	0.0%	0.0%	0.0%	0.0%	N/A
子宮筋腫	(人)	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	0.0%	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	0.0%	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
狭心症	(人)	1,107	76	77	87	59
	重症度の指標なし	0.3%	0.0%	1.3%	0.0%	0.0%
	計	0.3%	0.0%	1.3%	0.0%	0.0%
腎結石及び尿管結石	(人)	-	-	-	-	-
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	0.0%	0.0%	0.0%

【重症度別集計】表

		平均	退院年月			
			2019/12	2020/01	2020/02	2020/03
腎結石及び尿管結石	不明	0.0%	N/A	N/A	0.0%	N/A
	計	0.0%	0.0%	0.0%	0.0%	0.0%
乳房の悪性新生物	(人)	-	-	-	-	-
	ステージ0	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージII	2.1%	0.0%	0.0%	0.0%	0.0%
	ステージIII	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージIV	7.7%	0.0%	0.0%	0.0%	33.3%
	計	1.6%	0.0%	0.0%	0.0%	4.0%
膝関節症	(人)	-	-	-	-	-
	骨移植なし	0.0%	0.0%	0.0%	0.0%	0.0%
	骨移植あり	0.0%	0.0%	0.0%	0.0%	0.0%
	計	0.0%	0.0%	0.0%	0.0%	0.0%
鼠径ヘルニア	(人)	427	36	39	30	16
	重症度の指標なし	0.0%	0.0%	0.0%	0.0%	0.0%
計	0.0%	0.0%	0.0%	0.0%	0.0%	
全疾患合計		3.7%	3.3%	3.1%	2.5%	5.2%
集計病院数		-	5	5	5	4