

【重症度別集計】表

絞込条件

対象年月設定: 201304 ~ 201403
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 死亡退院率

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	969	66	0	7	77	72	43	165	8
ステージ0		0.0%	N/A	N/A	N/A	N/A	0.0%	N/A	N/A	0.0%
ステージI		0.8%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	1.6%	N/A
ステージII		2.9%	0.0%	N/A	N/A	0.0%	11.1%	0.0%	0.0%	N/A
ステージIII		9.6%	10.0%	N/A	N/A	14.3%	14.3%	0.0%	8.3%	N/A
ステージIV		18.3%	12.0%	N/A	N/A	3.3%	10.7%	26.1%	27.7%	N/A
不明		18.0%	0.0%	N/A	42.9%	0.0%	0.0%	20.0%	25.0%	28.6%
計		10.5%	6.1%	N/A	42.9%	2.6%	8.3%	16.3%	10.9%	25.0%
結腸の悪性新生物	(人)	1,187	90	0	7	116	322	22	125	1
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
ステージI		1.6%	0.0%	N/A	N/A	5.9%	0.0%	0.0%	5.6%	N/A
ステージII		2.4%	0.0%	N/A	N/A	0.0%	3.1%	0.0%	0.0%	N/A
ステージIII		3.8%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	7.7%	N/A
ステージIV		10.7%	18.2%	N/A	N/A	11.9%	0.0%	40.0%	33.3%	N/A
不明		8.8%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	25.0%	100.0%
計		5.8%	2.2%	N/A	0.0%	5.2%	0.6%	9.1%	12.8%	100.0%
直腸の悪性新生物	(人)	557	46	0	1	51	97	13	90	1
ステージ0		3.7%	25.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
ステージI		1.4%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	7.7%	N/A
ステージII		3.3%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	13.6%	N/A
ステージIII		2.8%	0.0%	N/A	N/A	0.0%	2.2%	0.0%	9.7%	N/A
ステージIV		8.6%	0.0%	N/A	100.0%	0.0%	0.0%	20.0%	16.7%	N/A
不明		10.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	0.0%
計		4.8%	2.2%	N/A	100.0%	0.0%	1.0%	7.7%	11.1%	0.0%
気管支および肺の悪性新生物	(人)	1,312	19	2	9	172	34	50	180	4
ステージ0		14.3%	N/A	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
ステージI		1.9%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	3.7%	N/A
ステージII		2.9%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	20.0%	N/A
ステージIII		8.6%	16.7%	N/A	100.0%	11.1%	0.0%	50.0%	18.2%	N/A
ステージIV		18.7%	44.4%	0.0%	33.3%	6.5%	13.3%	28.6%	15.9%	N/A
不明		9.0%	0.0%	0.0%	80.0%	0.0%	0.0%	0.0%	0.0%	0.0%
計		11.1%	26.3%	0.0%	66.7%	3.5%	5.9%	10.0%	11.1%	0.0%
急性心筋梗塞	(人)	370	14	6	0	80	47	13	46	1
Killip I		2.5%	0.0%	0.0%	N/A	0.0%	0.0%	N/A	0.0%	N/A
Killip II		3.3%	16.7%	0.0%	N/A	0.0%	6.3%	0.0%	0.0%	N/A
Killip III		20.0%	N/A	N/A	N/A	0.0%	0.0%	100.0%	12.5%	N/A
Killip IV		52.2%	100.0%	100.0%	N/A	61.5%	33.3%	N/A	60.0%	N/A
不明		33.3%	100.0%	0.0%	N/A	100.0%	33.3%	N/A	0.0%	0.0%
計		11.4%	21.4%	33.3%	N/A	11.3%	8.5%	15.4%	8.7%	0.0%
肺炎	(人)	3,253	133	50	149	198	108	185	256	121
軽症		1.7%	0.0%	0.0%	5.0%	1.8%	0.0%	0.0%	0.0%	0.0%
中等症		9.5%	13.6%	0.0%	33.3%	0.0%	0.0%	3.6%	0.0%	0.0%
重症		16.1%	9.4%	7.4%	36.1%	6.3%	11.8%	17.6%	7.5%	47.4%
不明		1.8%	N/A	N/A	N/A	0.0%	N/A	N/A	0.0%	0.0%
計		7.3%	6.0%	4.0%	14.8%	4.5%	5.6%	10.8%	2.3%	14.9%
喘息	(人)	1,141	13	4	23	63	2	11	84	7
軽症間欠型		0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	N/A
中等症持続型		0.8%	0.0%	N/A	0.0%	2.6%	N/A	0.0%	0.0%	N/A
重症持続型		0.0%	N/A	N/A	0.0%	0.0%	N/A	N/A	0.0%	N/A
不明		0.0%	N/A	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%
計		0.3%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	0.0%
脳梗塞	(人)	1,735	118	403	5	206	1	71	113	35
JCS 0-1		2.6%	5.0%	0.0%	25.0%	0.7%	100.0%	0.0%	3.7%	11.1%
JCS 2-3		6.3%	9.1%	4.0%	N/A	9.3%	N/A	0.0%	8.3%	0.0%
JCS 10-100		17.1%	9.1%	21.4%	0.0%	11.8%	N/A	12.5%	0.0%	20.0%

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1026
胃の悪性新生物	(人)	969	-	68	1	8	-	-	-	-
ステージ0		0.0%	-	0.0%	N/A	N/A	-	-	-	-
ステージI		0.8%	-	0.0%	N/A	0.0%	-	-	-	-
ステージII		2.9%	-	0.0%	N/A	N/A	-	-	-	-
ステージIII		9.6%	-	0.0%	N/A	0.0%	-	-	-	-
ステージIV		18.3%	-	36.8%	100.0%	0.0%	-	-	-	-
不明		18.0%	-	40.0%	N/A	50.0%	-	-	-	-
計		10.5%	-	16.2%	100.0%	12.5%	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	43	0	18	-	-	-	-
ステージ0		0.0%	-	0.0%	N/A	N/A	-	-	-	-
ステージI		1.6%	-	0.0%	N/A	0.0%	-	-	-	-
ステージII		2.4%	-	0.0%	N/A	0.0%	-	-	-	-
ステージIII		3.8%	-	0.0%	N/A	0.0%	-	-	-	-
ステージIV		10.7%	-	20.0%	N/A	0.0%	-	-	-	-
不明		8.8%	-	33.3%	N/A	0.0%	-	-	-	-
計		5.8%	-	7.0%	N/A	0.0%	-	-	-	-
直腸の悪性新生物	(人)	557	-	17	0	14	-	-	-	-
ステージ0		3.7%	-	0.0%	N/A	N/A	-	-	-	-
ステージI		1.4%	-	0.0%	N/A	N/A	-	-	-	-
ステージII		3.3%	-	0.0%	N/A	0.0%	-	-	-	-
ステージIII		2.8%	-	0.0%	N/A	0.0%	-	-	-	-
ステージIV		8.6%	-	50.0%	N/A	100.0%	-	-	-	-
不明		10.0%	-	0.0%	N/A	33.3%	-	-	-	-
計		4.8%	-	11.8%	N/A	28.6%	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	18	344	4	-	-	-	-
ステージ0		14.3%	-	N/A	N/A	N/A	-	-	-	-
ステージI		1.9%	-	0.0%	2.2%	N/A	-	-	-	-
ステージII		2.9%	-	N/A	0.0%	N/A	-	-	-	-
ステージIII		8.6%	-	0.0%	4.7%	N/A	-	-	-	-
ステージIV		18.7%	-	54.5%	15.6%	66.7%	-	-	-	-
不明		9.0%	-	80.0%	0.0%	0.0%	-	-	-	-
計		11.1%	-	55.6%	8.1%	50.0%	-	-	-	-
急性心筋梗塞	(人)	370	-	44	1	1	-	-	-	-
Killip I		2.5%	-	0.0%	0.0%	N/A	-	-	-	-
Killip II		3.3%	-	0.0%	N/A	N/A	-	-	-	-
Killip III		20.0%	-	0.0%	N/A	0.0%	-	-	-	-
Killip IV		52.2%	-	12.5%	N/A	N/A	-	-	-	-
不明		33.3%	-	N/A	N/A	N/A	-	-	-	-
計		11.4%	-	2.3%	0.0%	0.0%	-	-	-	-
肺炎	(人)	3,253	-	212	133	246	-	-	-	-
軽症		1.7%	-	2.1%	1.4%	2.6%	-	-	-	-
中等症		9.5%	-	31.6%	10.3%	20.0%	-	-	-	-
重症		16.1%	-	13.1%	15.6%	23.9%	-	-	-	-
不明		1.8%	-	N/A	N/A	0.0%	-	-	-	-
計		7.3%	-	9.9%	6.8%	7.7%	-	-	-	-
喘息	(人)	1,141	-	50	37	27	-	-	-	-
軽症間欠型		0.3%	-	0.0%	0.0%	0.0%	-	-	-	-
軽症持続型		0.0%	-	0.0%	0.0%	0.0%	-	-	-	-
中等症持続型		0.8%	-	0.0%	0.0%	0.0%	-	-	-	-
重症持続型		0.0%	-	0.0%	0.0%	N/A	-	-	-	-
不明		0.0%	-	N/A	0.0%	0.0%	-	-	-	-
計		0.3%	-	0.0%	0.0%	0.0%	-	-	-	-
脳梗塞	(人)	1,735	-	97	0	62	-	-	-	-
JCS 0-1		2.6%	-	5.6%	N/A	4.3%	-	-	-	-
JCS 2-3		6.3%	-	0.0%	N/A	16.7%	-	-	-	-
JCS 10-100		17.1%	-	50.0%	N/A	50.0%	-	-	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1039	1041	1046	1047	1049	1058	1069	1129
胃の悪性新生物	(人)	969	87	-	3	-	133	-	70	-
ステージ0		0.0%	N/A	-	N/A	-	0.0%	-	0.0%	-
ステージI		0.8%	0.0%	-	0.0%	-	6.7%	-	0.0%	-
ステージII		2.9%	11.1%	-	N/A	-	0.0%	-	0.0%	-
ステージIII		9.6%	0.0%	-	N/A	-	18.2%	-	20.0%	-
ステージIV		18.3%	11.1%	-	N/A	-	7.9%	-	21.2%	-
不明		18.0%	0.0%	-	50.0%	-	7.7%	-	50.0%	-
計		10.5%	5.7%	-	33.3%	-	7.5%	-	14.3%	-
結腸の悪性新生物	(人)	1,187	130	-	4	-	99	-	70	-
ステージ0		0.0%	0.0%	-	0.0%	-	0.0%	-	0.0%	-
ステージI		1.6%	0.0%	-	N/A	-	0.0%	-	0.0%	-
ステージII		2.4%	3.8%	-	N/A	-	12.5%	-	0.0%	-
ステージIII		3.8%	21.1%	-	N/A	-	33.3%	-	0.0%	-
ステージIV		10.7%	3.0%	-	N/A	-	22.0%	-	8.6%	-
不明		8.8%	0.0%	-	33.3%	-	6.9%	-	N/A	-
計		5.8%	4.6%	-	25.0%	-	14.1%	-	4.3%	-
直腸の悪性新生物	(人)	557	71	-	0	-	40	-	28	-
ステージ0		3.7%	0.0%	-	N/A	-	N/A	-	0.0%	-
ステージI		1.4%	0.0%	-	N/A	-	0.0%	-	0.0%	-
ステージII		3.3%	0.0%	-	N/A	-	0.0%	-	0.0%	-
ステージIII		2.8%	0.0%	-	N/A	-	16.7%	-	0.0%	-
ステージIV		8.6%	0.0%	-	N/A	-	0.0%	-	12.5%	-
不明		10.0%	0.0%	-	N/A	-	8.3%	-	0.0%	-
計		4.8%	0.0%	-	N/A	-	5.0%	-	3.6%	-
気管支および肺の悪性新生物	(人)	1,312	138	-	4	-	212	-	11	-
ステージ0		14.3%	0.0%	-	0.0%	-	N/A	-	N/A	-
ステージI		1.9%	0.0%	-	N/A	-	4.7%	-	0.0%	-
ステージII		2.9%	0.0%	-	N/A	-	12.5%	-	N/A	-
ステージIII		8.6%	5.3%	-	N/A	-	7.1%	-	33.3%	-
ステージIV		18.7%	11.7%	-	N/A	-	16.3%	-	28.6%	-
不明		9.0%	0.0%	-	66.7%	-	9.8%	-	N/A	-
計		11.1%	6.5%	-	50.0%	-	11.3%	-	27.3%	-
急性心筋梗塞	(人)	370	59	-	4	-	30	-	0	-
Killip I		2.5%	5.1%	-	N/A	-	5.6%	-	N/A	-
Killip II		3.3%	0.0%	-	N/A	-	11.1%	-	N/A	-
Killip III		20.0%	33.3%	-	N/A	-	50.0%	-	N/A	-
Killip IV		52.2%	40.0%	-	100.0%	-	100.0%	-	N/A	-
不明		33.3%	N/A	-	0.0%	-	N/A	-	N/A	-
計		11.4%	8.5%	-	75.0%	-	13.3%	-	N/A	-
肺炎	(人)	3,253	812	-	65	-	262	-	80	-
軽症		1.7%	1.3%	-	0.0%	-	1.9%	-	0.0%	-
中等症		9.5%	0.0%	-	0.0%	-	18.2%	-	0.0%	-
重症		16.1%	3.2%	-	6.3%	-	32.4%	-	13.0%	-
不明		1.8%	2.6%	-	N/A	-	N/A	-	N/A	-
計		7.3%	2.5%	-	3.1%	-	17.6%	-	7.5%	-
喘息	(人)	1,141	703	-	5	-	54	-	13	-
軽症間欠型		0.3%	0.0%	-	0.0%	-	0.0%	-	0.0%	-
軽症持続型		0.0%	0.0%	-	N/A	-	0.0%	-	0.0%	-
中等症持続型		0.8%	0.8%	-	N/A	-	0.0%	-	0.0%	-
重症持続型		0.0%	0.0%	-	N/A	-	0.0%	-	0.0%	-
不明		0.0%	N/A	-	0.0%	-	N/A	-	0.0%	-
計		0.3%	0.1%	-	0.0%	-	0.0%	-	0.0%	-
脳梗塞	(人)	1,735	218	-	54	-	126	-	7	-
JCS 0-1		2.6%	3.1%	-	0.0%	-	4.2%	-	50.0%	-
JCS 2-3		6.3%	3.1%	-	0.0%	-	37.5%	-	0.0%	-
JCS 10-100		17.1%	17.6%	-	0.0%	-	6.3%	-	0.0%	-

【重症度別集計】表

	(単位:%)	平均	病院コード							
			9009	9010	9011	9012	9013	9014	9015	9016
胃の悪性新生物	(人)	969	-	55	106	-	-	-	-	-
ステージ0		0.0%	-	N/A	N/A	-	-	-	-	-
ステージI		0.8%	-	0.0%	0.0%	-	-	-	-	-
ステージII		2.9%	-	0.0%	6.7%	-	-	-	-	-
ステージIII		9.6%	-	0.0%	10.0%	-	-	-	-	-
ステージIV		18.3%	-	17.6%	42.3%	-	-	-	-	-
不明		18.0%	-	0.0%	25.0%	-	-	-	-	-
計		10.5%	-	5.5%	17.0%	-	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	53	87	-	-	-	-	-
ステージ0		0.0%	-	0.0%	0.0%	-	-	-	-	-
ステージI		1.6%	-	0.0%	0.0%	-	-	-	-	-
ステージII		2.4%	-	0.0%	0.0%	-	-	-	-	-
ステージIII		3.8%	-	10.0%	7.1%	-	-	-	-	-
ステージIV		10.7%	-	11.1%	18.8%	-	-	-	-	-
不明		8.8%	-	23.5%	27.3%	-	-	-	-	-
計		5.8%	-	11.3%	8.0%	-	-	-	-	-
直腸の悪性新生物	(人)	557	-	20	68	-	-	-	-	-
ステージ0		3.7%	-	N/A	0.0%	-	-	-	-	-
ステージI		1.4%	-	0.0%	0.0%	-	-	-	-	-
ステージII		3.3%	-	0.0%	0.0%	-	-	-	-	-
ステージIII		2.8%	-	0.0%	0.0%	-	-	-	-	-
ステージIV		8.6%	-	0.0%	20.0%	-	-	-	-	-
不明		10.0%	-	0.0%	12.5%	-	-	-	-	-
計		4.8%	-	0.0%	5.9%	-	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	85	26	-	-	-	-	-
ステージ0		14.3%	-	N/A	100.0%	-	-	-	-	-
ステージI		1.9%	-	0.0%	0.0%	-	-	-	-	-
ステージII		2.9%	-	0.0%	N/A	-	-	-	-	-
ステージIII		8.6%	-	0.0%	0.0%	-	-	-	-	-
ステージIV		18.7%	-	31.3%	40.0%	-	-	-	-	-
不明		9.0%	-	9.4%	100.0%	-	-	-	-	-
計		11.1%	-	15.3%	38.5%	-	-	-	-	-
急性心筋梗塞	(人)	370	-	15	9	-	-	-	-	-
Killip I		2.5%	-	0.0%	100.0%	-	-	-	-	-
Killip II		3.3%	-	12.5%	0.0%	-	-	-	-	-
Killip III		20.0%	-	N/A	50.0%	-	-	-	-	-
Killip IV		52.2%	-	N/A	50.0%	-	-	-	-	-
不明		33.3%	-	N/A	50.0%	-	-	-	-	-
計		11.4%	-	6.7%	44.4%	-	-	-	-	-
肺炎	(人)	3,253	-	53	190	-	-	-	-	-
軽症		1.7%	-	0.0%	2.0%	-	-	-	-	-
中等症		9.5%	-	0.0%	7.1%	-	-	-	-	-
重症		16.1%	-	5.7%	19.4%	-	-	-	-	-
不明		1.8%	-	0.0%	2.9%	-	-	-	-	-
計		7.3%	-	3.8%	11.1%	-	-	-	-	-
喘息	(人)	1,141	-	10	35	-	-	-	-	-
軽症間欠型		0.3%	-	N/A	5.9%	-	-	-	-	-
軽症持続型		0.0%	-	N/A	0.0%	-	-	-	-	-
中等症持続型		0.8%	-	N/A	0.0%	-	-	-	-	-
重症持続型		0.0%	-	N/A	N/A	-	-	-	-	-
不明		0.0%	-	0.0%	0.0%	-	-	-	-	-
計		0.3%	-	0.0%	2.9%	-	-	-	-	-
脳梗塞	(人)	1,735	-	50	169	-	-	-	-	-
JCS 0-1		2.6%	-	0.0%	2.3%	-	-	-	-	-
JCS 2-3		6.3%	-	12.5%	4.5%	-	-	-	-	-
JCS 10-100		17.1%	-	33.3%	17.6%	-	-	-	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード				
			9017	9018	9019	9020	9021
胃の悪性新生物	(人)	969	-	-	-	-	-
ステージ0		0.0%	-	-	-	-	-
ステージI		0.8%	-	-	-	-	-
ステージII		2.9%	-	-	-	-	-
ステージIII		9.6%	-	-	-	-	-
ステージIV		18.3%	-	-	-	-	-
不明		18.0%	-	-	-	-	-
計		10.5%	-	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	-	-	-	-
ステージ0		0.0%	-	-	-	-	-
ステージI		1.6%	-	-	-	-	-
ステージII		2.4%	-	-	-	-	-
ステージIII		3.8%	-	-	-	-	-
ステージIV		10.7%	-	-	-	-	-
不明		8.8%	-	-	-	-	-
計		5.8%	-	-	-	-	-
直腸の悪性新生物	(人)	557	-	-	-	-	-
ステージ0		3.7%	-	-	-	-	-
ステージI		1.4%	-	-	-	-	-
ステージII		3.3%	-	-	-	-	-
ステージIII		2.8%	-	-	-	-	-
ステージIV		8.6%	-	-	-	-	-
不明		10.0%	-	-	-	-	-
計		4.8%	-	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	-	-	-	-
ステージ0		14.3%	-	-	-	-	-
ステージI		1.9%	-	-	-	-	-
ステージII		2.9%	-	-	-	-	-
ステージIII		8.6%	-	-	-	-	-
ステージIV		18.7%	-	-	-	-	-
不明		9.0%	-	-	-	-	-
計		11.1%	-	-	-	-	-
急性心筋梗塞	(人)	370	-	-	-	-	-
Killip I		2.5%	-	-	-	-	-
Killip II		3.3%	-	-	-	-	-
Killip III		20.0%	-	-	-	-	-
Killip IV		52.2%	-	-	-	-	-
不明		33.3%	-	-	-	-	-
計		11.4%	-	-	-	-	-
肺炎	(人)	3,253	-	-	-	-	-
軽症		1.7%	-	-	-	-	-
中等症		9.5%	-	-	-	-	-
重症		16.1%	-	-	-	-	-
不明		1.8%	-	-	-	-	-
計		7.3%	-	-	-	-	-
喘息	(人)	1,141	-	-	-	-	-
軽症間欠型		0.3%	-	-	-	-	-
軽症持続型		0.0%	-	-	-	-	-
中等症持続型		0.8%	-	-	-	-	-
重症持続型		0.0%	-	-	-	-	-
不明		0.0%	-	-	-	-	-
計		0.3%	-	-	-	-	-
脳梗塞	(人)	1,735	-	-	-	-	-
JCS 0-1		2.6%	-	-	-	-	-
JCS 2-3		6.3%	-	-	-	-	-
JCS 10-100		17.1%	-	-	-	-	-

【重症度別集計】表

(単位:%)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	52.3%	80.0%	66.7%	N/A	0.0%	N/A	50.0%	42.9%	100.0%
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	5.8%	9.3%	3.2%	20.0%	3.4%	100.0%	2.8%	6.2%	14.3%
脳出血	(人)	667	34	161	1	120	4	20	28	22
	JCS 0-1	2.3%	8.7%	1.6%	0.0%	2.4%	33.3%	0.0%	0.0%	7.7%
	JCS 2-3	4.3%	20.0%	7.5%	N/A	0.0%	N/A	0.0%	0.0%	0.0%
	JCS 10-100	5.6%	0.0%	6.3%	N/A	3.2%	N/A	0.0%	0.0%	0.0%
	JCS 200-300	63.2%	100.0%	60.0%	N/A	44.0%	100.0%	83.3%	75.0%	25.0%
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	14.7%	17.6%	13.0%	0.0%	10.8%	50.0%	25.0%	10.7%	9.1%
糖尿病	(人)	855	72	16	8	82	79	26	34	38
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	中等症	0.8%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	N/A
	重症	2.2%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.0%
	計	0.4%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%
大腿骨頸部骨折	(人)	648	100	17	1	96	0	3	28	31
	重症度Ⅰ	2.6%	2.2%	0.0%	N/A	3.8%	N/A	0.0%	0.0%	N/A
	重症度Ⅱ	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
	重症度Ⅲ	3.8%	2.7%	0.0%	N/A	0.0%	N/A	0.0%	0.0%	N/A
	重症度Ⅳ	5.6%	0.0%	0.0%	N/A	0.0%	N/A	N/A	N/A	N/A
	不明	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A	0.0%
胃潰瘍	(人)	252	12	0	2	33	15	7	36	7
	ショックなし(収縮期血圧90mmHg以上)	1.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	50.0%
	ショックあり(収縮期血圧90mmHg未満)	7.7%	N/A	N/A	N/A	0.0%	0.0%	N/A	0.0%	100.0%
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.0%
	計	1.6%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	42.9%
急性腸炎	(人)	896	100	2	29	54	30	57	64	13
	血便なし	0.6%	0.0%	0.0%	3.6%	0.0%	0.0%	0.0%	0.0%	0.0%
	血便あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.0%
	計	0.6%	0.0%	0.0%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%
急性虫垂炎	(人)	703	58	0	3	91	42	20	56	4
	白血球15000/mm3未満	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	4.2%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	0.1%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
胆石症	(人)	1,413	137	0	9	251	102	45	193	9
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	0.0%	N/A	0.0%	0.4%	0.0%	0.0%	0.5%	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	0.6%	0.0%	N/A	0.0%	0.4%	0.0%	0.0%	0.5%	0.0%
前立腺肥大症	(人)	189	88	0	0	0	7	0	32	0
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
	不明	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
白内障	(人)	1,194	163	0	2	2	0	0	0	0
	1眼(処置対象のもの)	0.0%	0.0%	N/A	0.0%	0.0%	N/A	N/A	N/A	N/A
	2眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	N/A	0.0%	0.0%	N/A	N/A	N/A	N/A
痔核	(人)	140	6	0	2	6	64	5	11	0
	第一度(出血のみ)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
	第二度(還納可能)	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
	第三度(脱肛)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
	不明	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	N/A	N/A
子宮筋腫	(人)	476	57	0	0	9	0	0	2	0
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
狭心症	(人)	2,070	384	44	3	284	327	150	120	4
	重症度の指標なし	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	25.0%
	計	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	25.0%
腎結石及び尿管結石	(人)	632	238	0	2	13	78	3	58	2
	水腎・水尿管なし	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	水腎・水尿管あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	N/A

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1026
脳梗塞	JCS 200-300	52.3%	-	0.0%	N/A	66.7%	-	-	-	-
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-
	計	5.8%	-	8.2%	N/A	12.9%	-	-	-	-
脳出血	(人)	667	-	49	0	13	-	-	-	-
	JCS 0-1	2.3%	-	0.0%	N/A	20.0%	-	-	-	-
	JCS 2-3	4.3%	-	0.0%	N/A	0.0%	-	-	-	-
	JCS 10-100	5.6%	-	0.0%	N/A	0.0%	-	-	-	-
	JCS 200-300	63.2%	-	62.5%	N/A	100.0%	-	-	-	-
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-
	計	14.7%	-	20.4%	N/A	23.1%	-	-	-	-
糖尿病	(人)	855	-	26	2	51	-	-	-	-
	軽症	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	中等症	0.8%	-	0.0%	0.0%	0.0%	-	-	-	-
	重症	2.2%	-	0.0%	0.0%	6.3%	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
	計	0.4%	-	0.0%	0.0%	2.0%	-	-	-	-
大腿骨頸部骨折	(人)	648	-	46	0	79	-	-	-	-
	重症度Ⅰ	2.6%	-	10.0%	N/A	0.0%	-	-	-	-
	重症度Ⅱ	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	重症度Ⅲ	3.8%	-	0.0%	N/A	2.5%	-	-	-	-
	重症度Ⅳ	5.6%	-	0.0%	N/A	18.2%	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	2.3%	-	4.3%	N/A	3.8%	-	-	-	-	
胃潰瘍	(人)	252	-	18	0	12	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.0%	-	0.0%	N/A	0.0%	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	-	25.0%	N/A	0.0%	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	1.6%	-	5.6%	N/A	0.0%	-	-	-	-	
急性腸炎	(人)	896	-	59	2	71	-	-	-	-
	血便なし	0.6%	-	3.6%	0.0%	0.0%	-	-	-	-
	血便あり	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	0.6%	-	3.4%	0.0%	0.0%	-	-	-	-	
急性虫垂炎	(人)	703	-	47	0	21	-	-	-	-
	白血球15000/mm3未満	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	白血球15000/mm3以上	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	不明	4.2%	-	N/A	N/A	N/A	-	-	-	-
計	0.1%	-	0.0%	N/A	0.0%	-	-	-	-	
胆石症	(人)	1,413	-	58	0	41	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	-	0.0%	N/A	2.8%	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	-	0.0%	N/A	0.0%	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	0.6%	-	0.0%	N/A	2.4%	-	-	-	-	
前立腺肥大症	(人)	189	-	0	0	2	-	-	-	-
	前立腺容積20ml未満	0.0%	-	N/A	N/A	N/A	-	-	-	-
	前立腺容積50ml未満	0.0%	-	N/A	N/A	0.0%	-	-	-	-
	前立腺容積50ml以上	0.0%	-	N/A	N/A	N/A	-	-	-	-
	不明	0.0%	-	N/A	N/A	0.0%	-	-	-	-
計	0.0%	-	N/A	N/A	0.0%	-	-	-	-	
白内障	(人)	1,194	-	149	0	121	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	0.0%	-	0.0%	N/A	0.0%	-	-	-	-	
痔核	(人)	140	-	9	0	0	-	-	-	-
	第一度(出血のみ)	0.0%	-	0.0%	N/A	N/A	-	-	-	-
	第二度(還納可能)	0.0%	-	N/A	N/A	N/A	-	-	-	-
	第三度(脱肛)	0.0%	-	0.0%	N/A	N/A	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	0.0%	-	0.0%	N/A	N/A	-	-	-	-	
子宮筋腫	(人)	476	-	43	0	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	0.0%	N/A	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	0.0%	N/A	N/A	-	-	-	-
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	-
計	0.0%	-	0.0%	N/A	N/A	-	-	-	-	
狭心症	(人)	2,070	-	112	0	2	-	-	-	-
	重症度の指標なし	0.1%	-	0.0%	N/A	0.0%	-	-	-	-
計	0.1%	-	0.0%	N/A	0.0%	-	-	-	-	
腎結石及び尿管結石	(人)	632	-	2	0	5	-	-	-	-
	水腎・水尿管なし	0.0%	-	0.0%	N/A	0.0%	-	-	-	-
	水腎・水尿管あり	0.0%	-	N/A	N/A	0.0%	-	-	-	-

【重症度別集計】表

		平均	病院コード									
			1039	1041	1046	1047	1049	1058	1069	1129		
		(単位:%)										
脳梗塞	JCS 200-300	52.3%	37.5%	-	50.0%	-	83.3%	-	100.0%	-		
	不明	N/A	N/A	-	N/A	-	N/A	-	N/A	-		
	計	5.8%	5.5%	-	1.9%	-	10.3%	-	28.6%	-		
脳出血	(人)	667	82	-	17	-	39	-	1	-		
	JCS 0-1	2.3%	0.0%	-	0.0%	-	0.0%	-	N/A	-		
	JCS 2-3	4.3%	0.0%	-	0.0%	-	0.0%	-	N/A	-		
	JCS 10-100	5.6%	0.0%	-	0.0%	-	40.0%	-	N/A	-		
	JCS 200-300	63.2%	66.7%	-	N/A	-	90.9%	-	100.0%	-		
	不明	N/A	N/A	-	N/A	-	N/A	-	N/A	-		
	計	14.7%	12.2%	-	0.0%	-	30.8%	-	100.0%	-		
糖尿病	(人)	855	154	-	9	-	109	-	45	-		
	軽症	0.0%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
	中等症	0.8%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
	重症	2.2%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
	不明	0.0%	0.0%	-	N/A	-	N/A	-	0.0%	-		
	計	0.4%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
大腿骨頸部骨折	(人)	648	79	-	12	-	37	-	0	-		
	重症度Ⅰ	2.6%	2.4%	-	0.0%	-	4.3%	-	N/A	-		
	重症度Ⅱ	0.0%	0.0%	-	0.0%	-	0.0%	-	N/A	-		
	重症度Ⅲ	3.8%	0.0%	-	100.0%	-	28.6%	-	N/A	-		
	重症度Ⅳ	5.6%	0.0%	-	0.0%	-	0.0%	-	N/A	-		
	不明	0.0%	N/A	-	N/A	-	N/A	-	N/A	-		
計	2.3%	1.3%	-	8.3%	-	8.1%	-	N/A	-			
胃潰瘍	(人)	252	11	-	2	-	33	-	21	-		
	ショックなし(収縮期血圧90mmHg以上)	1.0%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
	ショックあり(収縮期血圧90mmHg未満)	7.7%	N/A	-	N/A	-	0.0%	-	0.0%	-		
	不明	0.0%	N/A	-	N/A	-	N/A	-	N/A	-		
計	1.6%	0.0%	-	0.0%	-	0.0%	-	0.0%	-			
急性腸炎	(人)	896	162	-	8	-	103	-	27	-		
	血便なし	0.6%	0.7%	-	0.0%	-	1.1%	-	0.0%	-		
	血便あり	0.0%	0.0%	-	N/A	-	0.0%	-	0.0%	-		
	不明	0.0%	N/A	-	N/A	-	N/A	-	N/A	-		
計	0.6%	0.6%	-	0.0%	-	1.0%	-	0.0%	-			
急性虫垂炎	(人)	703	139	-	2	-	78	-	32	-		
	白血球15000/mm3未満	0.0%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
	白血球15000/mm3以上	0.0%	0.0%	-	N/A	-	0.0%	-	0.0%	-		
	不明	4.2%	0.0%	-	N/A	-	N/A	-	N/A	-		
計	0.1%	0.0%	-	0.0%	-	0.0%	-	0.0%	-			
胆石症	(人)	1,413	232	-	11	-	124	-	66	-		
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	0.5%	-	12.5%	-	0.9%	-	0.0%	-		
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	0.0%	-	0.0%	-	28.6%	-	0.0%	-		
	不明	0.0%	N/A	-	N/A	-	N/A	-	N/A	-		
計	0.6%	0.4%	-	9.1%	-	2.4%	-	0.0%	-			
前立腺肥大症	(人)	189	18	-	0	-	8	-	0	-		
	前立腺容積20ml未満	0.0%	N/A	-	N/A	-	0.0%	-	N/A	-		
	前立腺容積50ml未満	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	前立腺容積50ml以上	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	不明	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
計	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-			
白内障	(人)	1,194	229	-	0	-	186	-	0	-		
	1眼(処置対象のもの)	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	2眼(処置対象のもの)	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	不明	0.0%	0.0%	-	N/A	-	N/A	-	N/A	-		
計	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-			
痔核	(人)	140	2	-	0	-	32	-	0	-		
	第一度(出血のみ)	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	第二度(還納可能)	0.0%	N/A	-	N/A	-	0.0%	-	N/A	-		
	第三度(脱肛)	0.0%	N/A	-	N/A	-	0.0%	-	N/A	-		
	不明	0.0%	0.0%	-	N/A	-	N/A	-	N/A	-		
計	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-			
子宮筋腫	(人)	476	37	-	0	-	239	-	0	-		
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		
	不明	0.0%	0.0%	-	N/A	-	N/A	-	N/A	-		
計	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-			
狭心症	(人)	2,070	210	-	1	-	178	-	0	-		
	重症度の指標なし	0.1%	0.5%	-	0.0%	-	0.0%	-	N/A	-		
	計	0.1%	0.5%	-	0.0%	-	0.0%	-	N/A	-		
腎結石及び尿管結石	(人)	632	49	-	1	-	114	-	2	-		
	水腎・水尿管なし	0.0%	0.0%	-	0.0%	-	0.0%	-	0.0%	-		
	水腎・水尿管あり	0.0%	0.0%	-	N/A	-	0.0%	-	N/A	-		

【重症度別集計】表

		平均	病院コード						
			1133	1167	9001	9004	9005	9006	9007
脳梗塞	JCS 200-300	52.3%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	5.8%	-	-	-	-	-	-	-
脳出血	(人)	667	-	-	-	-	-	-	-
	JCS 0-1	2.3%	-	-	-	-	-	-	-
	JCS 2-3	4.3%	-	-	-	-	-	-	-
	JCS 10-100	5.6%	-	-	-	-	-	-	-
	JCS 200-300	63.2%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
計	14.7%	-	-	-	-	-	-	-	
糖尿病	(人)	855	-	-	-	-	-	-	-
	軽症	0.0%	-	-	-	-	-	-	-
	中等症	0.8%	-	-	-	-	-	-	-
	重症	2.2%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.4%	-	-	-	-	-	-	-	
大腿骨頸部骨折	(人)	648	-	-	-	-	-	-	-
	重症度Ⅰ	2.6%	-	-	-	-	-	-	-
	重症度Ⅱ	0.0%	-	-	-	-	-	-	-
	重症度Ⅲ	3.8%	-	-	-	-	-	-	-
	重症度Ⅳ	5.6%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	2.3%	-	-	-	-	-	-	-	
胃潰瘍	(人)	252	-	-	-	-	-	-	-
	ショックなし（収縮期血圧90mmHg以上）	1.0%	-	-	-	-	-	-	-
	ショックあり（収縮期血圧90mmHg未満）	7.7%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	1.6%	-	-	-	-	-	-	-	
急性腸炎	(人)	896	-	-	-	-	-	-	-
	血便なし	0.6%	-	-	-	-	-	-	-
	血便あり	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.6%	-	-	-	-	-	-	-	
急性虫垂炎	(人)	703	-	-	-	-	-	-	-
	白血球15000/mm3未満	0.0%	-	-	-	-	-	-	-
	白血球15000/mm3以上	0.0%	-	-	-	-	-	-	-
	不明	4.2%	-	-	-	-	-	-	-
計	0.1%	-	-	-	-	-	-	-	
胆石症	(人)	1,413	-	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	-	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.6%	-	-	-	-	-	-	-	
前立腺肥大症	(人)	189	-	-	-	-	-	-	-
	前立腺容積20ml未満	0.0%	-	-	-	-	-	-	-
	前立腺容積50ml未満	0.0%	-	-	-	-	-	-	-
	前立腺容積50ml以上	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
白内障	(人)	1,194	-	-	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	-	-	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
痔核	(人)	140	-	-	-	-	-	-	-
	第一度(出血のみ)	0.0%	-	-	-	-	-	-	-
	第二度(還納可能)	0.0%	-	-	-	-	-	-	-
	第三度(脱肛)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
子宮筋腫	(人)	476	-	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
狭心症	(人)	2,070	-	-	-	-	-	-	-
	重症度の指標なし	0.1%	-	-	-	-	-	-	-
計	0.1%	-	-	-	-	-	-	-	
腎結石及び尿管結石	(人)	632	-	-	-	-	-	-	-
	水腎・水尿管なし	0.0%	-	-	-	-	-	-	-
	水腎・水尿管あり	0.0%	-	-	-	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			9009	9010	9011	9012	9013	9014	9015	9016
脳梗塞	JCS 200-300	52.3%	-	0.0%	0.0%	-	-	-	-	-
	不明	N/A	-	N/A	N/A	-	-	-	-	-
	計	5.8%	-	6.0%	4.1%	-	-	-	-	-
脳出血	(人)	667	-	20	56	-	-	-	-	-
	JCS 0-1	2.3%	-	0.0%	0.0%	-	-	-	-	-
	JCS 2-3	4.3%	-	16.7%	0.0%	-	-	-	-	-
	JCS 10-100	5.6%	-	0.0%	16.7%	-	-	-	-	-
	JCS 200-300	63.2%	-	25.0%	75.0%	-	-	-	-	-
	不明	N/A	-	N/A	N/A	-	-	-	-	-
計	14.7%	-	10.0%	14.3%	-	-	-	-	-	
糖尿病	(人)	855	-	78	26	-	-	-	-	-
	軽症	0.0%	-	0.0%	0.0%	-	-	-	-	-
	中等症	0.8%	-	N/A	0.0%	-	-	-	-	-
	重症	2.2%	-	N/A	0.0%	-	-	-	-	-
	不明	0.0%	-	0.0%	N/A	-	-	-	-	-
計	0.4%	-	0.0%	0.0%	-	-	-	-	-	
大腿骨頸部骨折	(人)	648	-	42	77	-	-	-	-	-
	重症度Ⅰ	2.6%	-	N/A	0.0%	-	-	-	-	-
	重症度Ⅱ	0.0%	-	N/A	0.0%	-	-	-	-	-
	重症度Ⅲ	3.8%	-	N/A	12.5%	-	-	-	-	-
	重症度Ⅳ	5.6%	-	N/A	0.0%	-	-	-	-	-
不明	0.0%	-	0.0%	N/A	-	-	-	-	-	
計	2.3%	-	0.0%	1.3%	-	-	-	-	-	
胃潰瘍	(人)	252	-	11	32	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.0%	-	N/A	0.0%	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	-	N/A	N/A	-	-	-	-	-
	不明	0.0%	-	0.0%	0.0%	-	-	-	-	-
計	1.6%	-	0.0%	0.0%	-	-	-	-	-	
急性腸炎	(人)	896	-	19	96	-	-	-	-	-
	血便なし	0.6%	-	0.0%	0.0%	-	-	-	-	-
	血便あり	0.0%	-	N/A	0.0%	-	-	-	-	-
	不明	0.0%	-	0.0%	0.0%	-	-	-	-	-
計	0.6%	-	0.0%	0.0%	-	-	-	-	-	
急性虫垂炎	(人)	703	-	23	87	-	-	-	-	-
	白血球15000/mm3未満	0.0%	-	N/A	0.0%	-	-	-	-	-
	白血球15000/mm3以上	0.0%	-	N/A	0.0%	-	-	-	-	-
	不明	4.2%	-	4.3%	N/A	-	-	-	-	-
計	0.1%	-	4.3%	0.0%	-	-	-	-	-	
胆石症	(人)	1,413	-	33	102	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	-	0.0%	0.0%	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	-	N/A	0.0%	-	-	-	-	-
	不明	0.0%	-	0.0%	N/A	-	-	-	-	-
計	0.6%	-	0.0%	0.0%	-	-	-	-	-	
前立腺肥大症	(人)	189	-	6	28	-	-	-	-	-
	前立腺容積20ml未満	0.0%	-	N/A	0.0%	-	-	-	-	-
	前立腺容積50ml未満	0.0%	-	N/A	0.0%	-	-	-	-	-
	前立腺容積50ml以上	0.0%	-	N/A	N/A	-	-	-	-	-
	不明	0.0%	-	0.0%	0.0%	-	-	-	-	-
計	0.0%	-	0.0%	0.0%	-	-	-	-	-	
白内障	(人)	1,194	-	149	193	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	0.0%	0.0%	-	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	N/A	0.0%	-	-	-	-	-
	不明	0.0%	-	0.0%	N/A	-	-	-	-	-
計	0.0%	-	0.0%	0.0%	-	-	-	-	-	
痔核	(人)	140	-	1	2	-	-	-	-	-
	第一度(出血のみ)	0.0%	-	N/A	0.0%	-	-	-	-	-
	第二度(還納可能)	0.0%	-	N/A	0.0%	-	-	-	-	-
	第三度(脱肛)	0.0%	-	N/A	N/A	-	-	-	-	-
	不明	0.0%	-	0.0%	N/A	-	-	-	-	-
計	0.0%	-	0.0%	0.0%	-	-	-	-	-	
子宮筋腫	(人)	476	-	33	56	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	N/A	0.0%	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	N/A	0.0%	-	-	-	-	-
	不明	0.0%	-	0.0%	N/A	-	-	-	-	-
計	0.0%	-	0.0%	0.0%	-	-	-	-	-	
狭心症	(人)	2,070	-	245	6	-	-	-	-	-
	重症度の指標なし	0.1%	-	0.0%	0.0%	-	-	-	-	-
計	0.1%	-	0.0%	0.0%	-	-	-	-	-	
腎結石及び尿管結石	(人)	632	-	26	39	-	-	-	-	-
	水腎・水尿管なし	0.0%	-	N/A	0.0%	-	-	-	-	-
	水腎・水尿管あり	0.0%	-	N/A	0.0%	-	-	-	-	-

【重症度別集計】表

		平均	病院コード				
			9017	9018	9019	9020	9021
脳梗塞	JCS 200-300	52.3%	-	-	-	-	-
	不明	N/A	-	-	-	-	-
	計	5.8%	-	-	-	-	-
脳出血	(人)	667	-	-	-	-	-
	JCS 0-1	2.3%	-	-	-	-	-
	JCS 2-3	4.3%	-	-	-	-	-
	JCS 10-100	5.6%	-	-	-	-	-
	JCS 200-300	63.2%	-	-	-	-	-
	不明	N/A	-	-	-	-	-
	計	14.7%	-	-	-	-	-
糖尿病	(人)	855	-	-	-	-	-
	軽症	0.0%	-	-	-	-	-
	中等症	0.8%	-	-	-	-	-
	重症	2.2%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.4%	-	-	-	-	-
大腿骨頸部骨折	(人)	648	-	-	-	-	-
	重症度Ⅰ	2.6%	-	-	-	-	-
	重症度Ⅱ	0.0%	-	-	-	-	-
	重症度Ⅲ	3.8%	-	-	-	-	-
	重症度Ⅳ	5.6%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	2.3%	-	-	-	-	-
胃潰瘍	(人)	252	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.0%	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	1.6%	-	-	-	-	-
急性腸炎	(人)	896	-	-	-	-	-
	血便なし	0.6%	-	-	-	-	-
	血便あり	0.0%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.6%	-	-	-	-	-
急性虫垂炎	(人)	703	-	-	-	-	-
	白血球15000/mm3未満	0.0%	-	-	-	-	-
	白血球15000/mm3以上	0.0%	-	-	-	-	-
	不明	4.2%	-	-	-	-	-
	計	0.1%	-	-	-	-	-
胆石症	(人)	1,413	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.6%	-	-	-	-	-
前立腺肥大症	(人)	189	-	-	-	-	-
	前立腺容積20ml未満	0.0%	-	-	-	-	-
	前立腺容積50ml未満	0.0%	-	-	-	-	-
	前立腺容積50ml以上	0.0%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.0%	-	-	-	-	-
白内障	(人)	1,194	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.0%	-	-	-	-	-
痔核	(人)	140	-	-	-	-	-
	第一度(出血のみ)	0.0%	-	-	-	-	-
	第二度(還納可能)	0.0%	-	-	-	-	-
	第三度(脱肛)	0.0%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.0%	-	-	-	-	-
子宮筋腫	(人)	476	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-	-	-	-
	不明	0.0%	-	-	-	-	-
	計	0.0%	-	-	-	-	-
狭心症	(人)	2,070	-	-	-	-	-
	重症度の指標なし	0.1%	-	-	-	-	-
	計	0.1%	-	-	-	-	-
腎結石及び尿管結石	(人)	632	-	-	-	-	-
	水腎・水尿管なし	0.0%	-	-	-	-	-
	水腎・水尿管あり	0.0%	-	-	-	-	-

【重症度別集計】表

		平均	病院コード				
			9017	9018	9019	9020	9021
腎結石及び尿管結石	不明	0.0%	-	-	-	-	-
	計	0.0%	-	-	-	-	-
乳房の悪性新生物	(人)	576	-	-	-	-	-
	ステージ0	0.0%	-	-	-	-	
	ステージI	0.5%	-	-	-	-	
	ステージII	1.6%	-	-	-	-	
	ステージIII	3.3%	-	-	-	-	
	ステージIV	22.4%	-	-	-	-	
	不明	11.8%	-	-	-	-	
	計	4.3%	-	-	-	-	
膝関節症	(人)	386	-	-	-	-	
	骨移植なし	0.0%	-	-	-	-	
	骨移植あり	0.0%	-	-	-	-	
	不明	0.0%	-	-	-	-	
	計	0.0%	-	-	-	-	
鼠径ヘルニア	(人)	912	-	-	-	-	
	重症度の指標なし	0.0%	-	-	-	-	
	計	0.0%	-	-	-	-	
全疾患合計		3.9%	-	-	-	-	
集計病院数		17					