

【重症度別集計】表

絞込条件

対象年月設定: 201404 ~ 201503
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 死亡退院率

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	696	73	1	2	130	61	44	190	6
ステージ0		6.3%	0.0%	N/A	0.0%	0.0%	0.0%	N/A	N/A	N/A
ステージI		0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
ステージII		4.1%	25.0%	N/A	N/A	0.0%	0.0%	16.7%	3.0%	N/A
ステージIII		13.6%	10.0%	N/A	N/A	0.0%	11.1%	12.5%	31.8%	N/A
ステージIV		19.3%	3.6%	N/A	N/A	8.6%	19.0%	27.3%	24.2%	N/A
不明		13.3%	11.1%	0.0%	0.0%	25.0%	0.0%	N/A	7.7%	0.0%
計		10.3%	5.5%	0.0%	0.0%	4.6%	8.2%	18.2%	13.2%	0.0%
結腸の悪性新生物	(人)	866	89	0	13	119	258	20	157	5
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
ステージI		0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
ステージII		1.5%	0.0%	N/A	0.0%	0.0%	1.5%	14.3%	0.0%	N/A
ステージIII		2.6%	0.0%	N/A	0.0%	0.0%	1.5%	0.0%	12.5%	N/A
ステージIV		9.7%	0.0%	N/A	N/A	7.5%	1.9%	57.1%	15.4%	100.0%
不明		10.0%	0.0%	N/A	36.4%	0.0%	0.0%	0.0%	11.1%	0.0%
計		5.1%	0.0%	N/A	30.8%	3.4%	1.6%	25.0%	9.6%	20.0%
直腸の悪性新生物	(人)	453	20	0	1	90	96	8	71	3
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
ステージI		0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
ステージII		5.3%	0.0%	N/A	N/A	5.0%	0.0%	0.0%	7.4%	N/A
ステージIII		1.4%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	6.3%	N/A
ステージIV		11.8%	0.0%	N/A	N/A	8.8%	2.9%	33.3%	23.5%	N/A
不明		6.7%	0.0%	N/A	0.0%	N/A	N/A	0.0%	N/A	33.3%
計		5.5%	0.0%	N/A	0.0%	4.4%	1.0%	12.5%	9.9%	33.3%
気管支および肺の悪性新生物	(人)	783	28	1	10	127	38	27	257	15
ステージ0		0.0%	N/A	N/A	N/A	N/A	N/A	N/A	0.0%	N/A
ステージI		5.1%	N/A	N/A	N/A	0.0%	0.0%	0.0%	14.8%	N/A
ステージII		3.1%	N/A	N/A	N/A	0.0%	0.0%	50.0%	0.0%	N/A
ステージIII		7.6%	0.0%	N/A	N/A	5.3%	0.0%	50.0%	6.4%	N/A
ステージIV		20.4%	38.9%	N/A	100.0%	10.6%	26.3%	20.0%	17.8%	N/A
不明		10.9%	50.0%	100.0%	62.5%	0.0%	0.0%	0.0%	2.2%	0.0%
計		12.3%	35.7%	100.0%	70.0%	4.7%	13.2%	14.8%	10.1%	0.0%
急性心筋梗塞	(人)	266	15	1	0	63	39	7	54	0
Killip I		1.8%	0.0%	N/A	N/A	0.0%	0.0%	N/A	5.9%	N/A
Killip II		6.8%	25.0%	N/A	N/A	0.0%	0.0%	0.0%	5.6%	N/A
Killip III		12.9%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	14.3%	N/A
Killip IV		40.0%	N/A	100.0%	N/A	77.8%	33.3%	0.0%	22.2%	N/A
不明		60.0%	N/A	N/A	N/A	50.0%	N/A	N/A	66.7%	N/A
計		12.0%	6.7%	100.0%	N/A	12.7%	5.1%	0.0%	13.0%	N/A
肺炎	(人)	2,889	176	33	165	235	96	199	226	104
軽症		1.8%	1.4%	0.0%	4.3%	2.1%	2.3%	1.9%	0.0%	0.0%
中等症		6.6%	11.4%	0.0%	16.7%	0.0%	0.0%	6.7%	11.1%	7.4%
重症		14.1%	17.6%	11.1%	38.9%	4.1%	15.4%	13.0%	11.9%	26.9%
不明		2.1%	100.0%	N/A	N/A	N/A	N/A	N/A	0.0%	8.3%
計		6.3%	10.2%	6.1%	17.0%	3.4%	7.3%	9.0%	4.9%	9.6%
喘息	(人)	916	12	1	28	73	0	12	82	2
軽症間欠型		0.4%	0.0%	0.0%	12.5%	0.0%	N/A	0.0%	0.0%	N/A
軽症持続型		0.0%	0.0%	N/A	0.0%	0.0%	N/A	0.0%	N/A	N/A
中等症持続型		0.5%	0.0%	N/A	7.7%	0.0%	N/A	N/A	0.0%	N/A
重症持続型		0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
不明		0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	0.0%	0.0%
計		0.2%	0.0%	0.0%	7.1%	0.0%	N/A	0.0%	0.0%	0.0%
脳梗塞	(人)	1,365	111	453	5	190	6	74	95	34
JCS 0-1		2.0%	1.3%	0.4%	50.0%	0.8%	20.0%	6.1%	0.0%	0.0%
JCS 2-3		2.5%	10.5%	1.2%	N/A	2.8%	N/A	0.0%	0.0%	N/A
JCS 10-100		21.6%	18.2%	9.7%	100.0%	5.6%	N/A	27.3%	50.0%	25.0%

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
胃の悪性新生物	(人)	696	-	49	0	13	-	-	-	78
ステージ0		6.3%	-	0.0%	N/A	50.0%	-	-	-	N/A
ステージI		0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
ステージII		4.1%	-	9.1%	N/A	0.0%	-	-	-	0.0%
ステージIII		13.6%	-	50.0%	N/A	N/A	-	-	-	0.0%
ステージIV		19.3%	-	60.0%	N/A	50.0%	-	-	-	12.0%
不明		13.3%	-	0.0%	N/A	66.7%	-	-	-	0.0%
計		10.3%	-	22.4%	N/A	46.2%	-	-	-	3.8%
結腸の悪性新生物	(人)	866	-	50	0	15	-	-	-	94
ステージ0		0.0%	-	0.0%	N/A	N/A	-	-	-	0.0%
ステージI		0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
ステージII		1.5%	-	0.0%	N/A	50.0%	-	-	-	0.0%
ステージIII		2.6%	-	0.0%	N/A	0.0%	-	-	-	0.0%
ステージIV		9.7%	-	22.2%	N/A	16.7%	-	-	-	16.7%
不明		10.0%	-	50.0%	N/A	0.0%	-	-	-	0.0%
計		5.1%	-	6.0%	N/A	13.3%	-	-	-	4.3%
直腸の悪性新生物	(人)	453	-	21	0	16	-	-	-	66
ステージ0		0.0%	-	0.0%	N/A	N/A	-	-	-	N/A
ステージI		0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
ステージII		5.3%	-	0.0%	N/A	0.0%	-	-	-	25.0%
ステージIII		1.4%	-	N/A	N/A	0.0%	-	-	-	3.0%
ステージIV		11.8%	-	33.3%	N/A	0.0%	-	-	-	13.3%
不明		6.7%	-	0.0%	N/A	0.0%	-	-	-	0.0%
計		5.5%	-	19.0%	N/A	0.0%	-	-	-	6.1%
気管支および肺の悪性新生物	(人)	783	-	15	157	5	-	-	-	95
ステージ0		0.0%	-	N/A	0.0%	N/A	-	-	-	N/A
ステージI		5.1%	-	0.0%	6.7%	N/A	-	-	-	0.0%
ステージII		3.1%	-	0.0%	3.2%	N/A	-	-	-	0.0%
ステージIII		7.6%	-	N/A	6.1%	N/A	-	-	-	15.4%
ステージIV		20.4%	-	40.0%	17.4%	100.0%	-	-	-	14.0%
不明		10.9%	-	0.0%	N/A	33.3%	-	-	-	0.0%
計		12.3%	-	26.7%	8.9%	60.0%	-	-	-	10.5%
急性心筋梗塞	(人)	266	-	42	0	3	-	-	-	39
Killip I		1.8%	-	0.0%	N/A	0.0%	-	-	-	5.0%
Killip II		6.8%	-	14.3%	N/A	100.0%	-	-	-	16.7%
Killip III		12.9%	-	20.0%	N/A	N/A	-	-	-	25.0%
Killip IV		40.0%	-	14.3%	N/A	100.0%	-	-	-	22.2%
不明		60.0%	-	N/A	N/A	N/A	-	-	-	N/A
計		12.0%	-	9.5%	N/A	66.7%	-	-	-	12.8%
肺炎	(人)	2,889	-	236	73	311	-	-	-	849
軽症		1.8%	-	1.6%	0.0%	1.4%	-	-	-	0.0%
中等症		6.6%	-	8.3%	N/A	7.7%	-	-	-	0.0%
重症		14.1%	-	23.8%	11.1%	12.7%	-	-	-	5.9%
不明		2.1%	-	N/A	N/A	0.0%	-	-	-	2.7%
計		6.3%	-	10.2%	11.0%	2.9%	-	-	-	2.7%
喘息	(人)	916	-	50	15	39	-	-	-	578
軽症間欠型		0.4%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
軽症持続型		0.0%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
中等症持続型		0.5%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
重症持続型		0.0%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
不明		0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
計		0.2%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
脳梗塞	(人)	1,365	-	100	0	53	-	-	-	182
JCS 0-1		2.0%	-	1.3%	N/A	3.3%	-	-	-	1.3%
JCS 2-3		2.5%	-	6.7%	N/A	0.0%	-	-	-	6.7%
JCS 10-100		21.6%	-	28.6%	N/A	16.7%	-	-	-	25.0%

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1041	1046	1047	1049	1058	1069	1129	1133
胃の悪性新生物	(人)	696	-	4	-	-	-	45	-	-
ステージ0		6.3%	-	N/A	-	-	-	0.0%	-	-
ステージI		0.0%	-	N/A	-	-	-	0.0%	-	-
ステージII		4.1%	-	N/A	-	-	-	0.0%	-	-
ステージIII		13.6%	-	0.0%	-	-	-	0.0%	-	-
ステージIV		19.3%	-	100.0%	-	-	-	11.8%	-	-
不明		13.3%	-	50.0%	-	-	-	0.0%	-	-
計		10.3%	-	50.0%	-	-	-	4.4%	-	-
結腸の悪性新生物	(人)	866	-	2	-	-	-	44	-	-
ステージ0		0.0%	-	N/A	-	-	-	0.0%	-	-
ステージI		0.0%	-	N/A	-	-	-	0.0%	-	-
ステージII		1.5%	-	N/A	-	-	-	0.0%	-	-
ステージIII		2.6%	-	0.0%	-	-	-	0.0%	-	-
ステージIV		9.7%	-	N/A	-	-	-	5.6%	-	-
不明		10.0%	-	100.0%	-	-	-	N/A	-	-
計		5.1%	-	50.0%	-	-	-	2.3%	-	-
直腸の悪性新生物	(人)	453	-	1	-	-	-	60	-	-
ステージ0		0.0%	-	N/A	-	-	-	0.0%	-	-
ステージI		0.0%	-	N/A	-	-	-	0.0%	-	-
ステージII		5.3%	-	N/A	-	-	-	N/A	-	-
ステージIII		1.4%	-	N/A	-	-	-	0.0%	-	-
ステージIV		11.8%	-	0.0%	-	-	-	8.8%	-	-
不明		6.7%	-	N/A	-	-	-	0.0%	-	-
計		5.5%	-	0.0%	-	-	-	5.0%	-	-
気管支および肺の悪性新生物	(人)	783	-	4	-	-	-	4	-	-
ステージ0		0.0%	-	N/A	-	-	-	N/A	-	-
ステージI		5.1%	-	N/A	-	-	-	0.0%	-	-
ステージII		3.1%	-	N/A	-	-	-	N/A	-	-
ステージIII		7.6%	-	N/A	-	-	-	N/A	-	-
ステージIV		20.4%	-	100.0%	-	-	-	100.0%	-	-
不明		10.9%	-	66.7%	-	-	-	100.0%	-	-
計		12.3%	-	75.0%	-	-	-	75.0%	-	-
急性心筋梗塞	(人)	266	-	3	-	-	-	0	-	-
Killip I		1.8%	-	N/A	-	-	-	N/A	-	-
Killip II		6.8%	-	0.0%	-	-	-	N/A	-	-
Killip III		12.9%	-	N/A	-	-	-	N/A	-	-
Killip IV		40.0%	-	100.0%	-	-	-	N/A	-	-
不明		60.0%	-	N/A	-	-	-	N/A	-	-
計		12.0%	-	66.7%	-	-	-	N/A	-	-
肺炎	(人)	2,889	-	73	-	-	-	113	-	-
軽症		1.8%	-	4.3%	-	-	-	0.0%	-	-
中等症		6.6%	-	0.0%	-	-	-	0.0%	-	-
重症		14.1%	-	16.3%	-	-	-	12.5%	-	-
不明		2.1%	-	N/A	-	-	-	N/A	-	-
計		6.3%	-	11.0%	-	-	-	8.0%	-	-
喘息	(人)	916	-	2	-	-	-	22	-	-
軽症間欠型		0.4%	-	0.0%	-	-	-	0.0%	-	-
軽症持続型		0.0%	-	N/A	-	-	-	0.0%	-	-
中等症持続型		0.5%	-	N/A	-	-	-	0.0%	-	-
重症持続型		0.0%	-	N/A	-	-	-	0.0%	-	-
不明		0.0%	-	N/A	-	-	-	0.0%	-	-
計		0.2%	-	0.0%	-	-	-	0.0%	-	-
脳梗塞	(人)	1,365	-	56	-	-	-	6	-	-
JCS 0-1		2.0%	-	11.1%	-	-	-	100.0%	-	-
JCS 2-3		2.5%	-	0.0%	-	-	-	0.0%	-	-
JCS 10-100		21.6%	-	28.6%	-	-	-	50.0%	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード		
			9019	9020	9021
胃の悪性新生物	(人)	696	-	-	-
ステージ0		6.3%	-	-	-
ステージI		0.0%	-	-	-
ステージII		4.1%	-	-	-
ステージIII		13.6%	-	-	-
ステージIV		19.3%	-	-	-
不明		13.3%	-	-	-
計		10.3%	-	-	-
結腸の悪性新生物	(人)	866	-	-	-
ステージ0		0.0%	-	-	-
ステージI		0.0%	-	-	-
ステージII		1.5%	-	-	-
ステージIII		2.6%	-	-	-
ステージIV		9.7%	-	-	-
不明		10.0%	-	-	-
計		5.1%	-	-	-
直腸の悪性新生物	(人)	453	-	-	-
ステージ0		0.0%	-	-	-
ステージI		0.0%	-	-	-
ステージII		5.3%	-	-	-
ステージIII		1.4%	-	-	-
ステージIV		11.8%	-	-	-
不明		6.7%	-	-	-
計		5.5%	-	-	-
気管支および肺の悪性新生物	(人)	783	-	-	-
ステージ0		0.0%	-	-	-
ステージI		5.1%	-	-	-
ステージII		3.1%	-	-	-
ステージIII		7.6%	-	-	-
ステージIV		20.4%	-	-	-
不明		10.9%	-	-	-
計		12.3%	-	-	-
急性心筋梗塞	(人)	266	-	-	-
Killip I		1.8%	-	-	-
Killip II		6.8%	-	-	-
Killip III		12.9%	-	-	-
Killip IV		40.0%	-	-	-
不明		60.0%	-	-	-
計		12.0%	-	-	-
肺炎	(人)	2,889	-	-	-
軽症		1.8%	-	-	-
中等症		6.6%	-	-	-
重症		14.1%	-	-	-
不明		2.1%	-	-	-
計		6.3%	-	-	-
喘息	(人)	916	-	-	-
軽症間欠型		0.4%	-	-	-
軽症持続型		0.0%	-	-	-
中等症持続型		0.5%	-	-	-
重症持続型		0.0%	-	-	-
不明		0.0%	-	-	-
計		0.2%	-	-	-
脳梗塞	(人)	1,365	-	-	-
JCS 0-1		2.0%	-	-	-
JCS 2-3		2.5%	-	-	-
JCS 10-100		21.6%	-	-	-

【重症度別集計】表

(単位:%)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	38.9%	50.0%	20.0%	0.0%	60.0%	100.0%	75.0%	66.7%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	4.8%	5.4%	1.5%	60.0%	3.2%	33.3%	16.2%	7.4%	5.9%
脳出血	(人)	586	34	169	2	135	2	24	36	7
	JCS 0-1	1.5%	6.3%	0.0%	N/A	3.3%	0.0%	0.0%	0.0%	16.7%
	JCS 2-3	4.4%	0.0%	2.2%	N/A	11.5%	0.0%	0.0%	0.0%	N/A
	JCS 10-100	18.8%	80.0%	15.6%	N/A	23.3%	N/A	25.0%	N/A	N/A
	JCS 200-300	61.5%	50.0%	57.1%	50.0%	55.6%	N/A	100.0%	71.4%	0.0%
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	14.7%	20.6%	13.0%	50.0%	16.3%	0.0%	37.5%	13.9%	14.3%	
糖尿病	(人)	585	78	12	9	60	66	15	39	30
	軽症	0.5%	0.0%	0.0%	33.3%	0.0%	0.0%	0.0%	0.0%	N/A
	中等症	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A
	重症	4.6%	0.0%	N/A	50.0%	0.0%	0.0%	0.0%	9.1%	N/A
	不明	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	0.0%
計	0.9%	0.0%	0.0%	33.3%	0.0%	0.0%	0.0%	2.6%	0.0%	
大腿骨頸部骨折	(人)	511	140	0	1	114	3	2	36	21
	重症度 I	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
	重症度 II	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
	重症度 III	0.7%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
	重症度 IV	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	N/A
	不明	0.0%	0.0%	N/A	0.0%	N/A	N/A	0.0%	N/A	0.0%
計	0.2%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
胃潰瘍	(人)	202	35	0	6	31	9	8	44	5
	ショックなし(収縮期血圧90mmHg以上)	0.6%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	2.6%	0.0%
	ショックあり(収縮期血圧90mmHg未満)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.0%
計	0.5%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	2.3%	0.0%	
急性腸炎	(人)	701	92	2	15	51	18	51	60	15
	血便なし	0.6%	0.0%	0.0%	15.4%	0.0%	0.0%	4.5%	0.0%	0.0%
	血便あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.0%
計	0.6%	0.0%	0.0%	13.3%	0.0%	0.0%	3.9%	0.0%	0.0%	
急性虫垂炎	(人)	522	78	0	2	109	30	28	66	1
	白血球15000/mm3未満	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	白血球15000/mm3以上	0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
胆石症	(人)	1,108	120	1	17	221	110	46	225	11
	黄疸なし(T Bill 5mg/dl 未満)	0.7%	1.8%	0.0%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	2.6%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	7.1%	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	0.8%	1.7%	0.0%	0.0%	0.5%	0.0%	0.0%	0.4%	0.0%	
前立腺肥大症	(人)	95	33	0	0	0	10	2	36	0
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A
	不明	0.0%	0.0%	N/A	N/A	N/A	0.0%	0.0%	N/A	N/A
計	0.0%	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	N/A	
白内障	(人)	679	274	0	2	0	0	0	0	0
	1眼(処置対象のもの)	0.0%	0.0%	N/A	0.0%	N/A	N/A	N/A	N/A	N/A
	2眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	N/A	0.0%	N/A	N/A	N/A	N/A	N/A	
痔核	(人)	74	3	0	2	5	42	5	11	0
	第一度(出血のみ)	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	N/A	0.0%	N/A
	第二度(還納可能)	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
	第三度(脱肛)	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	0.0%	N/A	N/A	N/A
計	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	N/A	
子宮筋腫	(人)	142	51	0	0	0	0	0	4	0
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	N/A
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	N/A
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	N/A	
狭心症	(人)	1,963	264	29	2	356	178	170	535	7
	重症度の指標なし	0.2%	0.0%	0.0%	0.0%	0.3%	0.6%	0.0%	0.0%	0.0%
計	0.2%	0.0%	0.0%	0.0%	0.3%	0.6%	0.0%	0.0%	0.0%	
腎結石及び尿管結石	(人)	487	194	0	1	10	88	0	82	0
	水腎・水尿管なし	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	N/A
	水腎・水尿管あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	N/A	0.0%	N/A

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
脳梗塞	JCS 200-300	38.9%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	4.8%	-	4.0%	N/A	3.8%	-	-	-	3.3%
脳出血	(人)	586	-	60	0	8	-	-	-	91
	JCS 0-1	1.5%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	JCS 2-3	4.4%	-	0.0%	N/A	0.0%	-	-	-	7.1%
	JCS 10-100	18.8%	-	7.7%	N/A	50.0%	-	-	-	0.0%
	JCS 200-300	61.5%	-	58.3%	N/A	N/A	-	-	-	66.7%
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	14.7%	-	13.3%	N/A	12.5%	-	-	-	9.9%
糖尿病	(人)	585	-	24	1	64	-	-	-	135
	軽症	0.5%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	中等症	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	重症	4.6%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
	計	0.9%	-	0.0%	0.0%	0.0%	-	-	-	0.0%
大腿骨頸部骨折	(人)	511	-	29	0	77	-	-	-	62
	重症度Ⅰ	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	重症度Ⅱ	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	重症度Ⅲ	0.7%	-	0.0%	N/A	4.2%	-	-	-	0.0%
	重症度Ⅳ	0.0%	-	0.0%	N/A	0.0%	-	-	-	N/A
	不明	0.0%	-	N/A	N/A	0.0%	-	-	-	N/A
計	0.2%	-	0.0%	N/A	1.3%	-	-	-	0.0%	
胃潰瘍	(人)	202	-	16	0	13	-	-	-	11
	ショックなし(収縮期血圧90mmHg以上)	0.6%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	ショックあり(収縮期血圧90mmHg未満)	0.0%	-	0.0%	N/A	0.0%	-	-	-	N/A
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	N/A
計	0.5%	-	0.0%	N/A	0.0%	-	-	-	0.0%	
急性腸炎	(人)	701	-	81	0	63	-	-	-	170
	血便なし	0.6%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	血便あり	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	N/A
計	0.6%	-	0.0%	N/A	0.0%	-	-	-	0.0%	
急性虫垂炎	(人)	522	-	33	0	25	-	-	-	119
	白血球15000/mm3未満	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	白血球15000/mm3以上	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
計	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%	
胆石症	(人)	1,108	-	76	0	42	-	-	-	167
	黄疸なし(T Bill 5mg/dl 未満)	0.7%	-	2.8%	N/A	0.0%	-	-	-	0.6%
	黄疸あり(T Bill 5mg/dl 以上)	2.6%	-	0.0%	N/A	20.0%	-	-	-	0.0%
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
計	0.8%	-	2.6%	N/A	2.4%	-	-	-	0.6%	
前立腺肥大症	(人)	95	-	0	0	1	-	-	-	13
	前立腺容積20ml未満	0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
	前立腺容積50ml未満	0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
	前立腺容積50ml以上	0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
	不明	0.0%	-	N/A	N/A	0.0%	-	-	-	0.0%
計	0.0%	-	N/A	N/A	0.0%	-	-	-	0.0%	
白内障	(人)	679	-	196	0	193	-	-	-	14
	1眼(処置対象のもの)	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	2眼(処置対象のもの)	0.0%	-	0.0%	N/A	N/A	-	-	-	0.0%
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
計	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%	
痔核	(人)	74	-	3	0	3	-	-	-	0
	第一度(出血のみ)	0.0%	-	0.0%	N/A	N/A	-	-	-	N/A
	第二度(還納可能)	0.0%	-	N/A	N/A	N/A	-	-	-	N/A
	第三度(脱肛)	0.0%	-	0.0%	N/A	0.0%	-	-	-	N/A
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	N/A
計	0.0%	-	0.0%	N/A	0.0%	-	-	-	N/A	
子宮筋腫	(人)	142	-	40	0	0	-	-	-	47
	貧血なし(Hb10g/dl以上)	0.0%	-	0.0%	N/A	N/A	-	-	-	0.0%
	貧血あり(Hb10g/dl未満)	0.0%	-	0.0%	N/A	N/A	-	-	-	0.0%
	不明	0.0%	-	N/A	N/A	N/A	-	-	-	0.0%
計	0.0%	-	0.0%	N/A	N/A	-	-	-	0.0%	
狭心症	(人)	1,963	-	118	0	4	-	-	-	300
	重症度の指標なし	0.2%	-	0.0%	N/A	0.0%	-	-	-	0.7%
計	0.2%	-	0.0%	N/A	0.0%	-	-	-	0.7%	
腎結石及び尿管結石	(人)	487	-	7	0	3	-	-	-	101
	水腎・水尿管なし	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%
	水腎・水尿管あり	0.0%	-	0.0%	N/A	0.0%	-	-	-	0.0%

【重症度別集計】表

		平均	病院コード							
			1041	1046	1047	1049	1058	1069	1129	1133
脳梗塞	JCS 200-300	38.9%	-	N/A	-	-	-	0.0%	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	4.8%	-	12.5%	-	-	-	33.3%	-	-
脳出血	(人)	586	-	16	-	-	-	2	-	-
	JCS 0-1	1.5%	-	0.0%	-	-	-	N/A	-	-
	JCS 2-3	4.4%	-	0.0%	-	-	-	N/A	-	-
	JCS 10-100	18.8%	-	0.0%	-	-	-	50.0%	-	-
	JCS 200-300	61.5%	-	N/A	-	-	-	N/A	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	14.7%	-	0.0%	-	-	-	50.0%	-	-
糖尿病	(人)	585	-	21	-	-	-	31	-	-
	軽症	0.5%	-	0.0%	-	-	-	0.0%	-	-
	中等症	0.0%	-	0.0%	-	-	-	0.0%	-	-
	重症	4.6%	-	25.0%	-	-	-	0.0%	-	-
	不明	0.0%	-	N/A	-	-	-	0.0%	-	-
	計	0.9%	-	4.8%	-	-	-	0.0%	-	-
大腿骨頸部骨折	(人)	511	-	25	-	-	-	1	-	-
	重症度Ⅰ	0.0%	-	0.0%	-	-	-	N/A	-	-
	重症度Ⅱ	0.0%	-	0.0%	-	-	-	N/A	-	-
	重症度Ⅲ	0.7%	-	0.0%	-	-	-	N/A	-	-
	重症度Ⅳ	0.0%	-	N/A	-	-	-	N/A	-	-
	不明	0.0%	-	0.0%	-	-	-	0.0%	-	-
計	0.2%	-	0.0%	-	-	-	0.0%	-	-	
胃潰瘍	(人)	202	-	0	-	-	-	24	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.6%	-	N/A	-	-	-	0.0%	-	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	-	N/A	-	-	-	0.0%	-	-
	不明	0.0%	-	N/A	-	-	-	N/A	-	-
計	0.5%	-	N/A	-	-	-	0.0%	-	-	
急性腸炎	(人)	701	-	12	-	-	-	71	-	-
	血便なし	0.6%	-	0.0%	-	-	-	0.0%	-	-
	血便あり	0.0%	-	0.0%	-	-	-	0.0%	-	-
	不明	0.0%	-	0.0%	-	-	-	N/A	-	-
計	0.6%	-	0.0%	-	-	-	0.0%	-	-	
急性虫垂炎	(人)	522	-	0	-	-	-	31	-	-
	白血球15000/mm3未満	0.0%	-	N/A	-	-	-	0.0%	-	-
	白血球15000/mm3以上	0.0%	-	N/A	-	-	-	0.0%	-	-
	不明	0.0%	-	N/A	-	-	-	N/A	-	-
計	0.0%	-	N/A	-	-	-	0.0%	-	-	
胆石症	(人)	1,108	-	1	-	-	-	71	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.7%	-	0.0%	-	-	-	1.6%	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.6%	-	N/A	-	-	-	0.0%	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
計	0.8%	-	0.0%	-	-	-	1.4%	-	-	
前立腺肥大症	(人)	95	-	0	-	-	-	0	-	-
	前立腺容積20ml未満	0.0%	-	N/A	-	-	-	N/A	-	-
	前立腺容積50ml未満	0.0%	-	N/A	-	-	-	N/A	-	-
	前立腺容積50ml以上	0.0%	-	N/A	-	-	-	N/A	-	-
	不明	0.0%	-	N/A	-	-	-	N/A	-	-
計	0.0%	-	N/A	-	-	-	N/A	-	-	
白内障	(人)	679	-	0	-	-	-	0	-	-
	1眼(処置対象のもの)	0.0%	-	N/A	-	-	-	N/A	-	-
	2眼(処置対象のもの)	0.0%	-	N/A	-	-	-	N/A	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
計	0.0%	-	N/A	-	-	-	N/A	-	-	
痔核	(人)	74	-	0	-	-	-	0	-	-
	第一度(出血のみ)	0.0%	-	N/A	-	-	-	N/A	-	-
	第二度(還納可能)	0.0%	-	N/A	-	-	-	N/A	-	-
	第三度(脱肛)	0.0%	-	N/A	-	-	-	N/A	-	-
	不明	0.0%	-	N/A	-	-	-	N/A	-	-
計	0.0%	-	N/A	-	-	-	N/A	-	-	
子宮筋腫	(人)	142	-	0	-	-	-	0	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	N/A	-	-	-	N/A	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	N/A	-	-	-	N/A	-	-
	不明	0.0%	-	N/A	-	-	-	N/A	-	-
計	0.0%	-	N/A	-	-	-	N/A	-	-	
狭心症	(人)	1,963	-	0	-	-	-	0	-	-
	重症度の指標なし	0.2%	-	N/A	-	-	-	N/A	-	-
計	0.2%	-	N/A	-	-	-	N/A	-	-	
腎結石及び尿管結石	(人)	487	-	0	-	-	-	1	-	-
	水腎・水尿管なし	0.0%	-	N/A	-	-	-	N/A	-	-
	水腎・水尿管あり	0.0%	-	N/A	-	-	-	0.0%	-	-

【重症度別集計】表

		平均	病院コード						
			1167	1201	1202	9001	9004	9005	9007
脳梗塞	JCS 200-300	38.9%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	4.8%	-	-	-	-	-	-	-
脳出血	(人)	586	-	-	-	-	-	-	-
	JCS 0-1	1.5%	-	-	-	-	-	-	-
	JCS 2-3	4.4%	-	-	-	-	-	-	-
	JCS 10-100	18.8%	-	-	-	-	-	-	-
	JCS 200-300	61.5%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
計	14.7%	-	-	-	-	-	-	-	
糖尿病	(人)	585	-	-	-	-	-	-	-
	軽症	0.5%	-	-	-	-	-	-	-
	中等症	0.0%	-	-	-	-	-	-	-
	重症	4.6%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.9%	-	-	-	-	-	-	-	
大腿骨頸部骨折	(人)	511	-	-	-	-	-	-	-
	重症度Ⅰ	0.0%	-	-	-	-	-	-	-
	重症度Ⅱ	0.0%	-	-	-	-	-	-	-
	重症度Ⅲ	0.7%	-	-	-	-	-	-	-
	重症度Ⅳ	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.2%	-	-	-	-	-	-	-	
胃潰瘍	(人)	202	-	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.6%	-	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.5%	-	-	-	-	-	-	-	
急性腸炎	(人)	701	-	-	-	-	-	-	-
	血便なし	0.6%	-	-	-	-	-	-	-
	血便あり	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.6%	-	-	-	-	-	-	-	
急性虫垂炎	(人)	522	-	-	-	-	-	-	-
	白血球15000/mm3未満	0.0%	-	-	-	-	-	-	-
	白血球15000/mm3以上	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
胆石症	(人)	1,108	-	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.7%	-	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.6%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
計	0.8%	-	-	-	-	-	-	-	
前立腺肥大症	(人)	95	-	-	-	-	-	-	-
	前立腺容積20ml未満	0.0%	-	-	-	-	-	-	-
	前立腺容積50ml未満	0.0%	-	-	-	-	-	-	-
	前立腺容積50ml以上	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
白内障	(人)	679	-	-	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	-	-	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
痔核	(人)	74	-	-	-	-	-	-	-
	第一度(出血のみ)	0.0%	-	-	-	-	-	-	-
	第二度(還納可能)	0.0%	-	-	-	-	-	-	-
	第三度(脱肛)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
子宮筋腫	(人)	142	-	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
計	0.0%	-	-	-	-	-	-	-	
狭心症	(人)	1,963	-	-	-	-	-	-	-
	重症度の指標なし	0.2%	-	-	-	-	-	-	-
計	0.2%	-	-	-	-	-	-	-	
腎結石及び尿管結石	(人)	487	-	-	-	-	-	-	-
	水腎・水尿管なし	0.0%	-	-	-	-	-	-	-
	水腎・水尿管あり	0.0%	-	-	-	-	-	-	-

【重症度別集計】表

		平均	病院コード		
			9019	9020	9021
脳梗塞	JCS 200-300	38.9%	-	-	-
	不明	N/A	-	-	-
	計	4.8%	-	-	-
脳出血	(人)	586	-	-	-
	JCS 0-1	1.5%	-	-	-
	JCS 2-3	4.4%	-	-	-
	JCS 10-100	18.8%	-	-	-
	JCS 200-300	61.5%	-	-	-
	不明	N/A	-	-	-
	計	14.7%	-	-	-
糖尿病	(人)	585	-	-	-
	軽症	0.5%	-	-	-
	中等症	0.0%	-	-	-
	重症	4.6%	-	-	-
	不明	0.0%	-	-	-
	計	0.9%	-	-	-
大腿骨頸部骨折	(人)	511	-	-	-
	重症度Ⅰ	0.0%	-	-	-
	重症度Ⅱ	0.0%	-	-	-
	重症度Ⅲ	0.7%	-	-	-
	重症度Ⅳ	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.2%	-	-	-
胃潰瘍	(人)	202	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.6%	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.5%	-	-	-
急性腸炎	(人)	701	-	-	-
	血便なし	0.6%	-	-	-
	血便あり	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.6%	-	-	-
急性虫垂炎	(人)	522	-	-	-
	白血球15000/mm3未満	0.0%	-	-	-
	白血球15000/mm3以上	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.0%	-	-	-
胆石症	(人)	1,108	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.7%	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.6%	-	-	-
	不明	N/A	-	-	-
	計	0.8%	-	-	-
前立腺肥大症	(人)	95	-	-	-
	前立腺容積20ml未満	0.0%	-	-	-
	前立腺容積50ml未満	0.0%	-	-	-
	前立腺容積50ml以上	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.0%	-	-	-
白内障	(人)	679	-	-	-
	1眼(処置対象のもの)	0.0%	-	-	-
	2眼(処置対象のもの)	0.0%	-	-	-
	不明	N/A	-	-	-
	計	0.0%	-	-	-
痔核	(人)	74	-	-	-
	第一度(出血のみ)	0.0%	-	-	-
	第二度(還納可能)	0.0%	-	-	-
	第三度(脱肛)	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.0%	-	-	-
子宮筋腫	(人)	142	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-	-
	不明	0.0%	-	-	-
	計	0.0%	-	-	-
狭心症	(人)	1,963	-	-	-
	重症度の指標なし	0.2%	-	-	-
	計	0.2%	-	-	-
腎結石及び尿管結石	(人)	487	-	-	-
	水腎・水尿管なし	0.0%	-	-	-
	水腎・水尿管あり	0.0%	-	-	-

【重症度別集計】表

		平均	病院コード		
			9019	9020	9021
腎結石及び尿管結石	不明	0.0%	-	-	-
	計	0.0%	-	-	-
乳房の悪性新生物	(人)	493	-	-	-
	ステージ0	0.0%	-	-	-
	ステージI	0.6%	-	-	-
	ステージII	2.8%	-	-	-
	ステージIII	0.0%	-	-	-
	ステージIV	19.5%	-	-	-
	計	3.2%	-	-	-
膝関節症	(人)	313	-	-	-
	骨移植なし	0.0%	-	-	-
	骨移植あり	N/A	-	-	-
	計	0.0%	-	-	-
鼠径ヘルニア	(人)	727	-	-	-
	重症度の指標なし	0.1%	-	-	-
全疾患合計		3.7%	-	-	-
集計病院数		14			