

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201504 ~ 201603  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 病院コード・昇順

## ■ 死亡退院率

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
<b>胃の悪性新生物</b>	(人)	586	72	5	5	77	88	29	187	-
ステージ0		0.0%	N/A	N/A	N/A	0.0%	0.0%	N/A	N/A	-
ステージI		1.3%	0.0%	0.0%	N/A	3.2%	0.0%	9.1%	0.0%	-
ステージII		6.9%	0.0%	N/A	N/A	11.1%	8.3%	0.0%	12.5%	-
ステージIII		7.9%	5.6%	N/A	N/A	0.0%	6.3%	33.3%	6.3%	-
ステージIV		20.4%	38.5%	50.0%	50.0%	17.9%	6.3%	14.3%	20.5%	-
不明		25.0%	0.0%	N/A	33.3%	0.0%	0.0%	0.0%	37.5%	-
計		11.4%	15.3%	20.0%	40.0%	9.1%	4.5%	13.8%	12.8%	-
<b>結腸の悪性新生物</b>	(人)	957	100	7	10	113	399	25	141	-
ステージ0		3.7%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	-
ステージI		1.4%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	7.1%	-
ステージII		3.2%	3.6%	N/A	N/A	0.0%	1.9%	0.0%	9.1%	-
ステージIII		3.9%	11.8%	0.0%	50.0%	3.7%	1.8%	0.0%	11.6%	-
ステージIV		10.7%	15.8%	N/A	25.0%	20.5%	2.0%	50.0%	15.0%	-
不明		19.2%	5.3%	N/A	0.0%	25.0%	50.0%	0.0%	11.1%	-
計		6.5%	7.0%	0.0%	20.0%	9.7%	2.3%	4.0%	11.3%	-
<b>直腸の悪性新生物</b>	(人)	515	29	0	7	83	173	15	78	-
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	-
ステージI		0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	-
ステージII		3.2%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	18.8%	-
ステージIII		4.3%	0.0%	N/A	0.0%	0.0%	0.0%	25.0%	14.3%	-
ステージIV		4.6%	20.0%	N/A	0.0%	17.4%	0.0%	0.0%	21.4%	-
不明		4.2%	0.0%	N/A	0.0%	0.0%	N/A	0.0%	0.0%	-
計		3.7%	3.4%	N/A	0.0%	4.8%	0.0%	6.7%	12.8%	-
<b>気管支および肺の悪性新生物</b>	(人)	522	22	2	10	143	23	45	244	-
ステージ0		0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	N/A	-
ステージI		6.5%	0.0%	N/A	N/A	2.6%	0.0%	0.0%	9.5%	-
ステージII		10.0%	N/A	N/A	N/A	9.1%	0.0%	0.0%	15.4%	-
ステージIII		13.8%	0.0%	0.0%	N/A	0.0%	N/A	0.0%	15.9%	-
ステージIV		22.8%	25.0%	100.0%	57.1%	5.8%	0.0%	69.2%	21.4%	-
不明		13.5%	50.0%	N/A	66.7%	0.0%	N/A	8.7%	4.0%	-
計		15.3%	22.7%	50.0%	60.0%	3.5%	0.0%	24.4%	13.9%	-
<b>急性心筋梗塞</b>	(人)	316	18	9	2	76	65	19	76	-
Killip I		1.5%	0.0%	50.0%	0.0%	0.0%	0.0%	33.3%	0.0%	-
Killip II		3.8%	50.0%	0.0%	N/A	0.0%	0.0%	14.3%	2.5%	-
Killip III		20.8%	0.0%	50.0%	100.0%	50.0%	0.0%	100.0%	0.0%	-
Killip IV		55.6%	100.0%	N/A	N/A	45.5%	45.5%	100.0%	83.3%	-
不明		33.3%	50.0%	66.7%	N/A	60.0%	0.0%	N/A	0.0%	-
計		11.7%	16.7%	44.4%	50.0%	11.8%	7.7%	26.3%	7.9%	-
<b>肺炎</b>	(人)	1,893	154	58	156	219	105	209	220	-
軽症		1.8%	1.9%	0.0%	4.3%	1.2%	0.0%	2.0%	0.0%	-
中等症		7.0%	0.0%	0.0%	15.0%	7.1%	0.0%	6.5%	0.0%	-
重症		14.4%	22.5%	9.7%	23.8%	5.0%	13.2%	8.9%	19.6%	-
不明		0.3%	0.0%	N/A	N/A	100.0%	N/A	N/A	0.0%	-
計		6.8%	12.3%	5.2%	10.9%	4.1%	6.7%	5.3%	9.5%	-
<b>喘息</b>	(人)	367	22	1	36	72	8	10	74	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
軽症持続型		0.0%	0.0%	N/A	0.0%	0.0%	N/A	N/A	N/A	-
中等症持続型		0.7%	0.0%	N/A	0.0%	3.3%	0.0%	0.0%	0.0%	-
重症持続型		5.9%	N/A	N/A	14.3%	0.0%	N/A	100.0%	0.0%	-
不明		0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	N/A	-
計		1.1%	0.0%	0.0%	2.8%	1.4%	0.0%	10.0%	0.0%	-
<b>脳梗塞</b>	(人)	1,234	89	533	10	244	7	62	91	-
JCS 0-1		1.5%	1.3%	0.4%	0.0%	0.0%	0.0%	7.0%	1.4%	-
JCS 2-3		3.6%	22.2%	0.4%	50.0%	7.3%	N/A	11.1%	0.0%	-
JCS 10-100		12.6%	25.0%	16.1%	0.0%	3.8%	0.0%	0.0%	0.0%	-

# 【重症度別集計】表

	(単位:%)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
<b>胃の悪性新生物</b>	(人)	586	-	65	-	24	-	-	-	-
ステージ0		0.0%	-	0.0%	-	0.0%	-	-	-	-
ステージI		1.3%	-	0.0%	-	0.0%	-	-	-	-
ステージII		6.9%	-	0.0%	-	0.0%	-	-	-	-
ステージIII		7.9%	-	9.1%	-	25.0%	-	-	-	-
ステージIV		20.4%	-	14.3%	-	14.3%	-	-	-	-
不明		25.0%	-	34.8%	-	0.0%	-	-	-	-
計		11.4%	-	15.4%	-	8.3%	-	-	-	-
<b>結腸の悪性新生物</b>	(人)	957	-	44	-	26	-	-	-	-
ステージ0		3.7%	-	0.0%	-	N/A	-	-	-	-
ステージI		1.4%	-	0.0%	-	N/A	-	-	-	-
ステージII		3.2%	-	0.0%	-	11.1%	-	-	-	-
ステージIII		3.9%	-	0.0%	-	0.0%	-	-	-	-
ステージIV		10.7%	-	0.0%	-	33.3%	-	-	-	-
不明		19.2%	-	46.7%	-	15.4%	-	-	-	-
計		6.5%	-	15.9%	-	15.4%	-	-	-	-
<b>直腸の悪性新生物</b>	(人)	515	-	15	-	7	-	-	-	-
ステージ0		0.0%	-	0.0%	-	N/A	-	-	-	-
ステージI		0.0%	-	0.0%	-	N/A	-	-	-	-
ステージII		3.2%	-	N/A	-	0.0%	-	-	-	-
ステージIII		4.3%	-	16.7%	-	0.0%	-	-	-	-
ステージIV		4.6%	-	50.0%	-	0.0%	-	-	-	-
不明		4.2%	-	20.0%	-	0.0%	-	-	-	-
計		3.7%	-	20.0%	-	0.0%	-	-	-	-
<b>気管支および肺の悪性新生物</b>	(人)	522	-	20	-	2	-	-	-	-
ステージ0		0.0%	-	N/A	-	N/A	-	-	-	-
ステージI		6.5%	-	0.0%	-	100.0%	-	-	-	-
ステージII		10.0%	-	N/A	-	N/A	-	-	-	-
ステージIII		13.8%	-	N/A	-	N/A	-	-	-	-
ステージIV		22.8%	-	100.0%	-	N/A	-	-	-	-
不明		13.5%	-	55.6%	-	0.0%	-	-	-	-
計		15.3%	-	55.0%	-	50.0%	-	-	-	-
<b>急性心筋梗塞</b>	(人)	316	-	47	-	0	-	-	-	-
Killip I		1.5%	-	0.0%	-	N/A	-	-	-	-
Killip II		3.8%	-	0.0%	-	N/A	-	-	-	-
Killip III		20.8%	-	33.3%	-	N/A	-	-	-	-
Killip IV		55.6%	-	25.0%	-	N/A	-	-	-	-
不明		33.3%	-	N/A	-	N/A	-	-	-	-
計		11.7%	-	4.3%	-	N/A	-	-	-	-
<b>肺炎</b>	(人)	1,893	-	249	-	374	-	-	-	-
軽症		1.8%	-	0.7%	-	2.5%	-	-	-	-
中等症		7.0%	-	26.1%	-	0.0%	-	-	-	-
重症		14.4%	-	15.7%	-	22.5%	-	-	-	-
不明		0.3%	-	N/A	-	0.0%	-	-	-	-
計		6.8%	-	8.4%	-	2.7%	-	-	-	-
<b>喘息</b>	(人)	367	-	73	-	46	-	-	-	-
軽症間欠型		0.0%	-	0.0%	-	0.0%	-	-	-	-
軽症持続型		0.0%	-	0.0%	-	0.0%	-	-	-	-
中等症持続型		0.7%	-	0.0%	-	0.0%	-	-	-	-
重症持続型		5.9%	-	0.0%	-	0.0%	-	-	-	-
不明		0.0%	-	N/A	-	N/A	-	-	-	-
計		1.1%	-	0.0%	-	0.0%	-	-	-	-
<b>脳梗塞</b>	(人)	1,234	-	106	-	31	-	-	-	-
JCS 0-1		1.5%	-	6.3%	-	0.0%	-	-	-	-
JCS 2-3		3.6%	-	5.3%	-	30.0%	-	-	-	-
JCS 10-100		12.6%	-	33.3%	-	33.3%	-	-	-	-

# 【重症度別集計】表

	(単位:%)	平均	病院コード							
			1041	1046	1047	1069	1129	1167	1201	1202
<b>胃の悪性新生物</b>	(人)	586	-	0	-	34	-	-	-	-
ステージ0		0.0%	-	N/A	-	0.0%	-	-	-	-
ステージI		1.3%	-	N/A	-	0.0%	-	-	-	-
ステージII		6.9%	-	N/A	-	0.0%	-	-	-	-
ステージIII		7.9%	-	N/A	-	0.0%	-	-	-	-
ステージIV		20.4%	-	N/A	-	28.6%	-	-	-	-
不明		25.0%	-	N/A	-	N/A	-	-	-	-
計		11.4%	-	N/A	-	5.9%	-	-	-	-
<b>結腸の悪性新生物</b>	(人)	957	-	3	-	89	-	-	-	-
ステージ0		3.7%	-	N/A	-	0.0%	-	-	-	-
ステージI		1.4%	-	N/A	-	0.0%	-	-	-	-
ステージII		3.2%	-	N/A	-	0.0%	-	-	-	-
ステージIII		3.9%	-	0.0%	-	0.0%	-	-	-	-
ステージIV		10.7%	-	N/A	-	10.3%	-	-	-	-
不明		19.2%	-	50.0%	-	0.0%	-	-	-	-
計		6.5%	-	33.3%	-	4.5%	-	-	-	-
<b>直腸の悪性新生物</b>	(人)	515	-	1	-	107	-	-	-	-
ステージ0		0.0%	-	N/A	-	0.0%	-	-	-	-
ステージI		0.0%	-	N/A	-	0.0%	-	-	-	-
ステージII		3.2%	-	N/A	-	0.0%	-	-	-	-
ステージIII		4.3%	-	0.0%	-	0.0%	-	-	-	-
ステージIV		4.6%	-	N/A	-	0.0%	-	-	-	-
不明		4.2%	-	N/A	-	N/A	-	-	-	-
計		3.7%	-	0.0%	-	0.0%	-	-	-	-
<b>気管支および肺の悪性新生物</b>	(人)	522	-	3	-	8	-	-	-	-
ステージ0		0.0%	-	0.0%	-	N/A	-	-	-	-
ステージI		6.5%	-	N/A	-	N/A	-	-	-	-
ステージII		10.0%	-	N/A	-	N/A	-	-	-	-
ステージIII		13.8%	-	100.0%	-	0.0%	-	-	-	-
ステージIV		22.8%	-	100.0%	-	57.1%	-	-	-	-
不明		13.5%	-	N/A	-	N/A	-	-	-	-
計		15.3%	-	66.7%	-	50.0%	-	-	-	-
<b>急性心筋梗塞</b>	(人)	316	-	4	-	0	-	-	-	-
Killip I		1.5%	-	N/A	-	N/A	-	-	-	-
Killip II		3.8%	-	0.0%	-	N/A	-	-	-	-
Killip III		20.8%	-	N/A	-	N/A	-	-	-	-
Killip IV		55.6%	-	100.0%	-	N/A	-	-	-	-
不明		33.3%	-	N/A	-	N/A	-	-	-	-
計		11.7%	-	50.0%	-	N/A	-	-	-	-
<b>肺炎</b>	(人)	1,893	-	53	-	96	-	-	-	-
軽症		1.8%	-	4.5%	-	0.0%	-	-	-	-
中等症		7.0%	-	0.0%	-	0.0%	-	-	-	-
重症		14.4%	-	0.0%	-	16.4%	-	-	-	-
不明		0.3%	-	N/A	-	N/A	-	-	-	-
計		6.8%	-	1.9%	-	10.4%	-	-	-	-
<b>喘息</b>	(人)	367	-	7	-	18	-	-	-	-
軽症間欠型		0.0%	-	0.0%	-	N/A	-	-	-	-
軽症持続型		0.0%	-	0.0%	-	0.0%	-	-	-	-
中等症持続型		0.7%	-	N/A	-	0.0%	-	-	-	-
重症持続型		5.9%	-	100.0%	-	0.0%	-	-	-	-
不明		0.0%	-	N/A	-	N/A	-	-	-	-
計		1.1%	-	14.3%	-	0.0%	-	-	-	-
<b>脳梗塞</b>	(人)	1,234	-	56	-	5	-	-	-	-
JCS 0-1		1.5%	-	0.0%	-	0.0%	-	-	-	-
JCS 2-3		3.6%	-	0.0%	-	0.0%	-	-	-	-
JCS 10-100		12.6%	-	25.0%	-	0.0%	-	-	-	-





# 【重症度別集計】表

	(単位:%)	平均	病院コード	
			9020	9021
胃の悪性新生物	(人)	586	-	-
ステージ0		0.0%	-	-
ステージⅠ		1.3%	-	-
ステージⅡ		6.9%	-	-
ステージⅢ		7.9%	-	-
ステージⅣ		20.4%	-	-
不明		25.0%	-	-
計		11.4%	-	-
結腸の悪性新生物	(人)	957	-	-
ステージ0		3.7%	-	-
ステージⅠ		1.4%	-	-
ステージⅡ		3.2%	-	-
ステージⅢ		3.9%	-	-
ステージⅣ		10.7%	-	-
不明		19.2%	-	-
計		6.5%	-	-
直腸の悪性新生物	(人)	515	-	-
ステージ0		0.0%	-	-
ステージⅠ		0.0%	-	-
ステージⅡ		3.2%	-	-
ステージⅢ		4.3%	-	-
ステージⅣ		4.6%	-	-
不明		4.2%	-	-
計		3.7%	-	-
気管支および肺の悪性新生物	(人)	522	-	-
ステージ0		0.0%	-	-
ステージⅠ		6.5%	-	-
ステージⅡ		10.0%	-	-
ステージⅢ		13.8%	-	-
ステージⅣ		22.8%	-	-
不明		13.5%	-	-
計		15.3%	-	-
急性心筋梗塞	(人)	316	-	-
KillipⅠ		1.5%	-	-
KillipⅡ		3.8%	-	-
KillipⅢ		20.8%	-	-
KillipⅣ		55.6%	-	-
不明		33.3%	-	-
計		11.7%	-	-
肺炎	(人)	1,893	-	-
軽症		1.8%	-	-
中等症		7.0%	-	-
重症		14.4%	-	-
不明		0.3%	-	-
計		6.8%	-	-
喘息	(人)	367	-	-
軽症間欠型		0.0%	-	-
軽症持続型		0.0%	-	-
中等症持続型		0.7%	-	-
重症持続型		5.9%	-	-
不明		0.0%	-	-
計		1.1%	-	-
脳梗塞	(人)	1,234	-	-
JCS 0-1		1.5%	-	-
JCS 2-3		3.6%	-	-
JCS 10-100		12.6%	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	40.0%	N/A	33.3%	0.0%	14.3%	100.0%	100.0%	66.7%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	3.7%	4.5%	1.7%	10.0%	2.5%	14.3%	11.3%	3.3%	-
脳出血	(人)	525	16	209	0	160	0	13	35	-
	JCS 0-1	2.0%	22.2%	0.0%	N/A	1.5%	N/A	0.0%	3.3%	-
	JCS 2-3	5.6%	0.0%	9.6%	N/A	0.0%	N/A	0.0%	0.0%	-
	JCS 10-100	13.4%	33.3%	10.0%	N/A	18.2%	N/A	0.0%	0.0%	-
	JCS 200-300	56.3%	0.0%	66.7%	N/A	48.5%	N/A	60.0%	66.7%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	14.3%	18.8%	16.3%	N/A	14.4%	N/A	23.1%	8.6%	-
糖尿病	(人)	407	55	32	7	53	79	20	36	-
	軽症	0.8%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	-
	中等症	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	25.0%	-
	重症	1.5%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	12.5%	-
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	1.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	5.6%	-
大腿骨頸部骨折	(人)	429	148	0	0	97	1	2	59	-
	重症度Ⅰ	0.5%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	-
	重症度Ⅱ	1.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	-
	重症度Ⅲ	3.3%	2.9%	N/A	N/A	0.0%	N/A	N/A	0.0%	-
	重症度Ⅳ	5.6%	0.0%	N/A	N/A	0.0%	0.0%	N/A	N/A	-
	不明	0.0%	0.0%	N/A	N/A	0.0%	N/A	0.0%	N/A	-
	計	1.6%	0.7%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	-
胃潰瘍	(人)	157	21	3	2	24	19	4	32	-
	ショックなし(収縮期血圧90mmHg以上)	1.4%	5.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	1.9%	4.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
急性腸炎	(人)	518	66	10	11	61	48	57	52	-
	血便なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	血便あり	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	N/A	-
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
急性虫垂炎	(人)	423	93	0	2	105	47	13	80	-
	白血球15000/mm3未満	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
	白血球15000/mm3以上	0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
胆石症	(人)	923	116	7	7	215	135	55	226	-
	黄疸なし(T Bill 5mg/dl 未満)	0.8%	0.0%	0.0%	0.0%	0.5%	0.9%	0.0%	0.0%	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	0.8%	0.0%	0.0%	0.0%	0.5%	0.7%	0.0%	0.0%	-
前立腺肥大症	(人)	43	10	0	2	0	6	0	24	-
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	-
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	-
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	-
	不明	0.0%	0.0%	N/A	0.0%	N/A	0.0%	N/A	0.0%	-
	計	0.0%	0.0%	N/A	0.0%	N/A	0.0%	N/A	0.0%	-
白内障	(人)	647	275	0	2	0	0	0	0	-
	1眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	N/A	-
	計	0.0%	0.0%	N/A	0.0%	N/A	N/A	N/A	N/A	-
痔核	(人)	109	1	0	7	10	74	1	3	-
	第一度(出血のみ)	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
	第二度(還納可能)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	N/A	-
	第三度(脱肛)	0.0%	N/A	N/A	N/A	0.0%	0.0%	N/A	0.0%	-
	不明	0.0%	N/A	N/A	0.0%	N/A	0.0%	N/A	N/A	-
	計	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
子宮筋腫	(人)	90	54	4	0	0	0	0	1	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-
狭心症	(人)	1,688	197	37	1	329	206	160	631	-
	重症度の指標なし	0.1%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	-
	計	0.1%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%	-
腎結石及び尿管結石	(人)	363	167	1	1	10	85	5	82	-
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	水腎・水尿管あり	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	-

# 【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
脳梗塞	JCS 200-300	40.0%	-	100.0%	-	0.0%	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	3.7%	-	8.5%	-	12.9%	-	-	-	-
脳出血	(人)	525	-	63	-	5	-	-	-	-
	JCS 0-1	2.0%	-	0.0%	-	0.0%	-	-	-	-
	JCS 2-3	5.6%	-	0.0%	-	0.0%	-	-	-	-
	JCS 10-100	13.4%	-	12.5%	-	100.0%	-	-	-	-
	JCS 200-300	56.3%	-	40.0%	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	14.3%	-	9.5%	-	20.0%	-	-	-	-
糖尿病	(人)	407	-	20	-	60	-	-	-	-
	軽症	0.8%	-	0.0%	-	3.7%	-	-	-	-
	中等症	1.1%	-	0.0%	-	0.0%	-	-	-	-
	重症	1.5%	-	0.0%	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
	計	1.0%	-	0.0%	-	1.7%	-	-	-	-
大腿骨頸部骨折	(人)	429	-	30	-	82	-	-	-	-
	重症度Ⅰ	0.5%	-	8.3%	-	0.0%	-	-	-	-
	重症度Ⅱ	1.0%	-	0.0%	-	5.3%	-	-	-	-
	重症度Ⅲ	3.3%	-	16.7%	-	3.1%	-	-	-	-
	重症度Ⅳ	5.6%	-	N/A	-	16.7%	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	1.6%	-	6.7%	-	3.7%	-	-	-	-	
胃潰瘍	(人)	157	-	8	-	14	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.4%	-	0.0%	-	7.7%	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	-	0.0%	-	0.0%	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	1.9%	-	0.0%	-	7.1%	-	-	-	-	
急性腸炎	(人)	518	-	66	-	67	-	-	-	-
	血便なし	0.0%	-	0.0%	-	0.0%	-	-	-	-
	血便あり	0.0%	-	0.0%	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	0.0%	-	0.0%	-	-	-	-	
急性虫垂炎	(人)	423	-	36	-	13	-	-	-	-
	白血球15000/mm3未満	0.0%	-	0.0%	-	0.0%	-	-	-	-
	白血球15000/mm3以上	0.0%	-	0.0%	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	0.0%	-	0.0%	-	-	-	-	
胆石症	(人)	923	-	57	-	25	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.8%	-	1.9%	-	9.1%	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	-	0.0%	-	0.0%	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	0.8%	-	1.8%	-	8.0%	-	-	-	-	
前立腺肥大症	(人)	43	-	0	-	0	-	-	-	-
	前立腺容積20ml未満	0.0%	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml未満	0.0%	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml以上	0.0%	-	N/A	-	N/A	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	N/A	-	N/A	-	-	-	-	
白内障	(人)	647	-	246	-	124	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	0.0%	-	0.0%	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	0.0%	-	N/A	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	0.0%	-	0.0%	-	-	-	-	
痔核	(人)	109	-	1	-	6	-	-	-	-
	第一度(出血のみ)	0.0%	-	0.0%	-	0.0%	-	-	-	-
	第二度(還納可能)	0.0%	-	N/A	-	0.0%	-	-	-	-
	第三度(脱肛)	0.0%	-	N/A	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	0.0%	-	0.0%	-	-	-	-	
子宮筋腫	(人)	90	-	31	-	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	0.0%	-	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	0.0%	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	0.0%	-	N/A	-	-	-	-	
狭心症	(人)	1,688	-	127	-	0	-	-	-	-
	重症度の指標なし	0.1%	-	0.0%	-	N/A	-	-	-	-
計	0.1%	-	0.0%	-	N/A	-	-	-	-	
腎結石及び尿管結石	(人)	363	-	3	-	3	-	-	-	-
	水腎・水尿管なし	0.0%	-	0.0%	-	0.0%	-	-	-	-
	水腎・水尿管あり	0.0%	-	N/A	-	0.0%	-	-	-	-



# 【重症度別集計】表

		平均	病院コード							
			1041	1046	1047	1069	1129	1167	1201	1202
脳梗塞	JCS 200-300	40.0%	-	0.0%	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
	計	3.7%	-	3.6%	-	0.0%	-	-	-	-
脳出血	(人)	525	-	22	-	2	-	-	-	-
	JCS 0-1	2.0%	-	0.0%	-	0.0%	-	-	-	-
	JCS 2-3	5.6%	-	0.0%	-	N/A	-	-	-	-
	JCS 10-100	13.4%	-	0.0%	-	N/A	-	-	-	-
	JCS 200-300	56.3%	-	100.0%	-	100.0%	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	14.3%	-	4.5%	-	50.0%	-	-	-	-	
糖尿病	(人)	407	-	18	-	27	-	-	-	-
	軽症	0.8%	-	0.0%	-	0.0%	-	-	-	-
	中等症	1.1%	-	0.0%	-	0.0%	-	-	-	-
	重症	1.5%	-	0.0%	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	0.0%	-	-	-	-
計	1.0%	-	0.0%	-	0.0%	-	-	-	-	
大腿骨頸部骨折	(人)	429	-	10	-	0	-	-	-	-
	重症度Ⅰ	0.5%	-	N/A	-	N/A	-	-	-	-
	重症度Ⅱ	1.0%	-	0.0%	-	N/A	-	-	-	-
	重症度Ⅲ	3.3%	-	33.3%	-	N/A	-	-	-	-
	重症度Ⅳ	5.6%	-	N/A	-	N/A	-	-	-	-
不明	0.0%	-	N/A	-	N/A	-	-	-	-	
計	1.6%	-	10.0%	-	N/A	-	-	-	-	
胃潰瘍	(人)	157	-	6	-	24	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.4%	-	0.0%	-	0.0%	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	-	100.0%	-	0.0%	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	1.9%	-	16.7%	-	0.0%	-	-	-	-	
急性腸炎	(人)	518	-	9	-	71	-	-	-	-
	血便なし	0.0%	-	0.0%	-	0.0%	-	-	-	-
	血便あり	0.0%	-	N/A	-	0.0%	-	-	-	-
	不明	0.0%	-	0.0%	-	N/A	-	-	-	-
計	0.0%	-	0.0%	-	0.0%	-	-	-	-	
急性虫垂炎	(人)	423	-	0	-	34	-	-	-	-
	白血球15000/mm3未満	0.0%	-	N/A	-	0.0%	-	-	-	-
	白血球15000/mm3以上	0.0%	-	N/A	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	0.0%	-	-	-	-
計	0.0%	-	N/A	-	0.0%	-	-	-	-	
胆石症	(人)	923	-	4	-	76	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.8%	-	0.0%	-	2.9%	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	-	N/A	-	0.0%	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	0.8%	-	0.0%	-	2.6%	-	-	-	-	
前立腺肥大症	(人)	43	-	0	-	1	-	-	-	-
	前立腺容積20ml未満	0.0%	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml未満	0.0%	-	N/A	-	N/A	-	-	-	-
	前立腺容積50ml以上	0.0%	-	N/A	-	N/A	-	-	-	-
	不明	0.0%	-	N/A	-	0.0%	-	-	-	-
計	0.0%	-	N/A	-	0.0%	-	-	-	-	
白内障	(人)	647	-	0	-	0	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	N/A	-	N/A	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	N/A	-	N/A	-	-	-	-
	不明	0.0%	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	N/A	-	N/A	-	-	-	-	
痔核	(人)	109	-	0	-	6	-	-	-	-
	第一度(出血のみ)	0.0%	-	N/A	-	N/A	-	-	-	-
	第二度(還納可能)	0.0%	-	N/A	-	N/A	-	-	-	-
	第三度(脱肛)	0.0%	-	N/A	-	0.0%	-	-	-	-
	不明	0.0%	-	N/A	-	0.0%	-	-	-	-
計	0.0%	-	N/A	-	0.0%	-	-	-	-	
子宮筋腫	(人)	90	-	0	-	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	N/A	-	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	N/A	-	N/A	-	-	-	-
	不明	N/A	-	N/A	-	N/A	-	-	-	-
計	0.0%	-	N/A	-	N/A	-	-	-	-	
狭心症	(人)	1,688	-	0	-	0	-	-	-	-
	重症度の指標なし	0.1%	-	N/A	-	N/A	-	-	-	-
計	0.1%	-	N/A	-	N/A	-	-	-	-	
腎結石及び尿管結石	(人)	363	-	1	-	5	-	-	-	-
	水腎・水尿管なし	0.0%	-	N/A	-	0.0%	-	-	-	-
	水腎・水尿管あり	0.0%	-	0.0%	-	0.0%	-	-	-	-





# 【重症度別集計】表

		平均	病院コード	
			9020	9021
脳梗塞	JCS 200-300	40.0%	-	-
	不明	N/A	-	-
	計	3.7%	-	-
脳出血	(人)	525	-	-
	JCS 0-1	2.0%	-	-
	JCS 2-3	5.6%	-	-
	JCS 10-100	13.4%	-	-
	JCS 200-300	56.3%	-	-
	不明	N/A	-	-
計	14.3%	-	-	
糖尿病	(人)	407	-	-
	軽症	0.8%	-	-
	中等症	1.1%	-	-
	重症	1.5%	-	-
	不明	0.0%	-	-
計	1.0%	-	-	
大腿骨頸部骨折	(人)	429	-	-
	重症度Ⅰ	0.5%	-	-
	重症度Ⅱ	1.0%	-	-
	重症度Ⅲ	3.3%	-	-
	重症度Ⅳ	5.6%	-	-
	不明	0.0%	-	-
計	1.6%	-	-	
胃潰瘍	(人)	157	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.4%	-	-
	ショックあり(収縮期血圧90mmHg未満)	7.7%	-	-
	不明	N/A	-	-
計	1.9%	-	-	
急性腸炎	(人)	518	-	-
	血便なし	0.0%	-	-
	血便あり	0.0%	-	-
	不明	0.0%	-	-
計	0.0%	-	-	
急性虫垂炎	(人)	423	-	-
	白血球15000/mm3未満	0.0%	-	-
	白血球15000/mm3以上	0.0%	-	-
	不明	0.0%	-	-
計	0.0%	-	-	
胆石症	(人)	923	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.8%	-	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	-	-
	不明	N/A	-	-
計	0.8%	-	-	
前立腺肥大症	(人)	43	-	-
	前立腺容積20ml未満	0.0%	-	-
	前立腺容積50ml未満	0.0%	-	-
	前立腺容積50ml以上	0.0%	-	-
	不明	0.0%	-	-
計	0.0%	-	-	
白内障	(人)	647	-	-
	1眼(処置対象のもの)	0.0%	-	-
	2眼(処置対象のもの)	0.0%	-	-
	不明	0.0%	-	-
計	0.0%	-	-	
痔核	(人)	109	-	-
	第一度(出血のみ)	0.0%	-	-
	第二度(還納可能)	0.0%	-	-
	第三度(脱肛)	0.0%	-	-
	不明	0.0%	-	-
計	0.0%	-	-	
子宮筋腫	(人)	90	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-
	不明	N/A	-	-
計	0.0%	-	-	
狭心症	(人)	1,688	-	-
	重症度の指標なし	0.1%	-	-
計	0.1%	-	-	
腎結石及び尿管結石	(人)	363	-	-
	水腎・水尿管なし	0.0%	-	-
	水腎・水尿管あり	0.0%	-	-













## 【重症度別集計】表

		平均	病院コード	
			9020	9021
腎結石及び尿管結石	不明	0.0%	-	-
	計	0.0%	-	-
乳房の悪性新生物	(人)	469	-	-
	ステージ0	0.0%	-	-
	ステージI	0.0%	-	-
	ステージII	1.2%	-	-
	ステージIII	3.6%	-	-
	ステージIV	20.5%	-	-
	不明	12.5%	-	-
計	3.6%	-	-	
膝関節症	(人)	311	-	-
	骨移植なし	0.0%	-	-
	骨移植あり	0.0%	-	-
	不明	N/A	-	-
計	0.0%	-	-	
鼠径ヘルニア	(人)	574	-	-
	重症度の指標なし	0.2%	-	-
計	0.2%	-	-	
全疾患合計		4.0%	-	-
集計病院数		11		