

【重症度別集計】表

絞込条件

対象年月設定: 201604 ~ 201703
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 死亡退院率

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	578	65	41	4	62	110	30	183	-
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	N/A	-
ステージI		1.7%	0.0%	11.1%	N/A	0.0%	0.0%	0.0%	2.9%	-
ステージII		4.5%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	13.6%	-
ステージIII		20.2%	5.6%	0.0%	N/A	14.3%	20.0%	N/A	31.3%	-
ステージIV		19.5%	21.1%	11.8%	N/A	5.6%	2.7%	14.3%	33.3%	-
不明		18.6%	20.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	-
計		11.6%	9.2%	7.3%	50.0%	3.2%	2.7%	3.3%	18.0%	-
結腸の悪性新生物	(人)	946	99	31	4	180	300	42	114	-
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	N/A	0.0%	-
ステージI		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
ステージII		3.8%	0.0%	0.0%	N/A	2.6%	5.3%	0.0%	11.1%	-
ステージIII		2.5%	4.8%	0.0%	N/A	1.9%	1.4%	0.0%	7.7%	-
ステージIV		11.7%	14.3%	0.0%	N/A	15.6%	4.6%	40.0%	27.9%	-
不明		8.6%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	25.0%	-
計		5.7%	4.0%	0.0%	25.0%	6.7%	2.7%	9.5%	15.8%	-
直腸の悪性新生物	(人)	523	38	18	7	110	129	12	86	-
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	-
ステージI		6.4%	0.0%	N/A	N/A	0.0%	0.0%	33.3%	9.5%	-
ステージII		4.7%	0.0%	20.0%	N/A	7.7%	4.5%	0.0%	0.0%	-
ステージIII		4.2%	0.0%	0.0%	100.0%	0.0%	0.0%	25.0%	13.3%	-
ステージIV		7.0%	12.5%	N/A	N/A	8.1%	0.0%	50.0%	16.1%	-
不明		16.7%	0.0%	0.0%	16.7%	0.0%	N/A	N/A	0.0%	-
計		6.1%	5.3%	5.6%	28.6%	4.5%	0.8%	25.0%	10.5%	-
気管支および肺の悪性新生物	(人)	518	21	5	7	152	34	45	227	-
ステージ0		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
ステージI		1.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	2.8%	-
ステージII		0.0%	N/A	0.0%	N/A	0.0%	N/A	0.0%	0.0%	-
ステージIII		14.3%	N/A	33.3%	N/A	7.7%	0.0%	16.7%	14.3%	-
ステージIV		24.3%	61.1%	100.0%	100.0%	7.1%	16.7%	30.0%	23.3%	-
不明		12.6%	0.0%	N/A	66.7%	0.0%	0.0%	15.0%	0.0%	-
計		14.5%	52.4%	40.0%	71.4%	3.3%	8.8%	15.6%	13.2%	-
急性心筋梗塞	(人)	289	14	18	0	86	66	21	61	-
Killip I		2.6%	12.5%	0.0%	N/A	1.8%	4.9%	N/A	0.0%	-
Killip II		3.1%	0.0%	0.0%	N/A	0.0%	0.0%	5.3%	0.0%	-
Killip III		39.1%	100.0%	25.0%	N/A	33.3%	33.3%	N/A	40.0%	-
Killip IV		57.1%	33.3%	33.3%	N/A	53.8%	50.0%	100.0%	80.0%	-
不明		20.0%	0.0%	N/A	N/A	50.0%	N/A	0.0%	0.0%	-
計		13.8%	21.4%	11.1%	N/A	11.6%	12.1%	9.5%	9.8%	-
肺炎	(人)	1,858	186	105	181	292	113	212	149	-
軽症		3.4%	1.7%	5.0%	9.0%	1.9%	4.9%	2.6%	2.5%	-
中等症		9.5%	8.7%	5.9%	23.1%	11.1%	8.3%	9.1%	0.0%	-
重症		12.2%	12.6%	13.2%	25.8%	5.6%	8.3%	10.7%	8.3%	-
不明		0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	-
計		7.3%	8.6%	10.5%	17.1%	4.5%	7.1%	7.5%	3.4%	-
喘息	(人)	274	20	5	42	58	5	18	54	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
軽症持続型		0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	N/A	-
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-
重症持続型		2.9%	0.0%	N/A	0.0%	0.0%	N/A	0.0%	4.3%	-
不明		0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
計		0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%	-
脳梗塞	(人)	1,184	82	566	15	284	8	61	53	-
JCS 0-1		1.8%	1.6%	0.7%	22.2%	1.4%	12.5%	2.4%	2.9%	-
JCS 2-3		7.1%	20.0%	4.1%	50.0%	5.7%	N/A	9.1%	33.3%	-
JCS 10-100		18.9%	0.0%	18.2%	75.0%	5.9%	N/A	0.0%	28.6%	-

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
胃の悪性新生物	(人)	578	30	-	18	-	-	-	-	4
ステージ0		0.0%	N/A	-	0.0%	-	-	-	-	N/A
ステージI		1.7%	0.0%	-	0.0%	-	-	-	-	N/A
ステージII		4.5%	0.0%	-	0.0%	-	-	-	-	N/A
ステージIII		20.2%	50.0%	-	N/A	-	-	-	-	N/A
ステージIV		19.5%	25.0%	-	14.3%	-	-	-	-	N/A
不明		18.6%	30.8%	-	40.0%	-	-	-	-	25.0%
計		11.6%	23.3%	-	16.7%	-	-	-	-	25.0%
結腸の悪性新生物	(人)	946	36	-	19	-	-	-	-	2
ステージ0		0.0%	0.0%	-	N/A	-	-	-	-	N/A
ステージI		0.0%	0.0%	-	N/A	-	-	-	-	N/A
ステージII		3.8%	0.0%	-	0.0%	-	-	-	-	N/A
ステージIII		2.5%	14.3%	-	50.0%	-	-	-	-	N/A
ステージIV		11.7%	0.0%	-	33.3%	-	-	-	-	N/A
不明		8.6%	11.1%	-	20.0%	-	-	-	-	0.0%
計		5.7%	5.6%	-	21.1%	-	-	-	-	0.0%
直腸の悪性新生物	(人)	523	7	-	12	-	-	-	-	0
ステージ0		0.0%	0.0%	-	N/A	-	-	-	-	N/A
ステージI		6.4%	N/A	-	N/A	-	-	-	-	N/A
ステージII		4.7%	0.0%	-	0.0%	-	-	-	-	N/A
ステージIII		4.2%	33.3%	-	0.0%	-	-	-	-	N/A
ステージIV		7.0%	N/A	-	0.0%	-	-	-	-	N/A
不明		16.7%	100.0%	-	0.0%	-	-	-	-	N/A
計		6.1%	28.6%	-	0.0%	-	-	-	-	N/A
気管支および肺の悪性新生物	(人)	518	10	-	9	-	-	-	-	6
ステージ0		N/A	N/A	-	N/A	-	-	-	-	N/A
ステージI		1.0%	N/A	-	N/A	-	-	-	-	N/A
ステージII		0.0%	0.0%	-	N/A	-	-	-	-	N/A
ステージIII		14.3%	25.0%	-	N/A	-	-	-	-	0.0%
ステージIV		24.3%	0.0%	-	50.0%	-	-	-	-	100.0%
不明		12.6%	50.0%	-	40.0%	-	-	-	-	50.0%
計		14.5%	30.0%	-	44.4%	-	-	-	-	50.0%
急性心筋梗塞	(人)	289	11	-	4	-	-	-	-	6
Killip I		2.6%	0.0%	-	0.0%	-	-	-	-	N/A
Killip II		3.1%	100.0%	-	0.0%	-	-	-	-	0.0%
Killip III		39.1%	0.0%	-	50.0%	-	-	-	-	100.0%
Killip IV		57.1%	0.0%	-	N/A	-	-	-	-	100.0%
不明		20.0%	N/A	-	N/A	-	-	-	-	N/A
計		13.8%	9.1%	-	25.0%	-	-	-	-	83.3%
肺炎	(人)	1,858	137	-	355	-	-	-	-	50
軽症		3.4%	1.6%	-	2.4%	-	-	-	-	0.0%
中等症		9.5%	20.0%	-	0.0%	-	-	-	-	0.0%
重症		12.2%	15.5%	-	17.4%	-	-	-	-	15.4%
不明		0.0%	N/A	-	0.0%	-	-	-	-	N/A
計		7.3%	9.5%	-	2.5%	-	-	-	-	8.0%
喘息	(人)	274	24	-	38	-	-	-	-	0
軽症間欠型		0.0%	0.0%	-	0.0%	-	-	-	-	N/A
軽症持続型		0.0%	0.0%	-	0.0%	-	-	-	-	N/A
中等症持続型		0.0%	0.0%	-	0.0%	-	-	-	-	N/A
重症持続型		2.9%	0.0%	-	0.0%	-	-	-	-	N/A
不明		0.0%	N/A	-	N/A	-	-	-	-	N/A
計		0.4%	0.0%	-	0.0%	-	-	-	-	N/A
脳梗塞	(人)	1,184	48	-	31	-	-	-	-	34
JCS 0-1		1.8%	0.0%	-	6.3%	-	-	-	-	0.0%
JCS 2-3		7.1%	8.3%	-	50.0%	-	-	-	-	0.0%
JCS 10-100		18.9%	50.0%	-	37.5%	-	-	-	-	0.0%

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1047	1069	1129	1167	1201	1202	1501	1502
胃の悪性新生物	(人)	578	-	31	-	-	-	-	-	-
ステージ0		0.0%	-	0.0%	-	-	-	-	-	-
ステージI		1.7%	-	0.0%	-	-	-	-	-	-
ステージII		4.5%	-	0.0%	-	-	-	-	-	-
ステージIII		20.2%	-	12.5%	-	-	-	-	-	-
ステージIV		19.5%	-	66.7%	-	-	-	-	-	-
不明		18.6%	-	12.5%	-	-	-	-	-	-
計		11.6%	-	19.4%	-	-	-	-	-	-
結腸の悪性新生物	(人)	946	-	119	-	-	-	-	-	-
ステージ0		0.0%	-	0.0%	-	-	-	-	-	-
ステージI		0.0%	-	0.0%	-	-	-	-	-	-
ステージII		3.8%	-	0.0%	-	-	-	-	-	-
ステージIII		2.5%	-	0.0%	-	-	-	-	-	-
ステージIV		11.7%	-	2.0%	-	-	-	-	-	-
不明		8.6%	-	N/A	-	-	-	-	-	-
計		5.7%	-	0.8%	-	-	-	-	-	-
直腸の悪性新生物	(人)	523	-	104	-	-	-	-	-	-
ステージ0		0.0%	-	0.0%	-	-	-	-	-	-
ステージI		6.4%	-	0.0%	-	-	-	-	-	-
ステージII		4.7%	-	0.0%	-	-	-	-	-	-
ステージIII		4.2%	-	0.0%	-	-	-	-	-	-
ステージIV		7.0%	-	7.5%	-	-	-	-	-	-
不明		16.7%	-	66.7%	-	-	-	-	-	-
計		6.1%	-	6.7%	-	-	-	-	-	-
気管支および肺の悪性新生物	(人)	518	-	2	-	-	-	-	-	-
ステージ0		N/A	-	N/A	-	-	-	-	-	-
ステージI		1.0%	-	N/A	-	-	-	-	-	-
ステージII		0.0%	-	N/A	-	-	-	-	-	-
ステージIII		14.3%	-	N/A	-	-	-	-	-	-
ステージIV		24.3%	-	100.0%	-	-	-	-	-	-
不明		12.6%	-	N/A	-	-	-	-	-	-
計		14.5%	-	100.0%	-	-	-	-	-	-
急性心筋梗塞	(人)	289	-	2	-	-	-	-	-	-
Killip I		2.6%	-	N/A	-	-	-	-	-	-
Killip II		3.1%	-	N/A	-	-	-	-	-	-
Killip III		39.1%	-	N/A	-	-	-	-	-	-
Killip IV		57.1%	-	100.0%	-	-	-	-	-	-
不明		20.0%	-	N/A	-	-	-	-	-	-
計		13.8%	-	100.0%	-	-	-	-	-	-
肺炎	(人)	1,858	-	78	-	-	-	-	-	-
軽症		3.4%	-	0.0%	-	-	-	-	-	-
中等症		9.5%	-	0.0%	-	-	-	-	-	-
重症		12.2%	-	17.6%	-	-	-	-	-	-
不明		0.0%	-	N/A	-	-	-	-	-	-
計		7.3%	-	11.5%	-	-	-	-	-	-
喘息	(人)	274	-	10	-	-	-	-	-	-
軽症間欠型		0.0%	-	N/A	-	-	-	-	-	-
軽症持続型		0.0%	-	0.0%	-	-	-	-	-	-
中等症持続型		0.0%	-	0.0%	-	-	-	-	-	-
重症持続型		2.9%	-	N/A	-	-	-	-	-	-
不明		0.0%	-	N/A	-	-	-	-	-	-
計		0.4%	-	0.0%	-	-	-	-	-	-
脳梗塞	(人)	1,184	-	2	-	-	-	-	-	-
JCS 0-1		1.8%	-	50.0%	-	-	-	-	-	-
JCS 2-3		7.1%	-	N/A	-	-	-	-	-	-
JCS 10-100		18.9%	-	N/A	-	-	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	50.0%	100.0%	60.0%	N/A	0.0%	N/A	100.0%	60.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	5.7%	6.1%	4.4%	40.0%	2.5%	12.5%	4.9%	15.1%	-
脳出血	(人)	480	21	216	3	153	1	21	12	-
	JCS 0-1	3.6%	0.0%	0.0%	0.0%	7.8%	N/A	0.0%	0.0%	-
	JCS 2-3	4.9%	0.0%	3.8%	N/A	3.7%	N/A	0.0%	0.0%	-
	JCS 10-100	12.0%	0.0%	15.9%	100.0%	11.1%	N/A	14.3%	0.0%	-
	JCS 200-300	48.1%	0.0%	46.7%	100.0%	36.4%	100.0%	66.7%	100.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	13.1%	0.0%	13.9%	66.7%	11.8%	100.0%	14.3%	8.3%	-
糖尿病	(人)	348	59	29	7	64	64	29	26	-
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	中等症	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	6.7%	0.0%	-
	重症	1.9%	0.0%	N/A	N/A	5.9%	0.0%	0.0%	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	0.9%	0.0%	0.0%	0.0%	1.6%	0.0%	3.4%	0.0%	-
大腿骨頸部骨折	(人)	393	122	0	1	121	1	2	24	-
	重症度Ⅰ	1.6%	1.7%	N/A	N/A	0.0%	0.0%	N/A	11.1%	-
	重症度Ⅱ	1.9%	1.9%	N/A	N/A	0.0%	N/A	N/A	0.0%	-
	重症度Ⅲ	1.3%	0.0%	N/A	N/A	0.0%	N/A	N/A	8.3%	-
	重症度Ⅳ	8.0%	0.0%	N/A	100.0%	0.0%	N/A	N/A	N/A	-
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	N/A	-
計	2.0%	1.6%	N/A	100.0%	0.0%	0.0%	0.0%	8.3%	-	
胃潰瘍	(人)	138	18	12	1	24	15	4	25	-
	ショックなし(収縮期血圧90mmHg以上)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	
急性腸炎	(人)	559	113	43	23	46	60	44	59	-
	血便なし	0.4%	1.0%	0.0%	0.0%	2.4%	0.0%	0.0%	0.0%	-
	血便あり	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.4%	0.9%	0.0%	0.0%	2.2%	0.0%	0.0%	0.0%	-	
急性虫垂炎	(人)	377	71	11	0	81	46	23	75	-
	白血球15000/mm3未満	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	白血球15000/mm3以上	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-	
胆石症	(人)	955	138	42	9	200	130	68	198	-
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	1.7%	-
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.7%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	2.5%	-	
前立腺肥大症	(人)	54	22	0	0	0	3	1	28	-
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	-
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	-
	不明	0.0%	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	-
計	0.0%	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	-	
白内障	(人)	588	278	0	0	0	0	0	0	-
	1眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-	
痔核	(人)	109	4	1	5	17	60	3	3	-
	第一度(出血のみ)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	第二度(還納可能)	0.0%	N/A	N/A	N/A	0.0%	0.0%	0.0%	N/A	-
	第三度(脱肛)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	-
	不明	0.0%	N/A	N/A	0.0%	0.0%	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	
子宮筋腫	(人)	115	83	17	0	0	0	0	2	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-	
狭心症	(人)	1,649	177	124	1	335	198	155	598	-
	重症度の指標なし	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	-
	計	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	-
腎結石及び尿管結石	(人)	352	155	1	3	11	81	4	94	-
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	水腎・水尿管あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	N/A	0.0%	-

【重症度別集計】表

		平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
脳梗塞	JCS 200-300	50.0%	100.0%	-	100.0%	-	-	-	-	0.0%
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	5.7%	6.3%	-	25.8%	-	-	-	-	0.0%
脳出血	(人)	480	21	-	9	-	-	-	-	21
	JCS 0-1	3.6%	20.0%	-	0.0%	-	-	-	-	0.0%
	JCS 2-3	4.9%	20.0%	-	25.0%	-	-	-	-	0.0%
	JCS 10-100	12.0%	0.0%	-	N/A	-	-	-	-	0.0%
	JCS 200-300	48.1%	50.0%	-	N/A	-	-	-	-	100.0%
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	13.1%	19.0%	-	11.1%	-	-	-	-	14.3%
糖尿病	(人)	348	5	-	34	-	-	-	-	9
	軽症	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%
	中等症	1.8%	0.0%	-	0.0%	-	-	-	-	20.0%
	重症	1.9%	0.0%	-	0.0%	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	0.9%	0.0%	-	0.0%	-	-	-	-	11.1%
大腿骨頸部骨折	(人)	393	20	-	95	-	-	-	-	7
	重症度Ⅰ	1.6%	0.0%	-	4.2%	-	-	-	-	0.0%
	重症度Ⅱ	1.9%	25.0%	-	0.0%	-	-	-	-	0.0%
	重症度Ⅲ	1.3%	0.0%	-	0.0%	-	-	-	-	0.0%
	重症度Ⅳ	8.0%	N/A	-	8.3%	-	-	-	-	N/A
	不明	0.0%	N/A	-	N/A	-	-	-	-	N/A
計	2.0%	5.0%	-	2.1%	-	-	-	-	0.0%	
胃潰瘍	(人)	138	8	-	10	-	-	-	-	1
	ショックなし(収縮期血圧90mmHg以上)	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%
	ショックあり(収縮期血圧90mmHg未満)	0.0%	N/A	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%	
急性腸炎	(人)	559	32	-	74	-	-	-	-	3
	血便なし	0.4%	0.0%	-	0.0%	-	-	-	-	0.0%
	血便あり	0.0%	N/A	-	0.0%	-	-	-	-	N/A
	不明	0.0%	N/A	-	N/A	-	-	-	-	N/A
計	0.4%	0.0%	-	0.0%	-	-	-	-	0.0%	
急性虫垂炎	(人)	377	16	-	16	-	-	-	-	1
	白血球15000/mm3未満	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%
	白血球15000/mm3以上	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	不明	0.0%	N/A	-	N/A	-	-	-	-	N/A
計	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%	
胆石症	(人)	955	54	-	30	-	-	-	-	1
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	0.0%	-	0.0%	-	-	-	-	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	0.0%	-	0.0%	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	0.7%	0.0%	-	0.0%	-	-	-	-	0.0%	
前立腺肥大症	(人)	54	0	-	0	-	-	-	-	0
	前立腺容積20ml未満	0.0%	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml未満	0.0%	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml以上	0.0%	N/A	-	N/A	-	-	-	-	N/A
	不明	0.0%	N/A	-	N/A	-	-	-	-	N/A
計	0.0%	N/A	-	N/A	-	-	-	-	N/A	
白内障	(人)	588	109	-	201	-	-	-	-	0
	1眼(処置対象のもの)	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	2眼(処置対象のもの)	0.0%	N/A	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	0.0%	0.0%	-	0.0%	-	-	-	-	N/A	
痔核	(人)	109	7	-	4	-	-	-	-	0
	第一度(出血のみ)	0.0%	N/A	-	0.0%	-	-	-	-	N/A
	第二度(還納可能)	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	第三度(脱肛)	0.0%	0.0%	-	N/A	-	-	-	-	N/A
	不明	0.0%	N/A	-	N/A	-	-	-	-	N/A
計	0.0%	0.0%	-	0.0%	-	-	-	-	N/A	
子宮筋腫	(人)	115	13	-	0	-	-	-	-	0
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	-	N/A	-	-	-	-	N/A
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	0.0%	0.0%	-	N/A	-	-	-	-	N/A	
狭心症	(人)	1,649	59	-	1	-	-	-	-	0
	重症度の指標なし	0.1%	0.0%	-	0.0%	-	-	-	-	N/A
	計	0.1%	0.0%	-	0.0%	-	-	-	-	N/A
腎結石及び尿管結石	(人)	352	1	-	1	-	-	-	-	0
	水腎・水尿管なし	0.0%	0.0%	-	N/A	-	-	-	-	N/A
	水腎・水尿管あり	0.0%	N/A	-	0.0%	-	-	-	-	N/A

【重症度別集計】表

		平均	病院コード							
			1047	1069	1129	1167	1201	1202	1501	1502
脳梗塞	JCS 200-300	50.0%	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
	計	5.7%	-	50.0%	-	-	-	-	-	-
脳出血	(人)	480	-	2	-	-	-	-	-	-
	JCS 0-1	3.6%	-	N/A	-	-	-	-	-	-
	JCS 2-3	4.9%	-	N/A	-	-	-	-	-	-
	JCS 10-100	12.0%	-	0.0%	-	-	-	-	-	-
	JCS 200-300	48.1%	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
	計	13.1%	-	0.0%	-	-	-	-	-	-
糖尿病	(人)	348	-	22	-	-	-	-	-	-
	軽症	0.0%	-	0.0%	-	-	-	-	-	-
	中等症	1.8%	-	0.0%	-	-	-	-	-	-
	重症	1.9%	-	0.0%	-	-	-	-	-	-
	計	0.9%	-	0.0%	-	-	-	-	-	-
大腿骨頸部骨折	(人)	393	-	0	-	-	-	-	-	-
	重症度Ⅰ	1.6%	-	N/A	-	-	-	-	-	-
	重症度Ⅱ	1.9%	-	N/A	-	-	-	-	-	-
	重症度Ⅲ	1.3%	-	N/A	-	-	-	-	-	-
	重症度Ⅳ	8.0%	-	N/A	-	-	-	-	-	-
	計	2.0%	-	N/A	-	-	-	-	-	-
胃潰瘍	(人)	138	-	20	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.0%	-	0.0%	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	-	0.0%	-	-	-	-	-	-
	計	0.0%	-	0.0%	-	-	-	-	-	-
急性腸炎	(人)	559	-	62	-	-	-	-	-	-
	血便なし	0.4%	-	0.0%	-	-	-	-	-	-
	血便あり	0.0%	-	0.0%	-	-	-	-	-	-
	計	0.4%	-	0.0%	-	-	-	-	-	-
急性虫垂炎	(人)	377	-	37	-	-	-	-	-	-
	白血球15000/mm3未満	0.0%	-	0.0%	-	-	-	-	-	-
	白血球15000/mm3以上	0.0%	-	0.0%	-	-	-	-	-	-
	計	0.0%	-	0.0%	-	-	-	-	-	-
胆石症	(人)	955	-	85	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	-	1.3%	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	2.5%	-	0.0%	-	-	-	-	-	-
	計	0.7%	-	1.2%	-	-	-	-	-	-
前立腺肥大症	(人)	54	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	0.0%	-	N/A	-	-	-	-	-	-
	前立腺容積50ml未満	0.0%	-	N/A	-	-	-	-	-	-
	前立腺容積50ml以上	0.0%	-	N/A	-	-	-	-	-	-
	計	0.0%	-	N/A	-	-	-	-	-	-
白内障	(人)	588	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	N/A	-	-	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	N/A	-	-	-	-	-	-
	計	0.0%	-	N/A	-	-	-	-	-	-
痔核	(人)	109	-	5	-	-	-	-	-	-
	第一度(出血のみ)	0.0%	-	0.0%	-	-	-	-	-	-
	第二度(還納可能)	0.0%	-	N/A	-	-	-	-	-	-
	第三度(脱肛)	0.0%	-	0.0%	-	-	-	-	-	-
	計	0.0%	-	0.0%	-	-	-	-	-	-
子宮筋腫	(人)	115	-	0	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	N/A	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	N/A	-	-	-	-	-	-
	計	0.0%	-	N/A	-	-	-	-	-	-
狭心症	(人)	1,649	-	1	-	-	-	-	-	-
	重症度の指標なし	0.1%	-	0.0%	-	-	-	-	-	-
腎結石及び尿管結石	(人)	352	-	1	-	-	-	-	-	-
	水腎・水尿管なし	0.0%	-	0.0%	-	-	-	-	-	-
	水腎・水尿管あり	0.0%	-	N/A	-	-	-	-	-	-

