

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201704 ~ 201803  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 病院コード・昇順

## ■ 死亡退院率

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
<b>胃の悪性新生物</b>	(人)	491	69	57	9	30	84	24	173	-
ステージ0		0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
ステージI		2.5%	0.0%	9.5%	N/A	11.1%	0.0%	0.0%	1.6%	-
ステージII		10.9%	0.0%	0.0%	N/A	0.0%	7.1%	0.0%	20.0%	-
ステージIII		18.8%	0.0%	16.7%	N/A	0.0%	0.0%	25.0%	39.1%	-
ステージIV		19.1%	13.3%	21.7%	N/A	15.4%	7.1%	7.1%	27.1%	-
不明		36.4%	40.0%	33.3%	44.4%	N/A	50.0%	0.0%	50.0%	-
計		13.8%	8.7%	15.8%	44.4%	10.0%	4.8%	8.3%	18.5%	-
<b>結腸の悪性新生物</b>	(人)	755	86	47	5	119	255	56	137	-
ステージ0		0.0%	N/A	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
ステージI		1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7.1%	-
ステージII		0.7%	0.0%	0.0%	N/A	5.9%	0.0%	0.0%	0.0%	-
ステージIII		3.4%	0.0%	5.3%	N/A	4.5%	0.0%	0.0%	12.2%	-
ステージIV		11.9%	25.0%	22.2%	N/A	9.1%	0.0%	20.0%	22.0%	-
不明		7.8%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	-
計		5.6%	8.1%	6.4%	20.0%	5.9%	0.0%	5.4%	10.9%	-
<b>直腸の悪性新生物</b>	(人)	424	21	21	3	100	150	20	91	-
ステージ0		0.0%	N/A	0.0%	N/A	0.0%	0.0%	N/A	0.0%	-
ステージI		5.7%	0.0%	0.0%	N/A	4.3%	0.0%	0.0%	15.4%	-
ステージII		6.2%	0.0%	N/A	0.0%	7.1%	0.0%	0.0%	13.6%	-
ステージIII		3.6%	0.0%	0.0%	0.0%	4.2%	3.1%	0.0%	8.0%	-
ステージIV		6.6%	0.0%	0.0%	N/A	8.3%	0.0%	25.0%	26.1%	-
不明		0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
計		5.2%	0.0%	0.0%	0.0%	6.0%	0.7%	5.0%	14.3%	-
<b>気管支および肺の悪性新生物</b>	(人)	515	12	2	3	184	74	36	188	-
ステージ0		0.0%	N/A	N/A	N/A	0.0%	0.0%	N/A	0.0%	-
ステージI		3.1%	N/A	N/A	N/A	0.0%	0.0%	0.0%	13.6%	-
ステージII		2.4%	N/A	0.0%	N/A	0.0%	0.0%	20.0%	0.0%	-
ステージIII		7.2%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	11.5%	-
ステージIV		14.8%	33.3%	N/A	N/A	11.9%	7.1%	0.0%	17.6%	-
不明		8.9%	0.0%	N/A	100.0%	0.0%	0.0%	7.7%	0.0%	-
計		9.1%	25.0%	0.0%	100.0%	3.8%	4.1%	5.6%	11.7%	-
<b>急性心筋梗塞</b>	(人)	306	16	18	4	81	64	19	69	-
Killip I		3.1%	20.0%	0.0%	0.0%	3.7%	8.3%	0.0%	0.0%	-
Killip II		5.7%	100.0%	25.0%	N/A	7.7%	2.4%	0.0%	12.5%	-
Killip III		36.8%	N/A	0.0%	N/A	25.0%	25.0%	66.7%	100.0%	-
Killip IV		58.1%	40.0%	50.0%	N/A	25.0%	80.0%	100.0%	85.7%	-
不明		55.6%	N/A	100.0%	100.0%	100.0%	0.0%	N/A	0.0%	-
計		13.1%	31.3%	16.7%	50.0%	9.9%	10.9%	15.8%	14.5%	-
<b>肺炎</b>	(人)	1,687	175	139	119	299	134	218	144	-
軽症		1.4%	0.0%	0.0%	5.0%	2.1%	0.0%	0.0%	0.0%	-
中等症		7.6%	9.5%	9.5%	10.0%	7.7%	0.0%	4.5%	0.0%	-
重症		13.0%	16.5%	23.8%	20.5%	8.4%	10.8%	11.6%	13.2%	-
不明		0.0%	N/A	N/A	N/A	N/A	N/A	N/A	0.0%	-
計		7.4%	11.4%	15.8%	10.9%	6.4%	6.0%	7.3%	6.9%	-
<b>喘息</b>	(人)	257	9	9	19	95	4	16	48	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	-
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	0.0%	N/A	-
中等症持続型		0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
重症持続型		3.1%	N/A	0.0%	0.0%	0.0%	N/A	N/A	0.0%	-
不明		0.0%	N/A	N/A	N/A	0.0%	N/A	N/A	N/A	-
計		0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
<b>脳梗塞</b>	(人)	1,218	45	624	6	266	4	68	65	-
JCS 0-1		1.9%	3.2%	0.0%	100.0%	3.6%	0.0%	1.8%	2.0%	-
JCS 2-3		3.4%	11.1%	1.7%	0.0%	2.9%	N/A	0.0%	22.2%	-
JCS 10-100		15.5%	0.0%	10.4%	0.0%	15.4%	N/A	16.7%	50.0%	-

# 【重症度別集計】表

	(単位:%)	平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
<b>胃の悪性新生物</b>	(人)	491	31	-	13	-	-	-	-	1
ステージ0		0.0%	N/A	-	0.0%	-	-	-	-	N/A
ステージI		2.5%	0.0%	-	0.0%	-	-	-	-	0.0%
ステージII		10.9%	0.0%	-	0.0%	-	-	-	-	N/A
ステージIII		18.8%	0.0%	-	50.0%	-	-	-	-	N/A
ステージIV		19.1%	28.6%	-	50.0%	-	-	-	-	N/A
不明		36.4%	22.2%	-	100.0%	-	-	-	-	N/A
計		13.8%	12.9%	-	30.8%	-	-	-	-	0.0%
<b>結腸の悪性新生物</b>	(人)	755	34	-	15	-	-	-	-	1
ステージ0		0.0%	0.0%	-	N/A	-	-	-	-	N/A
ステージI		1.9%	0.0%	-	N/A	-	-	-	-	N/A
ステージII		0.7%	0.0%	-	N/A	-	-	-	-	N/A
ステージIII		3.4%	14.3%	-	N/A	-	-	-	-	N/A
ステージIV		11.9%	7.7%	-	N/A	-	-	-	-	N/A
不明		7.8%	20.0%	-	20.0%	-	-	-	-	0.0%
計		5.6%	8.8%	-	20.0%	-	-	-	-	0.0%
<b>直腸の悪性新生物</b>	(人)	424	6	-	11	-	-	-	-	1
ステージ0		0.0%	N/A	-	N/A	-	-	-	-	N/A
ステージI		5.7%	0.0%	-	N/A	-	-	-	-	N/A
ステージII		6.2%	0.0%	-	N/A	-	-	-	-	N/A
ステージIII		3.6%	0.0%	-	0.0%	-	-	-	-	N/A
ステージIV		6.6%	N/A	-	50.0%	-	-	-	-	N/A
不明		0.0%	N/A	-	0.0%	-	-	-	-	0.0%
計		5.2%	0.0%	-	9.1%	-	-	-	-	0.0%
<b>気管支および肺の悪性新生物</b>	(人)	515	15	-	1	-	-	-	-	0
ステージ0		0.0%	N/A	-	N/A	-	-	-	-	N/A
ステージI		3.1%	N/A	-	N/A	-	-	-	-	N/A
ステージII		2.4%	N/A	-	N/A	-	-	-	-	N/A
ステージIII		7.2%	100.0%	-	N/A	-	-	-	-	N/A
ステージIV		14.8%	50.0%	-	100.0%	-	-	-	-	N/A
不明		8.9%	30.0%	-	N/A	-	-	-	-	N/A
計		9.1%	40.0%	-	100.0%	-	-	-	-	N/A
<b>急性心筋梗塞</b>	(人)	306	29	-	2	-	-	-	-	4
Killip I		3.1%	0.0%	-	N/A	-	-	-	-	0.0%
Killip II		5.7%	0.0%	-	0.0%	-	-	-	-	0.0%
Killip III		36.8%	0.0%	-	0.0%	-	-	-	-	N/A
Killip IV		58.1%	0.0%	-	N/A	-	-	-	-	100.0%
不明		55.6%	N/A	-	N/A	-	-	-	-	N/A
計		13.1%	0.0%	-	0.0%	-	-	-	-	50.0%
<b>肺炎</b>	(人)	1,687	107	-	304	-	-	-	-	48
軽症		1.4%	3.0%	-	0.0%	-	-	-	-	0.0%
中等症		7.6%	0.0%	-	9.5%	-	-	-	-	25.0%
重症		13.0%	10.0%	-	10.9%	-	-	-	-	4.5%
不明		0.0%	N/A	-	0.0%	-	-	-	-	N/A
計		7.4%	4.7%	-	2.6%	-	-	-	-	6.3%
<b>喘息</b>	(人)	257	25	-	30	-	-	-	-	2
軽症間欠型		0.0%	0.0%	-	0.0%	-	-	-	-	N/A
軽症持続型		0.0%	0.0%	-	0.0%	-	-	-	-	N/A
中等症持続型		0.0%	0.0%	-	0.0%	-	-	-	-	N/A
重症持続型		3.1%	100.0%	-	0.0%	-	-	-	-	N/A
不明		0.0%	N/A	-	N/A	-	-	-	-	0.0%
計		0.4%	4.0%	-	0.0%	-	-	-	-	0.0%
<b>脳梗塞</b>	(人)	1,218	59	-	56	-	-	-	-	25
JCS 0-1		1.9%	2.8%	-	2.4%	-	-	-	-	10.0%
JCS 2-3		3.4%	0.0%	-	18.2%	-	-	-	-	N/A
JCS 10-100		15.5%	50.0%	-	25.0%	-	-	-	-	20.0%







# 【重症度別集計】表

(単位:%)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	54.5%	100.0%	37.5%	100.0%	50.0%	N/A	100.0%	50.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	4.4%	6.7%	1.8%	50.0%	5.3%	0.0%	7.4%	9.2%	-
脳出血	(人)	432	19	188	1	142	3	14	16	-
	JCS 0-1	3.7%	0.0%	4.7%	N/A	3.5%	0.0%	0.0%	0.0%	-
	JCS 2-3	4.4%	12.5%	7.5%	N/A	0.0%	N/A	0.0%	0.0%	-
	JCS 10-100	12.5%	0.0%	15.4%	0.0%	7.4%	100.0%	0.0%	100.0%	-
	JCS 200-300	54.7%	N/A	59.4%	N/A	37.9%	N/A	80.0%	100.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	14.8%	5.3%	17.6%	0.0%	10.6%	33.3%	28.6%	25.0%	-
糖尿病	(人)	345	60	38	5	58	83	29	27	-
	軽症	1.0%	2.2%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	-
	中等症	1.2%	0.0%	0.0%	N/A	0.0%	0.0%	7.1%	0.0%	-
	重症	6.5%	20.0%	100.0%	N/A	6.3%	0.0%	0.0%	0.0%	-
	不明	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	0.0%	-
	計	1.7%	3.3%	2.6%	0.0%	1.7%	1.2%	3.4%	0.0%	-
大腿骨頸部骨折	(人)	379	73	1	0	131	2	3	53	-
	重症度Ⅰ	0.6%	0.0%	N/A	N/A	0.0%	0.0%	N/A	3.8%	-
	重症度Ⅱ	1.0%	2.7%	0.0%	N/A	0.0%	N/A	N/A	0.0%	-
	重症度Ⅲ	3.6%	0.0%	N/A	N/A	0.0%	N/A	N/A	7.1%	-
	重症度Ⅳ	3.8%	0.0%	N/A	N/A	14.3%	0.0%	N/A	0.0%	-
	不明	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	N/A	-
計	1.6%	1.4%	0.0%	N/A	0.8%	0.0%	0.0%	3.8%	-	
胃潰瘍	(人)	133	14	16	1	38	8	8	28	-
	ショックなし(収縮期血圧90mmHg以上)	2.4%	0.0%	0.0%	0.0%	0.0%	14.3%	0.0%	8.0%	-
	ショックあり(収縮期血圧90mmHg未満)	20.0%	N/A	N/A	N/A	0.0%	100.0%	0.0%	33.3%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	3.8%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	10.7%	-	
急性腸炎	(人)	487	103	44	20	63	49	52	53	-
	血便なし	0.7%	0.0%	0.0%	5.0%	2.0%	0.0%	0.0%	0.0%	-
	血便あり	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.6%	0.0%	0.0%	5.0%	1.6%	0.0%	0.0%	0.0%	-	
急性虫垂炎	(人)	368	86	19	2	89	45	23	80	-
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	白血球15000/mm3以上	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	
胆石症	(人)	910	101	56	9	228	175	43	230	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	1.2%	2.0%	0.0%	0.5%	0.0%	0.0%	0.5%	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.4%	1.0%	1.8%	0.0%	0.4%	0.0%	0.0%	0.4%	-	
前立腺肥大症	(人)	43	21	0	0	1	3	0	18	-
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	0.0%	-
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	-
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	N/A	0.0%	-
	不明	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	0.0%	-
計	0.0%	0.0%	N/A	N/A	0.0%	0.0%	N/A	0.0%	-	
白内障	(人)	530	264	0	0	0	0	0	0	-
	1眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-	
痔核	(人)	105	6	2	4	36	43	4	6	-
	第一度(出血のみ)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	第二度(還納可能)	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	N/A	0.0%	-
	第三度(脱肛)	0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	-
	不明	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	
子宮筋腫	(人)	118	76	21	0	0	0	0	5	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
計	0.0%	0.0%	0.0%	N/A	N/A	N/A	N/A	0.0%	-	
狭心症	(人)	1,534	164	112	3	342	174	141	544	-
	重症度の指標なし	0.2%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.2%	-
計	0.2%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%	0.2%	-	
腎結石及び尿管結石	(人)	306	148	0	1	3	85	3	59	-
	水腎・水尿管なし	0.0%	0.0%	N/A	N/A	0.0%	0.0%	0.0%	0.0%	-
	水腎・水尿管あり	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-

# 【重症度別集計】表

		平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
脳梗塞	JCS 200-300	54.5%	33.3%	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	4.4%	6.8%	-	7.1%	-	-	-	-	12.0%
脳出血	(人)	432	27	-	8	-	-	-	-	14
	JCS 0-1	3.7%	10.0%	-	0.0%	-	-	-	-	0.0%
	JCS 2-3	4.4%	0.0%	-	0.0%	-	-	-	-	0.0%
	JCS 10-100	12.5%	11.1%	-	N/A	-	-	-	-	0.0%
	JCS 200-300	54.7%	66.7%	-	100.0%	-	-	-	-	50.0%
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	14.8%	14.8%	-	12.5%	-	-	-	-	7.1%
糖尿病	(人)	345	10	-	25	-	-	-	-	10
	軽症	1.0%	0.0%	-	0.0%	-	-	-	-	0.0%
	中等症	1.2%	0.0%	-	0.0%	-	-	-	-	0.0%
	重症	6.5%	0.0%	-	0.0%	-	-	-	-	0.0%
	不明	0.0%	0.0%	-	N/A	-	-	-	-	0.0%
	計	1.7%	0.0%	-	0.0%	-	-	-	-	0.0%
大腿骨頸部骨折	(人)	379	20	-	92	-	-	-	-	4
	重症度Ⅰ	0.6%	0.0%	-	0.0%	-	-	-	-	N/A
	重症度Ⅱ	1.0%	0.0%	-	0.0%	-	-	-	-	0.0%
	重症度Ⅲ	3.6%	0.0%	-	4.5%	-	-	-	-	N/A
	重症度Ⅳ	3.8%	0.0%	-	0.0%	-	-	-	-	N/A
	不明	0.0%	N/A	-	N/A	-	-	-	-	0.0%
	計	1.6%	0.0%	-	2.2%	-	-	-	-	0.0%
胃潰瘍	(人)	133	5	-	13	-	-	-	-	2
	ショックなし(収縮期血圧90mmHg以上)	2.4%	0.0%	-	0.0%	-	-	-	-	0.0%
	ショックあり(収縮期血圧90mmHg未満)	20.0%	N/A	-	0.0%	-	-	-	-	N/A
	計	3.8%	0.0%	-	0.0%	-	-	-	-	0.0%
急性腸炎	(人)	487	35	-	64	-	-	-	-	4
	血便なし	0.7%	0.0%	-	1.7%	-	-	-	-	0.0%
	血便あり	0.0%	N/A	-	0.0%	-	-	-	-	N/A
	計	0.6%	0.0%	-	1.6%	-	-	-	-	0.0%
急性虫垂炎	(人)	368	12	-	11	-	-	-	-	1
	白血球15000/mm3未満	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%
	白血球15000/mm3以上	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	計	0.0%	0.0%	-	0.0%	-	-	-	-	0.0%
胆石症	(人)	910	44	-	23	-	-	-	-	1
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	0.0%	-	0.0%	-	-	-	-	0.0%
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	計	0.4%	0.0%	-	0.0%	-	-	-	-	0.0%
前立腺肥大症	(人)	43	0	-	0	-	-	-	-	0
	前立腺容積20ml未満	0.0%	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml未満	0.0%	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml以上	0.0%	N/A	-	N/A	-	-	-	-	N/A
	計	0.0%	N/A	-	N/A	-	-	-	-	N/A
白内障	(人)	530	77	-	189	-	-	-	-	0
	1眼(処置対象のもの)	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	2眼(処置対象のもの)	0.0%	N/A	-	0.0%	-	-	-	-	N/A
	計	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
痔核	(人)	105	2	-	2	-	-	-	-	0
	第一度(出血のみ)	0.0%	N/A	-	N/A	-	-	-	-	N/A
	第二度(還納可能)	0.0%	N/A	-	0.0%	-	-	-	-	N/A
	第三度(脱肛)	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	計	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
子宮筋腫	(人)	118	16	-	0	-	-	-	-	0
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	-	N/A	-	-	-	-	N/A
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	-	N/A	-	-	-	-	N/A
	計	0.0%	0.0%	-	N/A	-	-	-	-	N/A
狭心症	(人)	1,534	52	-	2	-	-	-	-	0
	重症度の指標なし	0.2%	0.0%	-	0.0%	-	-	-	-	N/A
	計	0.2%	0.0%	-	0.0%	-	-	-	-	N/A
腎結石及び尿管結石	(人)	306	1	-	6	-	-	-	-	0
	水腎・水尿管なし	0.0%	0.0%	-	0.0%	-	-	-	-	N/A
	水腎・水尿管あり	0.0%	N/A	-	0.0%	-	-	-	-	N/A

# 【重症度別集計】表

		平均	病院コード						
			1047	1069	1129	1167	1201	1202	1501
脳梗塞	JCS 200-300	54.5%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	4.4%	-	-	-	-	-	-	-
脳出血	(人)	432	-	-	-	-	-	-	-
	JCS 0-1	3.7%	-	-	-	-	-	-	-
	JCS 2-3	4.4%	-	-	-	-	-	-	-
	JCS 10-100	12.5%	-	-	-	-	-	-	-
	JCS 200-300	54.7%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	14.8%	-	-	-	-	-	-	-
糖尿病	(人)	345	-	-	-	-	-	-	-
	軽症	1.0%	-	-	-	-	-	-	-
	中等症	1.2%	-	-	-	-	-	-	-
	重症	6.5%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
	計	1.7%	-	-	-	-	-	-	-
大腿骨頸部骨折	(人)	379	-	-	-	-	-	-	-
	重症度Ⅰ	0.6%	-	-	-	-	-	-	-
	重症度Ⅱ	1.0%	-	-	-	-	-	-	-
	重症度Ⅲ	3.6%	-	-	-	-	-	-	-
	重症度Ⅳ	3.8%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
	計	1.6%	-	-	-	-	-	-	-
胃潰瘍	(人)	133	-	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	2.4%	-	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	20.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	3.8%	-	-	-	-	-	-	-
急性腸炎	(人)	487	-	-	-	-	-	-	-
	血便なし	0.7%	-	-	-	-	-	-	-
	血便あり	0.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	0.6%	-	-	-	-	-	-	-
急性虫垂炎	(人)	368	-	-	-	-	-	-	-
	白血球15000/mm3未満	0.0%	-	-	-	-	-	-	-
	白血球15000/mm3以上	0.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	0.0%	-	-	-	-	-	-	-
胆石症	(人)	910	-	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	-	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	0.4%	-	-	-	-	-	-	-
前立腺肥大症	(人)	43	-	-	-	-	-	-	-
	前立腺容積20ml未満	0.0%	-	-	-	-	-	-	-
	前立腺容積50ml未満	0.0%	-	-	-	-	-	-	-
	前立腺容積50ml以上	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
	計	0.0%	-	-	-	-	-	-	-
白内障	(人)	530	-	-	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	-	-	-	-	-	-	-
	2眼(処置対象のもの)	0.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	0.0%	-	-	-	-	-	-	-
痔核	(人)	105	-	-	-	-	-	-	-
	第一度(出血のみ)	0.0%	-	-	-	-	-	-	-
	第二度(還納可能)	0.0%	-	-	-	-	-	-	-
	第三度(脱肛)	0.0%	-	-	-	-	-	-	-
	不明	0.0%	-	-	-	-	-	-	-
	計	0.0%	-	-	-	-	-	-	-
子宮筋腫	(人)	118	-	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	0.0%	-	-	-	-	-	-	-
狭心症	(人)	1,534	-	-	-	-	-	-	-
	重症度の指標なし	0.2%	-	-	-	-	-	-	-
	計	0.2%	-	-	-	-	-	-	-
腎結石及び尿管結石	(人)	306	-	-	-	-	-	-	-
	水腎・水尿管なし	0.0%	-	-	-	-	-	-	-
	水腎・水尿管あり	0.0%	-	-	-	-	-	-	-







# 【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
腎結石及び尿管結石	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-
乳房の悪性新生物	(人)	389	13	25	0	140	51	51	60	-
	ステージ0	0.0%	N/A	0.0%	N/A	0.0%	N/A	0.0%	0.0%	-
	ステージI	0.8%	0.0%	0.0%	N/A	1.4%	0.0%	0.0%	0.0%	-
	ステージII	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	ステージIII	7.7%	0.0%	20.0%	N/A	0.0%	0.0%	8.3%	25.0%	-
	ステージIV	5.9%	N/A	0.0%	N/A	0.0%	0.0%	0.0%	20.0%	-
	不明	3.8%	0.0%	0.0%	N/A	0.0%	N/A	N/A	0.0%	-
	計	1.8%	0.0%	4.0%	N/A	0.7%	0.0%	2.0%	5.0%	-
膝関節症	(人)	104	12	0	0	89	0	0	0	-
	骨移植なし	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	-
	骨移植あり	0.0%	0.0%	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	0.0%	0.0%	N/A	N/A	0.0%	N/A	N/A	N/A	-
鼠径ヘルニア	(人)	481	97	17	0	66	134	38	80	-
	重症度の指標なし	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
	計	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	0.0%	0.0%	-
全疾患合計		4.0%	2.9%	5.8%	12.6%	3.3%	1.7%	4.4%	5.6%	-
集計病院数			10							







