

【重症度別集計】表

絞込条件

対象年月設定: 201804 ~ 201903
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 死亡退院率

	(単位:%)	平均	病院コード								
			0003	0202	0203	0235	1001	1002	1003	1004	
胃の悪性新生物	(人)	-	-	36	-	-	-	-	-	-	-
ステージ0		0.0%	0.0%	N/A	N/A	N/A	N/A	-	-	N/A	-
ステージI		1.6%	0.0%	0.0%	N/A	0.0%	0.0%	-	-	3.8%	-
ステージII		5.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	-	13.3%	-
ステージIII		13.8%	28.6%	20.0%	0.0%	0.0%	0.0%	-	-	16.7%	-
ステージIV		20.1%	0.0%	60.0%	N/A	10.3%	5.3%	-	-	31.3%	-
不明		28.6%	20.0%	0.0%	60.0%	100.0%	N/A	-	-	16.7%	-
計		12.3%	6.7%	19.4%	50.0%	6.2%	2.5%	-	-	18.0%	-
結腸の悪性新生物	(人)	-	77	48	-	-	166	-	-	116	-
ステージ0		0.0%	0.0%	N/A	N/A	0.0%	0.0%	-	-	0.0%	-
ステージI		6.5%	0.0%	0.0%	N/A	12.5%	10.0%	-	-	10.0%	-
ステージII		7.2%	9.1%	14.3%	N/A	0.0%	0.0%	-	-	12.5%	-
ステージIII		7.1%	6.7%	15.8%	0.0%	1.9%	2.7%	-	-	19.4%	-
ステージIV		11.1%	10.3%	12.5%	N/A	10.2%	0.0%	-	-	29.0%	-
不明		7.1%	0.0%	14.3%	14.3%	N/A	0.0%	-	-	0.0%	-
計		8.0%	6.5%	12.5%	12.5%	5.6%	1.8%	-	-	18.1%	-
直腸の悪性新生物	(人)	-	-	49	-	77	-	-	-	-	-
ステージ0		0.0%	N/A	N/A	N/A	0.0%	0.0%	-	-	0.0%	-
ステージI		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	-	0.0%	-
ステージII		1.8%	0.0%	0.0%	N/A	0.0%	0.0%	-	-	5.9%	-
ステージIII		3.0%	0.0%	0.0%	N/A	3.1%	0.0%	-	-	8.0%	-
ステージIV		9.4%	20.0%	6.7%	0.0%	15.8%	3.2%	-	-	20.0%	-
不明		7.7%	N/A	0.0%	25.0%	0.0%	N/A	-	-	0.0%	-
計		5.2%	5.0%	2.0%	20.0%	5.2%	2.0%	-	-	10.1%	-
気管支および肺の悪性新生物	(人)	-	-	9	-	254	-	-	-	-	-
ステージ0		20.0%	N/A	0.0%	N/A	25.0%	N/A	-	-	N/A	-
ステージI		4.5%	N/A	0.0%	N/A	2.9%	0.0%	-	-	12.5%	-
ステージII		3.0%	N/A	N/A	N/A	0.0%	0.0%	-	-	11.1%	-
ステージIII		12.9%	N/A	0.0%	50.0%	5.7%	33.3%	-	-	18.4%	-
ステージIV		16.3%	40.0%	0.0%	N/A	8.6%	22.0%	-	-	18.8%	-
不明		8.3%	50.0%	50.0%	62.5%	0.0%	0.0%	-	-	0.0%	-
計		11.5%	42.9%	11.1%	60.0%	4.7%	18.0%	-	-	14.9%	-
急性心筋梗塞	(人)	-	-	20	-	93	-	-	-	-	-
Killip I		0.7%	0.0%	0.0%	N/A	0.0%	0.0%	-	-	1.7%	-
Killip II		8.2%	40.0%	0.0%	N/A	6.7%	2.9%	-	-	25.0%	-
Killip III		42.1%	100.0%	N/A	75.0%	0.0%	75.0%	-	-	0.0%	-
Killip IV		48.6%	50.0%	27.3%	N/A	41.7%	40.0%	-	-	100.0%	-
不明		50.0%	N/A	N/A	N/A	80.0%	N/A	-	-	0.0%	-
計		13.7%	33.3%	15.0%	75.0%	10.8%	10.7%	-	-	12.0%	-
肺炎	(人)	-	-	154	-	-	-	-	-	154	-
軽症		3.3%	2.0%	0.0%	8.3%	1.5%	2.2%	-	-	0.0%	-
中等症		6.5%	0.0%	13.8%	8.3%	0.0%	0.0%	-	-	9.1%	-
重症		11.3%	13.4%	17.1%	18.8%	7.7%	4.6%	-	-	12.3%	-
不明		0.0%	N/A	N/A	N/A	N/A	N/A	-	-	0.0%	-
計		8.0%	8.7%	11.0%	12.0%	6.0%	3.3%	-	-	7.1%	-
喘息	(人)	-	-	12	-	-	-	-	-	-	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	-	0.0%	-
軽症持続型		2.6%	0.0%	0.0%	8.3%	0.0%	0.0%	-	-	0.0%	-
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	-	-	0.0%	-
重症持続型		5.3%	N/A	N/A	20.0%	0.0%	N/A	-	-	0.0%	-
不明		0.0%	N/A	N/A	0.0%	0.0%	N/A	-	-	N/A	-
計		1.2%	0.0%	0.0%	5.3%	0.0%	0.0%	-	-	0.0%	-
脳梗塞	(人)	-	-	591	-	-	-	-	-	-	-
JCS 0-1		0.8%	4.3%	0.3%	0.0%	1.4%	0.0%	-	-	0.0%	-
JCS 2-3		5.2%	11.1%	3.4%	100.0%	4.8%	N/A	-	-	18.2%	-
JCS 10-100		16.4%	100.0%	10.3%	N/A	14.3%	N/A	-	-	33.3%	-

【重症度別集計】表

	(単位:%)	平均	病院コード
			9021
胃の悪性新生物	(人)	-	-
ステージ0		0.0%	-
ステージI		1.6%	-
ステージII		5.0%	-
ステージIII		13.8%	-
ステージIV		20.1%	-
不明		28.6%	-
計		12.3%	-
結腸の悪性新生物	(人)	-	-
ステージ0		0.0%	-
ステージI		6.5%	-
ステージII		7.2%	-
ステージIII		7.1%	-
ステージIV		11.1%	-
不明		7.1%	-
計		8.0%	-
直腸の悪性新生物	(人)	-	-
ステージ0		0.0%	-
ステージI		0.0%	-
ステージII		1.8%	-
ステージIII		3.0%	-
ステージIV		9.4%	-
不明		7.7%	-
計		5.2%	-
気管支および肺の悪性新生物	(人)	-	-
ステージ0		20.0%	-
ステージI		4.5%	-
ステージII		3.0%	-
ステージIII		12.9%	-
ステージIV		16.3%	-
不明		8.3%	-
計		11.5%	-
急性心筋梗塞	(人)	-	-
Killip I		0.7%	-
Killip II		8.2%	-
Killip III		42.1%	-
Killip IV		48.6%	-
不明		50.0%	-
計		13.7%	-
肺炎	(人)	-	-
軽症		3.3%	-
中等症		6.5%	-
重症		11.3%	-
不明		0.0%	-
計		8.0%	-
喘息	(人)	-	-
軽症間欠型		0.0%	-
軽症持続型		2.6%	-
中等症持続型		0.0%	-
重症持続型		5.3%	-
不明		0.0%	-
計		1.2%	-
脳梗塞	(人)	-	-
JCS 0-1		0.8%	-
JCS 2-3		5.2%	-
JCS 10-100		16.4%	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	38.9%	N/A	25.0%	N/A	50.0%	N/A	-	50.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	3.6%	8.6%	2.0%	33.3%	4.4%	0.0%	-	10.7%	-
脳出血	(人)	-	-	182	-	-	-	-	-	-
	JCS 0-1	1.5%	0.0%	1.3%	N/A	2.0%	0.0%	-	0.0%	-
	JCS 2-3	6.3%	0.0%	12.2%	N/A	0.0%	N/A	-	0.0%	-
	JCS 10-100	3.1%	0.0%	0.0%	N/A	3.0%	100.0%	-	N/A	-
	JCS 200-300	60.9%	100.0%	63.9%	N/A	40.0%	N/A	-	100.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	14.0%	8.3%	15.9%	N/A	7.4%	50.0%	-	70.0%	-
糖尿病	(人)	-	-	22	-	-	-	-	-	-
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	中等症	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
	重症	4.8%	18.2%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
	不明	0.0%	N/A	N/A	N/A	N/A	0.0%	-	N/A	-
	計	0.9%	3.2%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
大腿骨頸部骨折	(人)	-	-	1	-	125	-	-	-	-
	重症度Ⅰ	0.7%	1.5%	N/A	N/A	0.0%	N/A	-	0.0%	-
	重症度Ⅱ	0.0%	0.0%	N/A	N/A	0.0%	N/A	-	0.0%	-
	重症度Ⅲ	0.0%	0.0%	N/A	0.0%	0.0%	N/A	-	0.0%	-
	重症度Ⅳ	0.0%	0.0%	0.0%	N/A	0.0%	N/A	-	0.0%	-
	不明	0.0%	N/A	N/A	N/A	0.0%	N/A	-	N/A	-
	計	0.4%	1.1%	0.0%	0.0%	0.0%	N/A	-	0.0%	-
胃潰瘍	(人)	-	-	7	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	0.0%	N/A	N/A	0.0%	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
急性腸炎	(人)	-	-	48	-	-	-	-	-	-
	血便なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	血便あり	4.5%	0.0%	0.0%	0.0%	0.0%	16.7%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.7%	0.0%	0.0%	0.0%	0.0%	2.6%	-	0.0%	-
急性虫垂炎	(人)	-	-	20	-	-	-	-	-	-
	白血球15000/mm3未満	0.0%	0.0%	0.0%	N/A	N/A	0.0%	-	0.0%	-
	白血球15000/mm3以上	0.0%	N/A	0.0%	N/A	N/A	0.0%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.0%	0.0%	0.0%	N/A	N/A	0.0%	-	0.0%	-
胆石症	(人)	-	-	61	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	2.9%	0.0%	0.0%	0.5%	0.0%	-	0.0%	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.5%	2.8%	0.0%	0.0%	0.5%	0.0%	-	0.0%	-
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	N/A	-	0.0%	-
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	-	0.0%	-
	不明	0.0%	0.0%	N/A	N/A	N/A	N/A	-	0.0%	-
	計	0.0%	0.0%	N/A	N/A	N/A	0.0%	-	0.0%	-
白内障	(人)	-	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	2眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
痔核	(人)	-	-	2	-	-	-	-	-	-
	第一度(出血のみ)	0.0%	N/A	0.0%	N/A	N/A	N/A	-	0.0%	-
	第二度(還納可能)	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	第三度(脱肛)	0.0%	N/A	0.0%	N/A	N/A	0.0%	-	0.0%	-
	不明	0.0%	N/A	N/A	N/A	N/A	0.0%	-	N/A	-
	計	0.0%	N/A	0.0%	N/A	N/A	0.0%	-	0.0%	-
子宮筋腫	(人)	-	-	17	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	N/A	N/A	N/A	-	N/A	-
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	N/A	N/A	N/A	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.0%	0.0%	0.0%	N/A	N/A	N/A	-	0.0%	-
狭心症	(人)	-	236	93	-	403	162	-	433	-
	重症度の指標なし	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	-	0.0%	-
	計	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	-	0.0%	-
腎結石及び尿管結石	(人)	-	-	3	-	-	-	-	-	-
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	水腎・水尿管あり	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-

【重症度別集計】表

		平均	病院コード 9021
(単位:%)			
脳梗塞	JCS 200-300	38.9%	-
	不明	N/A	-
	計	3.6%	-
脳出血	(人)	-	-
	JCS 0-1	1.5%	-
	JCS 2-3	6.3%	-
	JCS 10-100	3.1%	-
	JCS 200-300	60.9%	-
	不明	N/A	-
	計	14.0%	-
糖尿病	(人)	-	-
	軽症	0.0%	-
	中等症	0.0%	-
	重症	4.8%	-
	不明	0.0%	-
	計	0.9%	-
大腿骨頸部骨折	(人)	-	-
	重症度Ⅰ	0.7%	-
	重症度Ⅱ	0.0%	-
	重症度Ⅲ	0.0%	-
	重症度Ⅳ	0.0%	-
	不明	0.0%	-
	計	0.4%	-
胃潰瘍	(人)	-	-
	ショックなし(収縮期血圧90mmHg以上)	0.0%	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	-
	不明	N/A	-
	計	0.0%	-
急性腸炎	(人)	-	-
	血便なし	0.0%	-
	血便あり	4.5%	-
	不明	N/A	-
	計	0.7%	-
急性虫垂炎	(人)	-	-
	白血球15000/mm3未満	0.0%	-
	白血球15000/mm3以上	0.0%	-
	不明	N/A	-
	計	0.0%	-
胆石症	(人)	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.6%	-
	黄疸あり(T Bill 5mg/dl 以上)	0.0%	-
	不明	N/A	-
	計	0.5%	-
前立腺肥大症	(人)	-	-
	前立腺容積20ml未満	0.0%	-
	前立腺容積50ml未満	0.0%	-
	前立腺容積50ml以上	0.0%	-
	不明	0.0%	-
	計	0.0%	-
白内障	(人)	-	-
	1眼(処置対象のもの)	0.0%	-
	2眼(処置対象のもの)	0.0%	-
	不明	N/A	-
	計	0.0%	-
痔核	(人)	-	-
	第一度(出血のみ)	0.0%	-
	第二度(還納可能)	N/A	-
	第三度(脱肛)	0.0%	-
	不明	0.0%	-
	計	0.0%	-
子宮筋腫	(人)	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-
	貧血あり(Hb10g/dl未満)	0.0%	-
	不明	N/A	-
	計	0.0%	-
狭心症	(人)	-	-
	重症度の指標なし	0.1%	-
	計	0.1%	-
腎結石及び尿管結石	(人)	-	-
	水腎・水尿管なし	0.0%	-
	水腎・水尿管あり	0.0%	-

【重症度別集計】表

		平均	病院コード
(単位:%)			9021
腎結石及び尿管結石	不明	N/A	-
	計	0.0%	-
乳房の悪性新生物	(人)	-	-
	ステージ0	0.0%	-
	ステージI	0.9%	-
	ステージII	0.0%	-
	ステージIII	2.9%	-
	ステージIV	8.3%	-
	不明	0.0%	-
計	1.2%	-	
膝関節症	(人)	-	-
	骨移植なし	0.0%	-
	骨移植あり	0.0%	-
	不明	N/A	-
計	0.0%	-	
鼠径ヘルニア	(人)	-	-
	重症度の指標なし	0.2%	-
計	0.2%	-	
全疾患合計		4.2%	-
集計病院数		6	