

【重症度別集計】表

絞込条件

対象年月設定: 201904 ~ 202003
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 死亡退院率

	(単位:%)	平均	病院コード								
			0003	0202	0203	0235	1001	1002	1003	1004	
胃の悪性新生物	(人)	-	-	41	-	-	-	-	-	-	-
ステージ0		0.0%	N/A	0.0%	N/A	0.0%	N/A	-	N/A	-	-
ステージI		3.1%	0.0%	0.0%	N/A	10.5%	6.7%	-	1.6%	-	-
ステージII		22.2%	0.0%	28.6%	N/A	20.0%	12.5%	-	27.3%	-	-
ステージIII		13.0%	33.3%	0.0%	N/A	0.0%	0.0%	-	27.8%	-	-
ステージIV		23.7%	16.7%	25.0%	N/A	14.3%	3.6%	-	39.6%	-	-
不明		13.6%	22.2%	N/A	0.0%	0.0%	0.0%	-	33.3%	-	-
計		14.0%	11.6%	12.2%	0.0%	9.3%	4.6%	-	20.9%	-	-
結腸の悪性新生物	(人)	-	80	60	-	-	147	-	-	-	-
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-	-
ステージI		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-	-
ステージII		4.5%	0.0%	8.3%	N/A	0.0%	0.0%	-	11.1%	-	-
ステージIII		4.7%	0.0%	7.1%	N/A	2.4%	0.0%	-	13.0%	-	-
ステージIV		10.4%	7.7%	14.3%	N/A	2.1%	4.0%	-	25.0%	-	-
不明		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-	-
計		5.7%	2.5%	8.3%	0.0%	1.6%	1.4%	-	14.6%	-	-
直腸の悪性新生物	(人)	-	-	45	-	-	113	-	-	-	-
ステージ0		0.0%	0.0%	0.0%	N/A	0.0%	N/A	-	0.0%	-	-
ステージI		0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-	-
ステージII		1.4%	0.0%	0.0%	N/A	0.0%	0.0%	-	6.3%	-	-
ステージIII		3.3%	0.0%	10.5%	N/A	0.0%	0.0%	-	6.3%	-	-
ステージIV		14.3%	20.0%	40.0%	N/A	4.5%	0.0%	-	21.4%	-	-
不明		5.3%	0.0%	0.0%	N/A	7.1%	N/A	-	0.0%	-	-
計		4.4%	6.4%	8.9%	N/A	1.8%	0.0%	-	7.2%	-	-
気管支および肺の悪性新生物	(人)	-	-	9	-	-	-	-	-	-	-
ステージ0		0.0%	N/A	0.0%	N/A	0.0%	N/A	-	0.0%	-	-
ステージI		2.1%	N/A	0.0%	N/A	2.7%	0.0%	-	0.0%	-	-
ステージII		3.7%	N/A	N/A	N/A	5.3%	0.0%	-	0.0%	-	-
ステージIII		10.2%	0.0%	N/A	100.0%	5.9%	16.7%	-	10.7%	-	-
ステージIV		13.6%	50.0%	50.0%	N/A	5.4%	11.1%	-	18.5%	-	-
不明		4.7%	0.0%	0.0%	60.0%	0.0%	6.7%	-	0.0%	-	-
計		8.1%	28.6%	11.1%	71.4%	4.0%	8.9%	-	9.9%	-	-
急性心筋梗塞	(人)	-	-	24	-	-	-	-	-	84	-
Killip I		2.4%	14.3%	0.0%	0.0%	0.0%	0.0%	-	3.4%	-	-
Killip II		1.6%	16.7%	N/A	N/A	0.0%	0.0%	-	0.0%	-	-
Killip III		22.2%	N/A	N/A	N/A	20.0%	0.0%	-	33.3%	-	-
Killip IV		30.4%	33.3%	5.6%	N/A	33.3%	66.7%	-	75.0%	-	-
不明		28.6%	N/A	N/A	N/A	100.0%	0.0%	-	20.0%	-	-
計		8.9%	18.8%	4.2%	0.0%	8.6%	9.5%	-	8.3%	-	-
肺炎	(人)	-	-	142	-	-	-	-	-	151	-
軽症		2.2%	1.8%	0.0%	6.3%	1.2%	2.9%	-	0.0%	-	-
中等症		6.1%	12.5%	2.9%	14.3%	0.0%	0.0%	-	0.0%	-	-
重症		10.4%	13.9%	17.9%	19.4%	8.4%	3.0%	-	6.6%	-	-
不明		0.0%	N/A	N/A	N/A	N/A	N/A	-	0.0%	-	-
計		6.9%	10.2%	7.7%	11.4%	6.1%	2.8%	-	2.6%	-	-
喘息	(人)	-	-	4	-	-	-	-	-	-	-
軽症間欠型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	-	N/A	-	-
軽症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	-	0.0%	-	-
中等症持続型		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	-	0.0%	-	-
重症持続型		0.0%	N/A	N/A	N/A	0.0%	N/A	-	0.0%	-	-
不明		0.0%	N/A	N/A	N/A	0.0%	N/A	-	N/A	-	-
計		0.0%	0.0%	0.0%	0.0%	0.0%	N/A	-	0.0%	-	-
脳梗塞	(人)	-	-	659	-	-	-	-	-	-	-
JCS 0-1		1.3%	2.5%	1.0%	33.3%	1.1%	0.0%	-	2.5%	-	-
JCS 2-3		5.9%	20.0%	5.6%	N/A	3.5%	0.0%	-	12.5%	-	-
JCS 10-100		13.5%	50.0%	8.0%	N/A	16.7%	N/A	-	14.3%	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード	
			9022	9023
胃の悪性新生物	(人)	-	-	-
ステージ0		0.0%	-	-
ステージI		3.1%	-	-
ステージII		22.2%	-	-
ステージIII		13.0%	-	-
ステージIV		23.7%	-	-
不明		13.6%	-	-
計		14.0%	-	-
結腸の悪性新生物	(人)	-	-	-
ステージ0		0.0%	-	-
ステージI		0.0%	-	-
ステージII		4.5%	-	-
ステージIII		4.7%	-	-
ステージIV		10.4%	-	-
不明		0.0%	-	-
計		5.7%	-	-
直腸の悪性新生物	(人)	-	-	-
ステージ0		0.0%	-	-
ステージI		0.0%	-	-
ステージII		1.4%	-	-
ステージIII		3.3%	-	-
ステージIV		14.3%	-	-
不明		5.3%	-	-
計		4.4%	-	-
気管支および肺の悪性新生物	(人)	-	-	-
ステージ0		0.0%	-	-
ステージI		2.1%	-	-
ステージII		3.7%	-	-
ステージIII		10.2%	-	-
ステージIV		13.6%	-	-
不明		4.7%	-	-
計		8.1%	-	-
急性心筋梗塞	(人)	-	-	-
Killip I		2.4%	-	-
Killip II		1.6%	-	-
Killip III		22.2%	-	-
Killip IV		30.4%	-	-
不明		28.6%	-	-
計		8.9%	-	-
肺炎	(人)	-	-	-
軽症		2.2%	-	-
中等症		6.1%	-	-
重症		10.4%	-	-
不明		0.0%	-	-
計		6.9%	-	-
喘息	(人)	-	-	-
軽症間欠型		0.0%	-	-
軽症持続型		0.0%	-	-
中等症持続型		0.0%	-	-
重症持続型		0.0%	-	-
不明		0.0%	-	-
計		0.0%	-	-
脳梗塞	(人)	-	-	-
JCS 0-1		1.3%	-	-
JCS 2-3		5.9%	-	-
JCS 10-100		13.5%	-	-

【重症度別集計】表

(単位:%)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	35.3%	N/A	27.3%	100.0%	50.0%	N/A	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
	計	3.8%	7.7%	3.2%	50.0%	3.4%	0.0%	-	5.4%	-
脳出血	(人)	-	-	217	-	-	-	-	-	-
	JCS 0-1	5.2%	25.0%	1.5%	N/A	8.0%	N/A	-	0.0%	-
	JCS 2-3	2.1%	0.0%	1.4%	N/A	4.3%	N/A	-	0.0%	-
	JCS 10-100	8.1%	0.0%	7.3%	N/A	7.7%	N/A	-	33.3%	-
	JCS 200-300	66.1%	0.0%	73.0%	N/A	54.5%	N/A	-	100.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	14.8%	10.0%	14.7%	N/A	14.4%	N/A	-	25.0%	-	
糖尿病	(人)	-	-	18	-	-	-	-	-	-
	軽症	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	中等症	1.4%	0.0%	11.1%	0.0%	0.0%	0.0%	-	0.0%	-
	重症	6.5%	0.0%	N/A	N/A	7.4%	0.0%	-	11.1%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	1.5%	0.0%	5.6%	0.0%	3.2%	0.0%	-	2.1%	-	
大腿骨頸部骨折	(人)	-	-	28	-	-	-	-	-	-
	重症度Ⅰ	0.6%	0.0%	5.0%	N/A	0.0%	N/A	-	0.0%	-
	重症度Ⅱ	0.0%	0.0%	0.0%	N/A	0.0%	N/A	-	0.0%	-
	重症度Ⅲ	0.0%	0.0%	0.0%	N/A	0.0%	N/A	-	0.0%	-
	重症度Ⅳ	5.6%	N/A	0.0%	N/A	0.0%	N/A	-	8.3%	-
不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-	
計	0.7%	0.0%	3.6%	N/A	0.0%	N/A	-	1.4%	-	
胃潰瘍	(人)	-	-	11	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	1.3%	0.0%	0.0%	N/A	4.0%	0.0%	-	0.0%	-
	ショックあり(収縮期血圧90mmHg未満)	0.0%	N/A	N/A	N/A	0.0%	0.0%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	1.2%	0.0%	0.0%	N/A	3.8%	0.0%	-	0.0%	-	
急性腸炎	(人)	-	-	39	-	-	-	-	-	-
	血便なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	血便あり	4.5%	0.0%	0.0%	N/A	0.0%	25.0%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.6%	0.0%	0.0%	0.0%	0.0%	2.3%	-	0.0%	-	
急性虫垂炎	(人)	-	-	19	-	-	-	-	-	-
	白血球15000/mm3未満	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	白血球15000/mm3以上	0.0%	N/A	0.0%	0.0%	N/A	0.0%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-	
胆石症	(人)	-	-	65	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	0.0%	1.8%	20.0%	0.0%	0.0%	-	0.9%	-
	黄疸あり(T Bill 5mg/dl 以上)	3.9%	0.0%	10.0%	0.0%	0.0%	0.0%	-	5.6%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.7%	0.0%	3.1%	16.7%	0.0%	0.0%	-	1.2%	-	
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	-	0.0%	-
	前立腺容積50ml未満	0.0%	0.0%	N/A	N/A	N/A	0.0%	-	0.0%	-
	前立腺容積50ml以上	0.0%	0.0%	N/A	N/A	N/A	0.0%	-	0.0%	-
不明	0.0%	N/A	N/A	N/A	N/A	0.0%	-	N/A	-	
計	0.0%	0.0%	N/A	N/A	N/A	0.0%	-	0.0%	-	
白内障	(人)	-	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	2眼(処置対象のもの)	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-	
痔核	(人)	-	-	2	-	-	-	-	-	-
	第一度(出血のみ)	0.0%	N/A	0.0%	N/A	N/A	N/A	-	0.0%	-
	第二度(還納可能)	0.0%	N/A	N/A	N/A	N/A	0.0%	-	N/A	-
	第三度(脱肛)	0.0%	N/A	N/A	N/A	N/A	0.0%	-	0.0%	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.0%	N/A	0.0%	N/A	N/A	0.0%	-	0.0%	-	
子宮筋腫	(人)	-	-	32	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	0.0%	0.0%	N/A	N/A	N/A	-	N/A	-
	貧血あり(Hb10g/dl未満)	0.0%	0.0%	0.0%	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.0%	0.0%	0.0%	N/A	N/A	N/A	-	N/A	-	
狭心症	(人)	-	240	77	3	382	178	-	227	-
	重症度の指標なし	0.3%	0.4%	0.0%	0.0%	0.5%	0.0%	-	0.0%	-
	計	0.3%	0.4%	0.0%	0.0%	0.5%	0.0%	-	0.0%	-
腎結石及び尿管結石	(人)	-	-	5	-	-	-	-	-	-
	水腎・水尿管なし	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	水腎・水尿管あり	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-

【重症度別集計】表

		平均	病院コード	
			9022	9023
脳梗塞	JCS 200-300	35.3%	-	-
	不明	N/A	-	-
	計	3.8%	-	-
脳出血	(人)	-	-	-
	JCS 0-1	5.2%	-	-
	JCS 2-3	2.1%	-	-
	JCS 10-100	8.1%	-	-
	JCS 200-300	66.1%	-	-
	不明	N/A	-	-
	計	14.8%	-	-
糖尿病	(人)	-	-	-
	軽症	0.0%	-	-
	中等症	1.4%	-	-
	重症	6.5%	-	-
	不明	N/A	-	-
	計	1.5%	-	-
大腿骨頸部骨折	(人)	-	-	-
	重症度Ⅰ	0.6%	-	-
	重症度Ⅱ	0.0%	-	-
	重症度Ⅲ	0.0%	-	-
	重症度Ⅳ	5.6%	-	-
	不明	N/A	-	-
	計	0.7%	-	-
胃潰瘍	(人)	-	-	-
	ショックなし（収縮期血圧90mmHg以上）	1.3%	-	-
	ショックあり（収縮期血圧90mmHg未満）	0.0%	-	-
	不明	N/A	-	-
	計	1.2%	-	-
急性腸炎	(人)	-	-	-
	血便なし	0.0%	-	-
	血便あり	4.5%	-	-
	不明	N/A	-	-
	計	0.6%	-	-
急性虫垂炎	(人)	-	-	-
	白血球15000/mm3未満	0.0%	-	-
	白血球15000/mm3以上	0.0%	-	-
	不明	N/A	-	-
	計	0.0%	-	-
胆石症	(人)	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	0.5%	-	-
	黄疸あり(T Bill 5mg/dl 以上)	3.9%	-	-
	不明	N/A	-	-
	計	0.7%	-	-
前立腺肥大症	(人)	-	-	-
	前立腺容積20ml未満	0.0%	-	-
	前立腺容積50ml未満	0.0%	-	-
	前立腺容積50ml以上	0.0%	-	-
	不明	0.0%	-	-
	計	0.0%	-	-
白内障	(人)	-	-	-
	1眼(処置対象のもの)	0.0%	-	-
	2眼(処置対象のもの)	0.0%	-	-
	不明	N/A	-	-
	計	0.0%	-	-
痔核	(人)	-	-	-
	第一度(出血のみ)	0.0%	-	-
	第二度(還納可能)	0.0%	-	-
	第三度(脱肛)	0.0%	-	-
	不明	N/A	-	-
	計	0.0%	-	-
子宮筋腫	(人)	-	-	-
	貧血なし(Hb10g/dl以上)	0.0%	-	-
	貧血あり(Hb10g/dl未満)	0.0%	-	-
	不明	N/A	-	-
	計	0.0%	-	-
狭心症	(人)	-	-	-
	重症度の指標なし	0.3%	-	-
	計	0.3%	-	-
腎結石及び尿管結石	(人)	-	-	-
	水腎・水尿管なし	0.0%	-	-
	水腎・水尿管あり	0.0%	-	-

【重症度別集計】表

(単位:%)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
腎結石及び尿管結石	不明	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	計	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
乳房の悪性新生物	(人)	-	-	9	-	-	-	-	-	-
	ステージ0	0.0%	0.0%	N/A	N/A	0.0%	N/A	-	0.0%	-
	ステージI	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
	ステージII	2.1%	0.0%	0.0%	N/A	0.0%	4.3%	-	4.8%	-
	ステージIII	0.0%	0.0%	N/A	N/A	0.0%	0.0%	-	0.0%	-
	ステージIV	7.7%	0.0%	N/A	N/A	0.0%	7.7%	-	15.4%	-
	不明	0.0%	0.0%	N/A	N/A	0.0%	N/A	-	N/A	-
計	1.6%	0.0%	0.0%	N/A	0.0%	2.9%	-	5.0%	-	
膝関節症	(人)	-	-	6	-	-	-	-	-	-
	骨移植なし	0.0%	0.0%	0.0%	N/A	0.0%	N/A	-	N/A	-
	骨移植あり	0.0%	0.0%	N/A	N/A	N/A	N/A	-	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	-	N/A	-
計	0.0%	0.0%	0.0%	N/A	0.0%	N/A	-	N/A	-	
鼠径ヘルニア	(人)	-	64	29	-	60	176	-	98	-
	重症度の指標なし	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
	計	0.0%	0.0%	0.0%	N/A	0.0%	0.0%	-	0.0%	-
全疾患合計		3.7%	2.6%	5.5%	11.9%	3.0%	1.5%	-	5.0%	-
集計病院数			6							

【重症度別集計】表

		平均	病院コード	
			9022	9023
腎結石及び尿管結石	不明	0.0%	-	-
	計	0.0%	-	-
乳房の悪性新生物	(人)	-	-	-
	ステージ0	0.0%	-	-
	ステージI	0.0%	-	-
	ステージII	2.1%	-	-
	ステージIII	0.0%	-	-
	ステージIV	7.7%	-	-
	不明	0.0%	-	-
計	1.6%	-	-	
膝関節症	(人)	-	-	-
	骨移植なし	0.0%	-	-
	骨移植あり	0.0%	-	-
	不明	N/A	-	-
計	0.0%	-	-	
鼠径ヘルニア	(人)	-	-	-
	重症度の指標なし	0.0%	-	-
計	0.0%	-	-	
全疾患合計		3.7%	-	-
集計病院数		6		