

【重症度別集計】表

絞込条件

対象年月設定: 202004 ~ 202103
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 退院患者数

(単位: %)	平均	退院年月							
		2020/04	2020/05	2020/06	2020/07	2020/08	2020/09	2020/10	2020/11
胃の悪性新生物	(人)	-	-	-	-	-	-	-	-
	ステージ0	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	ステージI	40.7%	58.3%	33.3%	30.0%	42.9%	50.0%	38.5%	50.0%
	ステージII	11.0%	16.7%	16.7%	0.0%	14.3%	0.0%	23.1%	0.0%
	ステージIII	9.3%	8.3%	0.0%	20.0%	14.3%	12.5%	0.0%	12.5%
	ステージIV	28.8%	16.7%	50.0%	30.0%	28.6%	37.5%	23.1%	25.0%
	不明	7.6%	0.0%	0.0%	20.0%	0.0%	0.0%	15.4%	12.5%
結腸の悪性新生物	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	ステージ0	15.2%	25.0%	0.0%	10.3%	7.4%	12.5%	0.0%	15.8%
	ステージI	11.3%	10.7%	5.6%	6.9%	14.8%	12.5%	33.3%	5.3%
	ステージII	17.3%	7.1%	16.7%	10.3%	18.5%	43.8%	11.1%	31.6%
	ステージIII	27.3%	25.0%	44.4%	41.4%	33.3%	12.5%	0.0%	31.6%
	ステージIV	27.3%	32.1%	27.8%	27.6%	25.9%	18.8%	55.6%	10.5%
直腸の悪性新生物	不明	1.7%	0.0%	5.6%	3.4%	0.0%	0.0%	0.0%	5.3%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	ステージ0	5.7%	13.3%	10.0%	0.0%	9.1%	0.0%	0.0%	0.0%
	ステージI	25.2%	40.0%	30.0%	0.0%	36.4%	40.0%	5.6%	25.0%
	ステージII	15.4%	6.7%	10.0%	14.3%	18.2%	0.0%	22.2%	0.0%
	ステージIII	21.1%	33.3%	10.0%	42.9%	36.4%	10.0%	16.7%	25.0%
気管支および肺の悪性新生物	ステージIV	31.7%	6.7%	40.0%	42.9%	0.0%	50.0%	50.0%	18.8%
	不明	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	5.6%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	ステージ0	2.3%	13.3%	10.0%	4.8%	0.0%	0.0%	0.0%	0.0%
	ステージI	31.2%	13.3%	0.0%	33.3%	35.0%	30.8%	42.9%	41.7%
	ステージII	4.6%	6.7%	10.0%	9.5%	5.0%	0.0%	0.0%	10.5%
急性心筋梗塞	ステージIII	15.0%	20.0%	10.0%	23.8%	5.0%	7.7%	0.0%	8.3%
	ステージIV	28.3%	40.0%	50.0%	19.0%	15.0%	23.1%	28.6%	25.0%
	不明	18.5%	6.7%	20.0%	9.5%	40.0%	38.5%	28.6%	25.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	Killip I	55.4%	40.0%	57.1%	53.8%	58.3%	50.0%	80.0%	62.5%
	Killip II	7.9%	20.0%	14.3%	7.7%	0.0%	0.0%	0.0%	25.0%
肺炎	Killip III	5.9%	0.0%	0.0%	7.7%	0.0%	16.7%	0.0%	0.0%
	Killip IV	29.7%	40.0%	28.6%	30.8%	41.7%	33.3%	20.0%	37.5%
	不明	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	軽症	43.9%	43.3%	33.3%	53.6%	44.0%	50.0%	61.5%	48.7%
	中等症	10.4%	10.0%	9.5%	21.4%	8.0%	9.1%	3.8%	15.4%
喘息	重症	45.7%	46.7%	57.1%	25.0%	48.0%	40.9%	34.6%	35.9%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	軽症間欠型	27.3%	44.4%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%
	軽症持続型	27.3%	33.3%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%
	中等症持続型	27.3%	11.1%	0.0%	0.0%	0.0%	50.0%	25.0%	33.3%
脳梗塞	重症持続型	15.2%	11.1%	0.0%	0.0%	0.0%	50.0%	25.0%	33.3%
	不明	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%
	計	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	100.0%	100.0%
	(人)	-	-	-	-	-	-	-	-
	JCS 0-1	67.8%	63.3%	73.2%	60.2%	63.8%	70.8%	70.0%	63.5%
	JCS 2-3	24.6%	31.7%	18.3%	30.6%	30.4%	22.2%	25.0%	31.8%
	JCS 10-100	5.1%	5.0%	4.2%	4.1%	2.9%	4.2%	5.0%	4.7%

【重症度別集計】表

	(単位:%)	平均	退院年月			
			2020/12	2021/01	2021/02	2021/03
胃の悪性新生物	(人)	-	-	-	-	-
	ステージ0	2.5%	8.3%	12.5%	14.3%	0.0%
	ステージI	40.7%	25.0%	25.0%	28.6%	40.0%
	ステージII	11.0%	8.3%	37.5%	28.6%	0.0%
	ステージIII	9.3%	8.3%	12.5%	14.3%	10.0%
	ステージIV	28.8%	41.7%	12.5%	14.3%	30.0%
	不明	7.6%	8.3%	0.0%	0.0%	20.0%
計		100.0%	100.0%	100.0%	100.0%	100.0%
結腸の悪性新生物	(人)	-	-	-	-	-
	ステージ0	15.2%	21.1%	42.9%	15.8%	20.0%
	ステージI	11.3%	5.3%	4.8%	15.8%	20.0%
	ステージII	17.3%	21.1%	4.8%	5.3%	10.0%
	ステージIII	27.3%	15.8%	19.0%	21.1%	20.0%
	ステージIV	27.3%	36.8%	23.8%	42.1%	30.0%
	不明	1.7%	0.0%	4.8%	0.0%	0.0%
計		100.0%	100.0%	100.0%	100.0%	100.0%
直腸の悪性新生物	(人)	-	-	-	-	-
	ステージ0	5.7%	10.0%	0.0%	12.5%	0.0%
	ステージI	25.2%	10.0%	40.0%	0.0%	20.0%
	ステージII	15.4%	30.0%	40.0%	12.5%	0.0%
	ステージIII	21.1%	30.0%	0.0%	25.0%	20.0%
	ステージIV	31.7%	20.0%	20.0%	50.0%	60.0%
	不明	0.8%	0.0%	0.0%	0.0%	0.0%
計		100.0%	100.0%	100.0%	100.0%	100.0%
気管支および肺の悪性新生物	(人)	-	-	-	-	-
	ステージ0	2.3%	0.0%	0.0%	0.0%	0.0%
	ステージI	31.2%	46.2%	25.0%	41.7%	41.7%
	ステージII	4.6%	0.0%	8.3%	0.0%	0.0%
	ステージIII	15.0%	15.4%	16.7%	25.0%	16.7%
	ステージIV	28.3%	23.1%	50.0%	25.0%	33.3%
	不明	18.5%	15.4%	0.0%	8.3%	8.3%
計		100.0%	100.0%	100.0%	100.0%	100.0%
急性心筋梗塞	(人)	-	-	-	-	-
	Killip I	55.4%	54.5%	78.6%	20.0%	42.9%
	Killip II	7.9%	9.1%	0.0%	40.0%	0.0%
	Killip III	5.9%	9.1%	14.3%	0.0%	0.0%
	Killip IV	29.7%	27.3%	7.1%	40.0%	42.9%
	不明	1.0%	0.0%	0.0%	0.0%	14.3%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
肺炎	(人)	-	-	-	-	-
	軽症	43.9%	48.8%	38.5%	25.0%	17.4%
	中等症	10.4%	7.3%	0.0%	0.0%	17.4%
	重症	45.7%	43.9%	61.5%	75.0%	65.2%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
計		100.0%	100.0%	100.0%	100.0%	100.0%
喘息	(人)	-	-	-	-	-
	軽症間欠型	27.3%	20.0%	66.7%	0.0%	0.0%
	軽症持続型	27.3%	20.0%	33.3%	0.0%	100.0%
	中等症持続型	27.3%	60.0%	0.0%	0.0%	0.0%
	重症持続型	15.2%	0.0%	0.0%	0.0%	0.0%
	不明	3.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	0.0%	100.0%
脳梗塞	(人)	-	-	-	-	-
	JCS 0-1	67.8%	73.0%	75.9%	74.2%	54.2%
	JCS 2-3	24.6%	18.9%	17.7%	14.5%	33.9%
	JCS 10-100	5.1%	6.8%	3.8%	8.1%	6.8%

【重症度別集計】表

(単位: %)		平均	退院年月							
			2020/04	2020/05	2020/06	2020/07	2020/08	2020/09	2020/10	2020/11
脳梗塞	JCS 200-300	2.5%	0.0%	4.2%	5.1%	2.9%	2.8%	0.0%	0.0%	3.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
脳出血	(人)	-	-	-	-	-	-	-	-	-
	JCS 0-1	48.3%	40.7%	53.8%	37.5%	60.7%	52.2%	58.6%	37.9%	50.0%
	JCS 2-3	22.9%	25.9%	23.1%	18.8%	14.3%	26.1%	10.3%	27.6%	23.3%
	JCS 10-100	10.8%	7.4%	19.2%	14.6%	17.9%	4.3%	10.3%	6.9%	6.7%
	JCS 200-300	18.0%	25.9%	3.8%	29.2%	7.1%	17.4%	20.7%	27.6%	20.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
糖尿病	(人)	-	-	-	-	-	-	-	-	-
	軽症	35.9%	83.3%	25.0%	50.0%	14.3%	0.0%	20.0%	0.0%	50.0%
	中等症	34.4%	16.7%	75.0%	25.0%	14.3%	100.0%	40.0%	14.3%	50.0%
	重症	29.7%	0.0%	0.0%	25.0%	71.4%	0.0%	40.0%	85.7%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
大腿骨頸部骨折	(人)	-	-	-	-	-	-	-	-	-
	重症度 I	54.7%	53.8%	33.3%	76.9%	71.4%	47.1%	56.3%	65.0%	33.3%
	重症度 II	24.4%	46.2%	38.9%	7.7%	14.3%	17.6%	25.0%	10.0%	16.7%
	重症度 III	16.3%	0.0%	16.7%	15.4%	7.1%	35.3%	12.5%	20.0%	33.3%
	重症度 IV	4.1%	0.0%	11.1%	0.0%	0.0%	0.0%	6.3%	5.0%	16.7%
	不明	0.6%	0.0%	0.0%	0.0%	7.1%	0.0%	0.0%	0.0%	0.0%
胃潰瘍	(人)	-	-	-	-	-	-	-	-	-
	ショックなし (収縮期血圧90mmHg以上)	79.1%	100.0%	33.3%	100.0%	66.7%	100.0%	50.0%	100.0%	0.0%
	ショックあり (収縮期血圧90mmHg未満)	20.9%	0.0%	66.7%	0.0%	33.3%	0.0%	50.0%	0.0%	100.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
急性腸炎	(人)	-	-	-	-	-	-	-	-	-
	血便なし	87.5%	100.0%	100.0%	100.0%	100.0%	77.8%	100.0%	100.0%	75.0%
	血便あり	12.5%	0.0%	0.0%	0.0%	0.0%	22.2%	0.0%	0.0%	25.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
急性虫垂炎	(人)	-	-	-	-	-	-	-	-	-
	白血球15000/mm ³ 未満	73.9%	100.0%	0.0%	50.0%	50.0%	0.0%	66.7%	100.0%	66.7%
	白血球15000/mm ³ 以上	26.1%	0.0%	0.0%	50.0%	50.0%	0.0%	33.3%	0.0%	33.3%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%
胆石症	(人)	-	-	-	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	93.9%	97.0%	90.5%	100.0%	91.4%	100.0%	92.0%	96.3%	86.7%
	黄疸あり(T Bill 5mg/dl 以上)	6.1%	3.0%	9.5%	0.0%	8.6%	0.0%	8.0%	3.7%	13.3%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
前立腺肥大症	(人)	-	-	-	-	-	-	-	-	-
	前立腺容積20ml未満	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml未満	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml以上	50.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
白内障	(人)	-	-	-	-	-	-	-	-	-
	1眼(処置対象のもの)	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
痔核	(人)	-	-	-	-	-	-	-	-	-
	第一度(出血のみ)	66.7%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	第二度(還納可能)	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	第三度(脱肛)	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
子宮筋腫	(人)	-	-	-	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	70.4%	100.0%	0.0%	50.0%	50.0%	66.7%	50.0%	50.0%	75.0%
	貧血あり(Hb10g/dl未満)	29.6%	0.0%	0.0%	50.0%	50.0%	33.3%	50.0%	50.0%	25.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
狭心症	(人)	434	20	17	45	52	33	40	44	44
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
腎結石及び尿管結石	(人)	-	-	-	-	-	-	-	-	-
	水腎・水尿管なし	64.3%	100.0%	50.0%	33.3%	50.0%	100.0%	100.0%	0.0%	0.0%
	水腎・水尿管あり	35.7%	0.0%	50.0%	66.7%	50.0%	0.0%	0.0%	0.0%	0.0%

【重症度別集計】表

(単位:%)		平均	退院年月			
			2020/12	2021/01	2021/02	2021/03
脳梗塞	JCS 200-300	2.5%	1.4%	2.5%	3.2%	5.1%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
脳出血	(人)	-	-	-	-	-
	JCS 0-1	48.3%	45.0%	45.2%	47.6%	64.0%
	JCS 2-3	22.9%	30.0%	31.0%	28.6%	8.0%
	JCS 10-100	10.8%	12.5%	2.4%	14.3%	12.0%
	JCS 200-300	18.0%	12.5%	21.4%	9.5%	16.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
糖尿病	(人)	-	-	-	-	-
	軽症	35.9%	50.0%	0.0%	75.0%	25.0%
	中等症	34.4%	37.5%	66.7%	0.0%	50.0%
	重症	29.7%	12.5%	33.3%	25.0%	25.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
大腿骨頸部骨折	(人)	-	-	-	-	-
	重症度 I	54.7%	78.6%	52.9%	53.8%	0.0%
	重症度 II	24.4%	7.1%	35.3%	38.5%	60.0%
	重症度 III	16.3%	14.3%	5.9%	7.7%	40.0%
	重症度 IV	4.1%	0.0%	5.9%	0.0%	0.0%
	不明	0.6%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
胃潰瘍	(人)	-	-	-	-	-
	ショックなし (収縮期血圧90mmHg以上)	79.1%	100.0%	83.3%	75.0%	100.0%
	ショックあり (収縮期血圧90mmHg未満)	20.9%	0.0%	16.7%	25.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
急性腸炎	(人)	-	-	-	-	-
	血便なし	87.5%	66.7%	75.0%	100.0%	0.0%
	血便あり	12.5%	33.3%	25.0%	0.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	0.0%
急性虫垂炎	(人)	-	-	-	-	-
	白血球15000/mm ³ 未満	73.9%	66.7%	100.0%	0.0%	100.0%
	白血球15000/mm ³ 以上	26.1%	33.3%	0.0%	0.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	0.0%	100.0%
胆石症	(人)	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	93.9%	95.7%	96.7%	93.1%	92.9%
	黄疸あり(T Bill 5mg/dl 以上)	6.1%	4.3%	3.3%	6.9%	7.1%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
前立腺肥大症	(人)	-	-	-	-	-
	前立腺容積20ml未満	N/A	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml未満	N/A	0.0%	0.0%	0.0%	0.0%
	前立腺容積50ml以上	50.0%	0.0%	0.0%	0.0%	0.0%
	不明	50.0%	0.0%	0.0%	100.0%	0.0%
	計	100.0%	0.0%	0.0%	100.0%	0.0%
白内障	(人)	-	-	-	-	-
	1眼(処置対象のもの)	N/A	0.0%	0.0%	0.0%	0.0%
	2眼(処置対象のもの)	N/A	0.0%	0.0%	0.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	N/A	0.0%	0.0%	0.0%	0.0%
痔核	(人)	-	-	-	-	-
	第一度(出血のみ)	66.7%	0.0%	0.0%	100.0%	0.0%
	第二度(還納可能)	N/A	0.0%	0.0%	0.0%	0.0%
	第三度(脱肛)	N/A	0.0%	0.0%	0.0%	0.0%
	不明	33.3%	100.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	0.0%	100.0%	0.0%
子宮筋腫	(人)	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	70.4%	100.0%	66.7%	100.0%	66.7%
	貧血あり(Hb10g/dl未満)	29.6%	0.0%	33.3%	0.0%	33.3%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
狭心症	(人)	434	41	40	35	23
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
腎結石及び尿管結石	(人)	-	-	-	-	-
	水腎・水尿管なし	64.3%	0.0%	0.0%	100.0%	0.0%
	水腎・水尿管あり	35.7%	0.0%	100.0%	0.0%	0.0%

【重症度別集計】表

(単位: %)		平均	退院年月							
			2020/04	2020/05	2020/06	2020/07	2020/08	2020/09	2020/10	2020/11
腎結石及び尿管結石	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
乳房の悪性新生物	(人)	-	-	-	-	-	-	-	-	-
	ステージⅠ	13.6%	6.7%	0.0%	14.3%	21.4%	20.0%	0.0%	13.6%	10.0%
	ステージⅡ	38.0%	33.3%	44.4%	52.4%	35.7%	60.0%	33.3%	36.4%	35.0%
	ステージⅢ	34.8%	46.7%	33.3%	19.0%	21.4%	20.0%	53.3%	45.5%	45.0%
	ステージⅣ	8.2%	13.3%	11.1%	4.8%	14.3%	0.0%	13.3%	0.0%	0.0%
	不明	3.8%	0.0%	11.1%	9.5%	7.1%	0.0%	0.0%	4.5%	0.0%
	計	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	10.0%
膝関節症	(人)	-	-	-	-	-	-	-	-	-
	骨移植なし	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	骨移植あり	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
鼠径ヘルニア	計	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	(人)	76	4	5	10	11	3	13	4	6
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
全疾患合計		100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
集計病院数			-	3	3	3	3	3	3	3

【重症度別集計】表

(単位:%)		平均	退院年月			
			2020/12	2021/01	2021/02	2021/03
腎結石及び尿管結石	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	0.0%	100.0%	100.0%	0.0%
乳房の悪性新生物	(人)	-	-	-	-	-
	ステージⅠ	13.6%	15.8%	25.0%	33.3%	6.7%
	ステージⅡ	38.0%	42.1%	30.0%	33.3%	33.3%
	ステージⅢ	34.8%	36.8%	30.0%	33.3%	20.0%
	ステージⅣ	8.2%	5.3%	10.0%	0.0%	26.7%
	不明	3.8%	0.0%	5.0%	0.0%	6.7%
	計	1.6%	0.0%	0.0%	0.0%	6.7%
膝関節症	(人)	-	-	-	-	-
	骨移植なし	100.0%	100.0%	100.0%	100.0%	100.0%
	骨移植あり	N/A	0.0%	0.0%	0.0%	0.0%
	不明	N/A	0.0%	0.0%	0.0%	0.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
鼠径ヘルニア	(人)	76	4	3	8	5
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%
	計	100.0%	100.0%	100.0%	100.0%	100.0%
全疾患合計		100.0%	0.0%	0.0%	0.0%	0.0%
集計病院数		-	3	2	2	2