

【重症度別集計】表

絞込条件

対象年月設定: 201504 ~ 201603
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 退院患者数

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	586	72	5	5	77	88	29	187	-
ステージ0		1.5%	0.0%	0.0%	0.0%	2.6%	3.4%	0.0%	0.0%	-
ステージI		27.3%	22.2%	60.0%	0.0%	40.3%	26.1%	37.9%	24.1%	-
ステージII		12.3%	12.5%	0.0%	0.0%	11.7%	13.6%	13.8%	12.8%	-
ステージIII		17.2%	25.0%	0.0%	0.0%	3.9%	18.2%	20.7%	17.1%	-
ステージIV		33.4%	36.1%	40.0%	40.0%	36.4%	36.4%	24.1%	41.7%	-
不明		8.2%	4.2%	0.0%	60.0%	5.2%	2.3%	3.4%	4.3%	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
結腸の悪性新生物	(人)	957	100	7	10	113	399	25	141	-
ステージ0		2.8%	5.0%	14.3%	10.0%	4.4%	1.0%	4.0%	1.4%	-
ステージI		7.7%	12.0%	57.1%	0.0%	8.0%	4.3%	16.0%	9.9%	-
ステージII		23.2%	28.0%	0.0%	0.0%	21.2%	26.8%	12.0%	23.4%	-
ステージIII		32.2%	17.0%	28.6%	20.0%	23.9%	42.4%	44.0%	30.5%	-
ステージIV		26.4%	19.0%	0.0%	40.0%	38.9%	25.1%	8.0%	28.4%	-
不明		7.6%	19.0%	0.0%	30.0%	3.5%	0.5%	16.0%	6.4%	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
直腸の悪性新生物	(人)	515	29	0	7	83	173	15	78	-
ステージ0		2.3%	3.4%	0.0%	0.0%	1.2%	1.7%	20.0%	2.6%	-
ステージI		9.9%	24.1%	0.0%	0.0%	19.3%	4.6%	13.3%	17.9%	-
ステージII		18.1%	17.2%	0.0%	0.0%	18.1%	29.5%	13.3%	20.5%	-
ステージIII		27.0%	24.1%	0.0%	14.3%	32.5%	23.7%	26.7%	35.9%	-
ステージIV		38.1%	17.2%	0.0%	14.3%	27.7%	40.5%	13.3%	17.9%	-
不明		4.7%	13.8%	0.0%	71.4%	1.2%	0.0%	13.3%	5.1%	-
計		100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
気管支および肺の悪性新生物	(人)	522	22	2	10	143	23	45	244	-
ステージ0		0.6%	0.0%	0.0%	0.0%	1.4%	0.0%	0.0%	0.0%	-
ステージI		17.6%	4.5%	0.0%	0.0%	27.3%	17.4%	8.9%	17.2%	-
ステージII		5.7%	0.0%	0.0%	0.0%	7.7%	13.0%	6.7%	5.3%	-
ステージIII		16.7%	13.6%	50.0%	0.0%	7.0%	0.0%	4.4%	28.3%	-
ステージIV		35.2%	72.7%	50.0%	70.0%	36.4%	69.6%	28.9%	28.7%	-
不明		24.1%	9.1%	0.0%	30.0%	20.3%	0.0%	51.1%	20.5%	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
急性心筋梗塞	(人)	316	18	9	2	76	65	19	76	-
Killip I		42.4%	66.7%	22.2%	50.0%	47.4%	53.8%	15.8%	19.7%	-
Killip II		32.9%	11.1%	22.2%	0.0%	28.9%	18.5%	73.7%	52.6%	-
Killip III		7.6%	5.6%	22.2%	50.0%	2.6%	3.1%	5.3%	15.8%	-
Killip IV		11.4%	5.6%	0.0%	0.0%	14.5%	16.9%	5.3%	7.9%	-
不明		5.7%	11.1%	33.3%	0.0%	6.6%	7.7%	0.0%	3.9%	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
肺炎	(人)	1,893	154	58	156	219	105	209	220	-
軽症		32.8%	33.8%	22.4%	60.3%	38.4%	39.0%	47.4%	10.0%	-
中等症		9.1%	13.6%	24.1%	12.8%	6.4%	10.5%	14.8%	4.1%	-
重症		38.5%	51.9%	53.4%	26.9%	54.8%	50.5%	37.8%	48.6%	-
不明		19.7%	0.6%	0.0%	0.0%	0.5%	0.0%	0.0%	37.3%	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
喘息	(人)	367	22	1	36	72	8	10	74	-
軽症間欠型		31.6%	31.8%	100.0%	11.1%	19.4%	75.0%	70.0%	2.7%	-
軽症持続型		16.1%	27.3%	0.0%	11.1%	31.9%	0.0%	0.0%	0.0%	-
中等症持続型		37.6%	40.9%	0.0%	58.3%	41.7%	25.0%	20.0%	54.1%	-
重症持続型		13.9%	0.0%	0.0%	19.4%	2.8%	0.0%	10.0%	43.2%	-
不明		0.8%	0.0%	0.0%	0.0%	4.2%	0.0%	0.0%	0.0%	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
脳梗塞	(人)	1,234	89	533	10	244	7	62	91	-
JCS 0-1		60.6%	85.4%	46.3%	60.0%	63.9%	71.4%	69.4%	80.2%	-
JCS 2-3		29.7%	10.1%	46.7%	20.0%	22.5%	0.0%	14.5%	8.8%	-
JCS 10-100		7.7%	4.5%	5.8%	10.0%	10.7%	14.3%	11.3%	7.7%	-

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
胃の悪性新生物	(人)	586	-	65	-	24	-	-	-	-
ステージ0		1.5%	-	1.5%	-	4.2%	-	-	-	-
ステージI		27.3%	-	27.7%	-	16.7%	-	-	-	-
ステージII		12.3%	-	7.7%	-	16.7%	-	-	-	-
ステージIII		17.2%	-	16.9%	-	16.7%	-	-	-	-
ステージIV		33.4%	-	10.8%	-	29.2%	-	-	-	-
不明		8.2%	-	35.4%	-	16.7%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
結腸の悪性新生物	(人)	957	-	44	-	26	-	-	-	-
ステージ0		2.8%	-	4.5%	-	0.0%	-	-	-	-
ステージI		7.7%	-	11.4%	-	0.0%	-	-	-	-
ステージII		23.2%	-	18.2%	-	34.6%	-	-	-	-
ステージIII		32.2%	-	27.3%	-	3.8%	-	-	-	-
ステージIV		26.4%	-	4.5%	-	11.5%	-	-	-	-
不明		7.6%	-	34.1%	-	50.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
直腸の悪性新生物	(人)	515	-	15	-	7	-	-	-	-
ステージ0		2.3%	-	6.7%	-	0.0%	-	-	-	-
ステージI		9.9%	-	6.7%	-	0.0%	-	-	-	-
ステージII		18.1%	-	0.0%	-	14.3%	-	-	-	-
ステージIII		27.0%	-	40.0%	-	14.3%	-	-	-	-
ステージIV		38.1%	-	13.3%	-	28.6%	-	-	-	-
不明		4.7%	-	33.3%	-	42.9%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
気管支および肺の悪性新生物	(人)	522	-	20	-	2	-	-	-	-
ステージ0		0.6%	-	0.0%	-	0.0%	-	-	-	-
ステージI		17.6%	-	5.0%	-	50.0%	-	-	-	-
ステージII		5.7%	-	0.0%	-	0.0%	-	-	-	-
ステージIII		16.7%	-	0.0%	-	0.0%	-	-	-	-
ステージIV		35.2%	-	5.0%	-	0.0%	-	-	-	-
不明		24.1%	-	90.0%	-	50.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
急性心筋梗塞	(人)	316	-	47	-	0	-	-	-	-
Killip I		42.4%	-	63.8%	-	0.0%	-	-	-	-
Killip II		32.9%	-	21.3%	-	0.0%	-	-	-	-
Killip III		7.6%	-	6.4%	-	0.0%	-	-	-	-
Killip IV		11.4%	-	8.5%	-	0.0%	-	-	-	-
不明		5.7%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	0.0%	-	-	-	-
肺炎	(人)	1,893	-	249	-	374	-	-	-	-
軽症		32.8%	-	55.0%	-	10.7%	-	-	-	-
中等症		9.1%	-	9.2%	-	1.6%	-	-	-	-
重症		38.5%	-	35.7%	-	10.7%	-	-	-	-
不明		19.7%	-	0.0%	-	77.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
喘息	(人)	367	-	73	-	46	-	-	-	-
軽症間欠型		31.6%	-	53.4%	-	67.4%	-	-	-	-
軽症持続型		16.1%	-	19.2%	-	19.6%	-	-	-	-
中等症持続型		37.6%	-	23.3%	-	10.9%	-	-	-	-
重症持続型		13.9%	-	4.1%	-	2.2%	-	-	-	-
不明		0.8%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
脳梗塞	(人)	1,234	-	106	-	31	-	-	-	-
JCS 0-1		60.6%	-	75.5%	-	54.8%	-	-	-	-
JCS 2-3		29.7%	-	17.9%	-	32.3%	-	-	-	-
JCS 10-100		7.7%	-	5.7%	-	9.7%	-	-	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード							
			1041	1046	1047	1069	1129	1167	1201	1202
胃の悪性新生物	(人)	586	-	0	-	34	-	-	-	-
ステージ0		1.5%	-	0.0%	-	5.9%	-	-	-	-
ステージI		27.3%	-	0.0%	-	26.5%	-	-	-	-
ステージII		12.3%	-	0.0%	-	14.7%	-	-	-	-
ステージIII		17.2%	-	0.0%	-	32.4%	-	-	-	-
ステージIV		33.4%	-	0.0%	-	20.6%	-	-	-	-
不明		8.2%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	0.0%	-	100.0%	-	-	-	-
結腸の悪性新生物	(人)	957	-	3	-	89	-	-	-	-
ステージ0		2.8%	-	0.0%	-	6.7%	-	-	-	-
ステージI		7.7%	-	0.0%	-	10.1%	-	-	-	-
ステージII		23.2%	-	0.0%	-	11.2%	-	-	-	-
ステージIII		32.2%	-	33.3%	-	25.8%	-	-	-	-
ステージIV		26.4%	-	0.0%	-	43.8%	-	-	-	-
不明		7.6%	-	66.7%	-	2.2%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
直腸の悪性新生物	(人)	515	-	1	-	107	-	-	-	-
ステージ0		2.3%	-	0.0%	-	0.9%	-	-	-	-
ステージI		9.9%	-	0.0%	-	2.8%	-	-	-	-
ステージII		18.1%	-	0.0%	-	2.8%	-	-	-	-
ステージIII		27.0%	-	100.0%	-	21.5%	-	-	-	-
ステージIV		38.1%	-	0.0%	-	72.0%	-	-	-	-
不明		4.7%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
気管支および肺の悪性新生物	(人)	522	-	3	-	8	-	-	-	-
ステージ0		0.6%	-	33.3%	-	0.0%	-	-	-	-
ステージI		17.6%	-	0.0%	-	0.0%	-	-	-	-
ステージII		5.7%	-	0.0%	-	0.0%	-	-	-	-
ステージIII		16.7%	-	33.3%	-	12.5%	-	-	-	-
ステージIV		35.2%	-	33.3%	-	87.5%	-	-	-	-
不明		24.1%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
急性心筋梗塞	(人)	316	-	4	-	0	-	-	-	-
Killip I		42.4%	-	0.0%	-	0.0%	-	-	-	-
Killip II		32.9%	-	50.0%	-	0.0%	-	-	-	-
Killip III		7.6%	-	0.0%	-	0.0%	-	-	-	-
Killip IV		11.4%	-	50.0%	-	0.0%	-	-	-	-
不明		5.7%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	0.0%	-	-	-	-
肺炎	(人)	1,893	-	53	-	96	-	-	-	-
軽症		32.8%	-	41.5%	-	16.7%	-	-	-	-
中等症		9.1%	-	7.5%	-	19.8%	-	-	-	-
重症		38.5%	-	50.9%	-	63.5%	-	-	-	-
不明		19.7%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
喘息	(人)	367	-	7	-	18	-	-	-	-
軽症間欠型		31.6%	-	71.4%	-	0.0%	-	-	-	-
軽症持続型		16.1%	-	14.3%	-	11.1%	-	-	-	-
中等症持続型		37.6%	-	0.0%	-	66.7%	-	-	-	-
重症持続型		13.9%	-	14.3%	-	22.2%	-	-	-	-
不明		0.8%	-	0.0%	-	0.0%	-	-	-	-
計		100.0%	-	100.0%	-	100.0%	-	-	-	-
脳梗塞	(人)	1,234	-	56	-	5	-	-	-	-
JCS 0-1		60.6%	-	75.0%	-	60.0%	-	-	-	-
JCS 2-3		29.7%	-	7.1%	-	20.0%	-	-	-	-
JCS 10-100		7.7%	-	14.3%	-	20.0%	-	-	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード	
			9020	9021
胃の悪性新生物	(人)	586	-	-
ステージ0		1.5%	-	-
ステージI		27.3%	-	-
ステージII		12.3%	-	-
ステージIII		17.2%	-	-
ステージIV		33.4%	-	-
不明		8.2%	-	-
計		100.0%	-	-
結腸の悪性新生物	(人)	957	-	-
ステージ0		2.8%	-	-
ステージI		7.7%	-	-
ステージII		23.2%	-	-
ステージIII		32.2%	-	-
ステージIV		26.4%	-	-
不明		7.6%	-	-
計		100.0%	-	-
直腸の悪性新生物	(人)	515	-	-
ステージ0		2.3%	-	-
ステージI		9.9%	-	-
ステージII		18.1%	-	-
ステージIII		27.0%	-	-
ステージIV		38.1%	-	-
不明		4.7%	-	-
計		100.0%	-	-
気管支および肺の悪性新生物	(人)	522	-	-
ステージ0		0.6%	-	-
ステージI		17.6%	-	-
ステージII		5.7%	-	-
ステージIII		16.7%	-	-
ステージIV		35.2%	-	-
不明		24.1%	-	-
計		100.0%	-	-
急性心筋梗塞	(人)	316	-	-
Killip I		42.4%	-	-
Killip II		32.9%	-	-
Killip III		7.6%	-	-
Killip IV		11.4%	-	-
不明		5.7%	-	-
計		100.0%	-	-
肺炎	(人)	1,893	-	-
軽症		32.8%	-	-
中等症		9.1%	-	-
重症		38.5%	-	-
不明		19.7%	-	-
計		100.0%	-	-
喘息	(人)	367	-	-
軽症間欠型		31.6%	-	-
軽症持続型		16.1%	-	-
中等症持続型		37.6%	-	-
重症持続型		13.9%	-	-
不明		0.8%	-	-
計		100.0%	-	-
脳梗塞	(人)	1,234	-	-
JCS 0-1		60.6%	-	-
JCS 2-3		29.7%	-	-
JCS 10-100		7.7%	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	2.0%	0.0%	1.1%	10.0%	2.9%	14.3%	4.8%	3.3%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
脳出血	(人)	525	16	209	0	160	0	13	35	-
	JCS 0-1	38.1%	56.3%	25.4%	0.0%	40.6%	0.0%	30.8%	85.7%	-
	JCS 2-3	24.0%	18.8%	34.9%	0.0%	18.1%	0.0%	7.7%	2.9%	-
	JCS 10-100	21.3%	18.8%	23.9%	0.0%	20.6%	0.0%	23.1%	2.9%	-
	JCS 200-300	16.6%	6.3%	15.8%	0.0%	20.6%	0.0%	38.5%	8.6%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	100.0%	-
糖尿病	(人)	407	55	32	7	53	79	20	36	-
	軽症	61.4%	70.9%	93.8%	28.6%	47.2%	70.9%	50.0%	66.7%	-
	中等症	22.4%	16.4%	6.3%	71.4%	18.9%	21.5%	30.0%	11.1%	-
	重症	16.0%	12.7%	0.0%	0.0%	34.0%	7.6%	20.0%	22.2%	-
	不明	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
大腿骨頸部骨折	(人)	429	148	0	0	97	1	2	59	-
	重症度Ⅰ	43.8%	48.6%	0.0%	0.0%	58.8%	0.0%	0.0%	37.3%	-
	重症度Ⅱ	22.4%	24.3%	0.0%	0.0%	11.3%	0.0%	0.0%	18.6%	-
	重症度Ⅲ	28.7%	23.0%	0.0%	0.0%	22.7%	0.0%	0.0%	44.1%	-
	重症度Ⅳ	4.2%	3.4%	0.0%	0.0%	6.2%	100.0%	0.0%	0.0%	-
	不明	0.9%	0.7%	0.0%	0.0%	1.0%	0.0%	100.0%	0.0%	-
	計	100.0%	100.0%	0.0%	0.0%	100.0%	100.0%	100.0%	100.0%	-
胃潰瘍	(人)	157	21	3	2	24	19	4	32	-
	ショックなし(収縮期血圧90mmHg以上)	91.7%	90.5%	100.0%	100.0%	87.5%	100.0%	100.0%	87.5%	-
	ショックあり(収縮期血圧90mmHg未満)	8.3%	9.5%	0.0%	0.0%	12.5%	0.0%	0.0%	12.5%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
急性腸炎	(人)	518	66	10	11	61	48	57	52	-
	血便なし	90.3%	97.0%	90.0%	100.0%	83.6%	77.1%	98.2%	92.3%	-
	血便あり	9.3%	3.0%	10.0%	0.0%	14.8%	22.9%	1.8%	7.7%	-
	不明	0.4%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
急性虫垂炎	(人)	423	93	0	2	105	47	13	80	-
	白血球15000/mm3未満	72.3%	67.7%	0.0%	100.0%	71.4%	83.0%	76.9%	75.0%	-
	白血球15000/mm3以上	27.0%	31.2%	0.0%	0.0%	28.6%	17.0%	23.1%	25.0%	-
	不明	0.7%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
胆石症	(人)	923	116	7	7	215	135	55	226	-
	黄疸なし(T Bill 5mg/dl 未満)	92.8%	95.7%	85.7%	100.0%	95.8%	84.4%	92.7%	95.1%	-
	黄疸あり(T Bill 5mg/dl 以上)	7.2%	4.3%	14.3%	0.0%	4.2%	15.6%	7.3%	4.9%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
前立腺肥大症	(人)	43	10	0	2	0	6	0	24	-
	前立腺容積20ml未満	7.0%	10.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	-
	前立腺容積50ml未満	27.9%	40.0%	0.0%	0.0%	0.0%	16.7%	0.0%	29.2%	-
	前立腺容積50ml以上	46.5%	30.0%	0.0%	0.0%	0.0%	16.7%	0.0%	66.7%	-
	不明	18.6%	20.0%	0.0%	100.0%	0.0%	33.3%	0.0%	4.2%	-
	計	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	0.0%	100.0%	-
白内障	(人)	647	275	0	2	0	0	0	0	-
	1眼(処置対象のもの)	96.6%	93.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	2眼(処置対象のもの)	3.1%	6.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	不明	0.3%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	-
痔核	(人)	109	1	0	7	10	74	1	3	-
	第一度(出血のみ)	24.8%	0.0%	0.0%	71.4%	20.0%	18.9%	100.0%	33.3%	-
	第二度(還納可能)	18.3%	100.0%	0.0%	0.0%	10.0%	21.6%	0.0%	0.0%	-
	第三度(脱肛)	52.3%	0.0%	0.0%	0.0%	70.0%	58.1%	0.0%	66.7%	-
	不明	4.6%	0.0%	0.0%	28.6%	0.0%	1.4%	0.0%	0.0%	-
	計	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
子宮筋腫	(人)	90	54	4	0	0	0	0	1	-
	貧血なし(Hb10g/dl以上)	80.0%	87.0%	50.0%	0.0%	0.0%	0.0%	0.0%	100.0%	-
	貧血あり(Hb10g/dl未満)	20.0%	13.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	100.0%	-
狭心症	(人)	1,688	197	37	1	329	206	160	631	-
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-
腎結石及び尿管結石	(人)	363	167	1	1	10	85	5	82	-
	水腎・水尿管なし	38.0%	35.9%	100.0%	100.0%	40.0%	29.4%	100.0%	41.5%	-
	水腎・水尿管あり	60.3%	64.1%	0.0%	0.0%	60.0%	67.1%	0.0%	54.9%	-

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
脳梗塞	JCS 200-300	2.0%	-	0.9%	-	3.2%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
	計	100.0%	-	100.0%	-	100.0%	-	-	-	-
脳出血	(人)	525	-	63	-	5	-	-	-	-
	JCS 0-1	38.1%	-	34.9%	-	40.0%	-	-	-	-
	JCS 2-3	24.0%	-	23.8%	-	40.0%	-	-	-	-
	JCS 10-100	21.3%	-	25.4%	-	20.0%	-	-	-	-
	JCS 200-300	16.6%	-	15.9%	-	0.0%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
	計	100.0%	-	100.0%	-	100.0%	-	-	-	-
糖尿病	(人)	407	-	20	-	60	-	-	-	-
	軽症	61.4%	-	40.0%	-	45.0%	-	-	-	-
	中等症	22.4%	-	25.0%	-	38.3%	-	-	-	-
	重症	16.0%	-	35.0%	-	16.7%	-	-	-	-
	不明	0.2%	-	0.0%	-	0.0%	-	-	-	-
	計	100.0%	-	100.0%	-	100.0%	-	-	-	-
大腿骨頸部骨折	(人)	429	-	30	-	82	-	-	-	-
	重症度Ⅰ	43.8%	-	40.0%	-	30.5%	-	-	-	-
	重症度Ⅱ	22.4%	-	40.0%	-	23.2%	-	-	-	-
	重症度Ⅲ	28.7%	-	20.0%	-	39.0%	-	-	-	-
	重症度Ⅳ	4.2%	-	0.0%	-	7.3%	-	-	-	-
	不明	0.9%	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
胃潰瘍	(人)	157	-	8	-	14	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	91.7%	-	87.5%	-	92.9%	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	8.3%	-	12.5%	-	7.1%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
急性腸炎	(人)	518	-	66	-	67	-	-	-	-
	血便なし	90.3%	-	98.5%	-	83.6%	-	-	-	-
	血便あり	9.3%	-	1.5%	-	16.4%	-	-	-	-
	不明	0.4%	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
急性虫垂炎	(人)	423	-	36	-	13	-	-	-	-
	白血球15000/mm3未満	72.3%	-	77.8%	-	76.9%	-	-	-	-
	白血球15000/mm3以上	27.0%	-	22.2%	-	23.1%	-	-	-	-
	不明	0.7%	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
胆石症	(人)	923	-	57	-	25	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	92.8%	-	93.0%	-	88.0%	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	7.2%	-	7.0%	-	12.0%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
前立腺肥大症	(人)	43	-	0	-	0	-	-	-	-
	前立腺容積20ml未満	7.0%	-	0.0%	-	0.0%	-	-	-	-
	前立腺容積50ml未満	27.9%	-	0.0%	-	0.0%	-	-	-	-
	前立腺容積50ml以上	46.5%	-	0.0%	-	0.0%	-	-	-	-
	不明	18.6%	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	0.0%	-	0.0%	-	-	-	-	
白内障	(人)	647	-	246	-	124	-	-	-	-
	1眼(処置対象のもの)	96.6%	-	99.2%	-	100.0%	-	-	-	-
	2眼(処置対象のもの)	3.1%	-	0.8%	-	0.0%	-	-	-	-
	不明	0.3%	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
痔核	(人)	109	-	1	-	6	-	-	-	-
	第一度(出血のみ)	24.8%	-	100.0%	-	50.0%	-	-	-	-
	第二度(還納可能)	18.3%	-	0.0%	-	33.3%	-	-	-	-
	第三度(脱肛)	52.3%	-	0.0%	-	16.7%	-	-	-	-
	不明	4.6%	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	100.0%	-	-	-	-	
子宮筋腫	(人)	90	-	31	-	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	80.0%	-	71.0%	-	0.0%	-	-	-	-
	貧血あり(Hb10g/dl未満)	20.0%	-	29.0%	-	0.0%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
計	100.0%	-	100.0%	-	0.0%	-	-	-	-	
狭心症	(人)	1,688	-	127	-	0	-	-	-	-
	重症度の指標なし	100.0%	-	100.0%	-	0.0%	-	-	-	-
	計	100.0%	-	100.0%	-	0.0%	-	-	-	-
腎結石及び尿管結石	(人)	363	-	3	-	3	-	-	-	-
	水腎・水尿管なし	38.0%	-	100.0%	-	33.3%	-	-	-	-
	水腎・水尿管あり	60.3%	-	0.0%	-	66.7%	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			1041	1046	1047	1069	1129	1167	1201	1202
脳梗塞	JCS 200-300	2.0%	-	3.6%	-	0.0%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
	計	100.0%	-	100.0%	-	100.0%	-	-	-	-
脳出血	(人)	525	-	22	-	2	-	-	-	-
	JCS 0-1	38.1%	-	63.6%	-	50.0%	-	-	-	-
	JCS 2-3	24.0%	-	9.1%	-	0.0%	-	-	-	-
	JCS 10-100	21.3%	-	22.7%	-	0.0%	-	-	-	-
	JCS 200-300	16.6%	-	4.5%	-	50.0%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
	計	100.0%	-	100.0%	-	100.0%	-	-	-	-
糖尿病	(人)	407	-	18	-	27	-	-	-	-
	軽症	61.4%	-	66.7%	-	63.0%	-	-	-	-
	中等症	22.4%	-	27.8%	-	18.5%	-	-	-	-
	重症	16.0%	-	5.6%	-	14.8%	-	-	-	-
	不明	0.2%	-	0.0%	-	3.7%	-	-	-	-
	計	100.0%	-	100.0%	-	100.0%	-	-	-	-
大腿骨頸部骨折	(人)	429	-	10	-	0	-	-	-	-
	重症度Ⅰ	43.8%	-	0.0%	-	0.0%	-	-	-	-
	重症度Ⅱ	22.4%	-	70.0%	-	0.0%	-	-	-	-
	重症度Ⅲ	28.7%	-	30.0%	-	0.0%	-	-	-	-
	重症度Ⅳ	4.2%	-	0.0%	-	0.0%	-	-	-	-
	不明	0.9%	-	0.0%	-	0.0%	-	-	-	-
胃潰瘍	(人)	157	-	6	-	24	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	91.7%	-	83.3%	-	95.8%	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	8.3%	-	16.7%	-	4.2%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
急性腸炎	(人)	518	-	9	-	71	-	-	-	-
	血便なし	90.3%	-	88.9%	-	88.7%	-	-	-	-
	血便あり	9.3%	-	0.0%	-	11.3%	-	-	-	-
	不明	0.4%	-	11.1%	-	0.0%	-	-	-	-
急性虫垂炎	(人)	423	-	0	-	34	-	-	-	-
	白血球15000/mm3未満	72.3%	-	0.0%	-	55.9%	-	-	-	-
	白血球15000/mm3以上	27.0%	-	0.0%	-	38.2%	-	-	-	-
	不明	0.7%	-	0.0%	-	5.9%	-	-	-	-
胆石症	(人)	923	-	4	-	76	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	92.8%	-	100.0%	-	89.5%	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	7.2%	-	0.0%	-	10.5%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
前立腺肥大症	(人)	43	-	0	-	1	-	-	-	-
	前立腺容積20ml未満	7.0%	-	0.0%	-	0.0%	-	-	-	-
	前立腺容積50ml未満	27.9%	-	0.0%	-	0.0%	-	-	-	-
	前立腺容積50ml以上	46.5%	-	0.0%	-	0.0%	-	-	-	-
	不明	18.6%	-	0.0%	-	100.0%	-	-	-	-
白内障	(人)	647	-	0	-	0	-	-	-	-
	1眼(処置対象のもの)	96.6%	-	0.0%	-	0.0%	-	-	-	-
	2眼(処置対象のもの)	3.1%	-	0.0%	-	0.0%	-	-	-	-
	不明	0.3%	-	0.0%	-	0.0%	-	-	-	-
痔核	(人)	109	-	0	-	6	-	-	-	-
	第一度(出血のみ)	24.8%	-	0.0%	-	0.0%	-	-	-	-
	第二度(還納可能)	18.3%	-	0.0%	-	0.0%	-	-	-	-
	第三度(脱肛)	52.3%	-	0.0%	-	66.7%	-	-	-	-
	不明	4.6%	-	0.0%	-	33.3%	-	-	-	-
子宮筋腫	(人)	90	-	0	-	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	80.0%	-	0.0%	-	0.0%	-	-	-	-
	貧血あり(Hb10g/dl未満)	20.0%	-	0.0%	-	0.0%	-	-	-	-
	不明	N/A	-	0.0%	-	0.0%	-	-	-	-
狭心症	(人)	1,688	-	0	-	0	-	-	-	-
	重症度の指標なし	100.0%	-	0.0%	-	0.0%	-	-	-	-
	計	100.0%	-	0.0%	-	0.0%	-	-	-	-
腎結石及び尿管結石	(人)	363	-	1	-	5	-	-	-	-
	水腎・水尿管なし	38.0%	-	0.0%	-	80.0%	-	-	-	-
	水腎・水尿管あり	60.3%	-	100.0%	-	20.0%	-	-	-	-

【重症度別集計】表

		平均	病院コード	
			9020	9021
脳梗塞	JCS 200-300	2.0%	-	-
	不明	N/A	-	-
	計	100.0%	-	-
脳出血	(人)	525	-	-
	JCS 0-1	38.1%	-	-
	JCS 2-3	24.0%	-	-
	JCS 10-100	21.3%	-	-
	JCS 200-300	16.6%	-	-
	不明	N/A	-	-
	計	100.0%	-	-
糖尿病	(人)	407	-	-
	軽症	61.4%	-	-
	中等症	22.4%	-	-
	重症	16.0%	-	-
	不明	0.2%	-	-
	計	100.0%	-	-
大腿骨頸部骨折	(人)	429	-	-
	重症度Ⅰ	43.8%	-	-
	重症度Ⅱ	22.4%	-	-
	重症度Ⅲ	28.7%	-	-
	重症度Ⅳ	4.2%	-	-
	不明	0.9%	-	-
	計	100.0%	-	-
胃潰瘍	(人)	157	-	-
	ショックなし(収縮期血圧90mmHg以上)	91.7%	-	-
	ショックあり(収縮期血圧90mmHg未満)	8.3%	-	-
	不明	N/A	-	-
	計	100.0%	-	-
急性腸炎	(人)	518	-	-
	血便なし	90.3%	-	-
	血便あり	9.3%	-	-
	不明	0.4%	-	-
	計	100.0%	-	-
急性虫垂炎	(人)	423	-	-
	白血球15000/mm3未満	72.3%	-	-
	白血球15000/mm3以上	27.0%	-	-
	不明	0.7%	-	-
	計	100.0%	-	-
胆石症	(人)	923	-	-
	黄疸なし(T Bill 5mg/dl 未満)	92.8%	-	-
	黄疸あり(T Bill 5mg/dl 以上)	7.2%	-	-
	不明	N/A	-	-
	計	100.0%	-	-
前立腺肥大症	(人)	43	-	-
	前立腺容積20ml未満	7.0%	-	-
	前立腺容積50ml未満	27.9%	-	-
	前立腺容積50ml以上	46.5%	-	-
	不明	18.6%	-	-
	計	100.0%	-	-
白内障	(人)	647	-	-
	1眼(処置対象のもの)	96.6%	-	-
	2眼(処置対象のもの)	3.1%	-	-
	不明	0.3%	-	-
	計	100.0%	-	-
痔核	(人)	109	-	-
	第一度(出血のみ)	24.8%	-	-
	第二度(還納可能)	18.3%	-	-
	第三度(脱肛)	52.3%	-	-
	不明	4.6%	-	-
	計	100.0%	-	-
子宮筋腫	(人)	90	-	-
	貧血なし(Hb10g/dl以上)	80.0%	-	-
	貧血あり(Hb10g/dl未満)	20.0%	-	-
	不明	N/A	-	-
	計	100.0%	-	-
狭心症	(人)	1,688	-	-
	重症度の指標なし	100.0%	-	-
	計	100.0%	-	-
腎結石及び尿管結石	(人)	363	-	-
	水腎・水尿管なし	38.0%	-	-
	水腎・水尿管あり	60.3%	-	-

【重症度別集計】表

		平均	病院コード	
			9020	9021
腎結石及び尿管結石	不明	1.7%	-	-
	計	100.0%	-	-
乳房の悪性新生物	(人)	469	-	-
	ステージ0	4.5%	-	-
	ステージI	29.9%	-	-
	ステージII	36.9%	-	-
	ステージIII	11.9%	-	-
	ステージIV	8.3%	-	-
	不明	8.5%	-	-
計	100.0%	-	-	
膝関節症	(人)	311	-	-
	骨移植なし	98.7%	-	-
	骨移植あり	1.3%	-	-
	不明	N/A	-	-
計	100.0%	-	-	
鼠径ヘルニア	(人)	574	-	-
	重症度の指標なし	100.0%	-	-
計	100.0%	-	-	
全疾患合計		100.0%	-	-
集計病院数		11		