

【重症度別集計】表

絞込条件

対象年月設定: 201804 ~ 201903
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 退院患者数

	(単位:%)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	-	-	36	-	-	-	-	-	-
ステージ0		0.3%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%
ステージI		31.3%	35.6%	25.0%	0.0%	27.7%	37.5%	-	-	31.1%
ステージII		10.0%	6.7%	22.2%	0.0%	10.8%	8.8%	-	-	9.0%
ステージIII		14.5%	15.6%	13.9%	16.7%	15.4%	6.3%	-	-	18.0%
ステージIV		38.6%	28.9%	27.8%	0.0%	44.6%	47.5%	-	-	38.3%
不明		5.3%	11.1%	11.1%	83.3%	1.5%	0.0%	-	-	3.6%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
結腸の悪性新生物	(人)	-	77	48	-	-	166	-	-	116
ステージ0		4.3%	6.5%	0.0%	0.0%	4.0%	5.4%	-	-	3.4%
ステージI		8.5%	14.3%	14.6%	0.0%	6.5%	6.0%	-	-	8.6%
ステージII		15.4%	14.3%	14.6%	0.0%	7.3%	14.5%	-	-	27.6%
ステージIII		36.5%	19.5%	39.6%	12.5%	42.7%	44.0%	-	-	31.0%
ステージIV		30.1%	37.7%	16.7%	0.0%	39.5%	27.1%	-	-	26.7%
不明		5.2%	7.8%	14.6%	87.5%	0.0%	3.0%	-	-	2.6%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
直腸の悪性新生物	(人)	-	-	49	-	77	-	-	-	-
ステージ0		1.8%	0.0%	0.0%	0.0%	3.9%	2.0%	-	-	1.3%
ステージI		8.5%	30.0%	6.1%	0.0%	11.7%	1.0%	-	-	11.4%
ステージII		16.7%	15.0%	14.3%	0.0%	13.0%	18.0%	-	-	21.5%
ステージIII		30.3%	30.0%	42.9%	0.0%	41.6%	16.0%	-	-	31.6%
ステージIV		38.8%	25.0%	30.6%	20.0%	24.7%	63.0%	-	-	31.6%
不明		3.9%	0.0%	6.1%	80.0%	5.2%	0.0%	-	-	2.5%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
気管支および肺の悪性新生物	(人)	-	-	9	-	254	-	-	-	-
ステージ0		1.0%	0.0%	11.1%	0.0%	1.6%	0.0%	-	-	0.0%
ステージI		17.3%	0.0%	22.2%	0.0%	27.6%	1.6%	-	-	9.2%
ステージII		6.4%	0.0%	0.0%	0.0%	8.7%	3.3%	-	-	5.2%
ステージIII		19.6%	0.0%	22.2%	20.0%	20.9%	9.8%	-	-	21.8%
ステージIV		39.4%	71.4%	22.2%	0.0%	27.6%	67.2%	-	-	48.9%
不明		16.3%	28.6%	22.2%	80.0%	13.8%	18.0%	-	-	14.9%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
急性心筋梗塞	(人)	-	-	20	-	93	-	-	-	-
Killip I		52.5%	40.0%	35.0%	0.0%	58.1%	21.4%	-	-	78.7%
Killip II		23.2%	33.3%	10.0%	0.0%	16.1%	62.5%	-	-	5.3%
Killip III		7.2%	13.3%	0.0%	100.0%	7.5%	7.1%	-	-	2.7%
Killip IV		14.1%	13.3%	55.0%	0.0%	12.9%	8.9%	-	-	9.3%
不明		3.0%	0.0%	0.0%	0.0%	5.4%	0.0%	-	-	4.0%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
肺炎	(人)	-	-	154	-	-	-	-	-	154
軽症		30.7%	27.7%	31.8%	52.2%	22.4%	37.5%	-	-	18.2%
中等症		9.8%	11.4%	18.8%	13.0%	4.0%	8.3%	-	-	7.1%
重症		56.4%	60.9%	49.4%	34.8%	73.6%	54.2%	-	-	52.6%
不明		3.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-	-	22.1%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
喘息	(人)	-	-	12	-	-	-	-	-	-
軽症間欠型		19.8%	77.8%	41.7%	15.8%	19.0%	50.0%	-	-	2.3%
軽症持続型		23.4%	11.1%	33.3%	31.6%	25.9%	50.0%	-	-	9.1%
中等症持続型		43.7%	11.1%	25.0%	36.8%	44.8%	0.0%	-	-	65.9%
重症持続型		11.4%	0.0%	0.0%	13.2%	6.9%	0.0%	-	-	22.7%
不明		1.8%	0.0%	0.0%	2.6%	3.4%	0.0%	-	-	0.0%
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	-	100.0%
脳梗塞	(人)	-	-	591	-	-	-	-	-	-
JCS 0-1		66.8%	81.0%	67.0%	66.7%	63.3%	100.0%	-	-	62.5%
JCS 2-3		24.7%	15.5%	25.0%	33.3%	27.9%	0.0%	-	-	19.6%
JCS 10-100		6.5%	3.4%	6.6%	0.0%	6.2%	0.0%	-	-	10.7%

【重症度別集計】表

	(単位:%)	平均	病院コード
			9021
胃の悪性新生物	(人)	-	-
ステージ0		0.3%	-
ステージI		31.3%	-
ステージII		10.0%	-
ステージIII		14.5%	-
ステージIV		38.6%	-
不明		5.3%	-
計		100.0%	-
結腸の悪性新生物	(人)	-	-
ステージ0		4.3%	-
ステージI		8.5%	-
ステージII		15.4%	-
ステージIII		36.5%	-
ステージIV		30.1%	-
不明		5.2%	-
計		100.0%	-
直腸の悪性新生物	(人)	-	-
ステージ0		1.8%	-
ステージI		8.5%	-
ステージII		16.7%	-
ステージIII		30.3%	-
ステージIV		38.8%	-
不明		3.9%	-
計		100.0%	-
気管支および肺の悪性新生物	(人)	-	-
ステージ0		1.0%	-
ステージI		17.3%	-
ステージII		6.4%	-
ステージIII		19.6%	-
ステージIV		39.4%	-
不明		16.3%	-
計		100.0%	-
急性心筋梗塞	(人)	-	-
Killip I		52.5%	-
Killip II		23.2%	-
Killip III		7.2%	-
Killip IV		14.1%	-
不明		3.0%	-
計		100.0%	-
肺炎	(人)	-	-
軽症		30.7%	-
中等症		9.8%	-
重症		56.4%	-
不明		3.1%	-
計		100.0%	-
喘息	(人)	-	-
軽症間欠型		19.8%	-
軽症持続型		23.4%	-
中等症持続型		43.7%	-
重症持続型		11.4%	-
不明		1.8%	-
計		100.0%	-
脳梗塞	(人)	-	-
JCS 0-1		66.8%	-
JCS 2-3		24.7%	-
JCS 10-100		6.5%	-

【重症度別集計】表

(単位:%)		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	1.9%	0.0%	1.4%	0.0%	2.7%	0.0%	-	7.1%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
脳出血	(人)	-	-	182	-	-	-	-	-	-
	JCS 0-1	38.9%	25.0%	42.3%	0.0%	37.5%	50.0%	-	10.0%	-
	JCS 2-3	23.4%	41.7%	22.5%	0.0%	23.5%	0.0%	-	20.0%	-
	JCS 10-100	19.0%	25.0%	15.4%	0.0%	24.3%	50.0%	-	0.0%	-
	JCS 200-300	18.7%	8.3%	19.8%	0.0%	14.7%	0.0%	-	70.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	-	100.0%	-
糖尿病	(人)	-	-	22	-	-	-	-	-	-
	軽症	58.7%	56.5%	63.6%	100.0%	42.6%	63.0%	-	73.1%	-
	中等症	22.2%	25.8%	31.8%	0.0%	20.4%	22.2%	-	15.4%	-
	重症	18.7%	17.7%	4.5%	0.0%	37.0%	13.0%	-	11.5%	-
	不明	0.4%	0.0%	0.0%	0.0%	0.0%	1.9%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
大腿骨頸部骨折	(人)	-	-	1	-	125	-	-	-	-
	重症度 I	50.7%	72.0%	0.0%	0.0%	36.0%	0.0%	-	50.0%	-
	重症度 II	14.6%	19.4%	0.0%	0.0%	15.2%	0.0%	-	5.6%	-
	重症度 III	25.5%	3.2%	0.0%	100.0%	38.4%	0.0%	-	33.3%	-
	重症度 IV	8.0%	5.4%	100.0%	0.0%	8.0%	0.0%	-	11.1%	-
	不明	1.1%	0.0%	0.0%	0.0%	2.4%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	-	100.0%	-
胃潰瘍	(人)	-	-	7	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	92.1%	75.0%	100.0%	0.0%	91.3%	100.0%	-	100.0%	-
	ショックあり(収縮期血圧90mmHg未満)	7.9%	25.0%	0.0%	0.0%	8.7%	0.0%	-	0.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	-	100.0%	-
急性腸炎	(人)	-	-	48	-	-	-	-	-	-
	血便なし	84.9%	71.4%	89.6%	60.0%	75.0%	84.6%	-	88.6%	-
	血便あり	15.1%	28.6%	10.4%	40.0%	25.0%	15.4%	-	11.4%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
急性虫垂炎	(人)	-	-	20	-	-	-	-	-	-
	白血球15000/mm3未満	68.0%	100.0%	70.0%	0.0%	0.0%	76.3%	-	57.9%	-
	白血球15000/mm3以上	32.0%	0.0%	30.0%	0.0%	0.0%	23.7%	-	42.1%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	0.0%	100.0%	-	100.0%	-
胆石症	(人)	-	-	61	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	94.2%	96.3%	88.5%	88.9%	97.1%	91.0%	-	94.3%	-
	黄疸あり(T Bill 5mg/dl 以上)	5.8%	3.7%	11.5%	11.1%	2.9%	9.0%	-	5.7%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	5.7%	11.8%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	前立腺容積50ml未満	25.7%	23.5%	0.0%	0.0%	0.0%	0.0%	-	29.4%	-
	前立腺容積50ml以上	54.3%	52.9%	0.0%	0.0%	0.0%	100.0%	-	52.9%	-
	不明	14.3%	11.8%	0.0%	0.0%	0.0%	0.0%	-	17.6%	-
	計	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	-	100.0%	-
白内障	(人)	-	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	92.2%	92.2%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	2眼(処置対象のもの)	7.8%	7.8%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
痔核	(人)	-	-	2	-	-	-	-	-	-
	第一度(出血のみ)	20.0%	0.0%	50.0%	0.0%	0.0%	0.0%	-	66.7%	-
	第二度(還納可能)	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	第三度(脱肛)	73.3%	0.0%	50.0%	0.0%	0.0%	90.0%	-	33.3%	-
	不明	6.7%	0.0%	0.0%	0.0%	0.0%	10.0%	-	0.0%	-
	計	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	-	100.0%	-
子宮筋腫	(人)	-	-	17	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	78.2%	78.3%	82.4%	0.0%	0.0%	0.0%	-	0.0%	-
	貧血あり(Hb10g/dl未満)	21.8%	21.7%	17.6%	0.0%	0.0%	0.0%	-	100.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%	-	100.0%	-
狭心症	(人)	-	236	93	-	403	162	-	433	-
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
腎結石及び尿管結石	(人)	-	-	3	-	-	-	-	-	-
	水腎・水尿管なし	55.6%	59.9%	33.3%	100.0%	85.7%	32.0%	-	61.4%	-
	水腎・水尿管あり	44.4%	40.1%	66.7%	0.0%	14.3%	68.0%	-	38.6%	-

【重症度別集計】表

		平均	病院コード 9021
(単位:%)			
脳梗塞	JCS 200-300	1.9%	-
	不明	N/A	-
	計	100.0%	-
脳出血	(人)	-	-
	JCS 0-1	38.9%	-
	JCS 2-3	23.4%	-
	JCS 10-100	19.0%	-
	JCS 200-300	18.7%	-
	不明	N/A	-
計	100.0%	-	
糖尿病	(人)	-	-
	軽症	58.7%	-
	中等症	22.2%	-
	重症	18.7%	-
	不明	0.4%	-
計	100.0%	-	
大腿骨頸部骨折	(人)	-	-
	重症度Ⅰ	50.7%	-
	重症度Ⅱ	14.6%	-
	重症度Ⅲ	25.5%	-
	重症度Ⅳ	8.0%	-
	不明	1.1%	-
計	100.0%	-	
胃潰瘍	(人)	-	-
	ショックなし(収縮期血圧90mmHg以上)	92.1%	-
	ショックあり(収縮期血圧90mmHg未満)	7.9%	-
	不明	N/A	-
計	100.0%	-	
急性腸炎	(人)	-	-
	血便なし	84.9%	-
	血便あり	15.1%	-
	不明	N/A	-
計	100.0%	-	
急性虫垂炎	(人)	-	-
	白血球15000/mm3未満	68.0%	-
	白血球15000/mm3以上	32.0%	-
	不明	N/A	-
計	100.0%	-	
胆石症	(人)	-	-
	黄疸なし(T Bill 5mg/dl 未満)	94.2%	-
	黄疸あり(T Bill 5mg/dl 以上)	5.8%	-
	不明	N/A	-
計	100.0%	-	
前立腺肥大症	(人)	-	-
	前立腺容積20ml未満	5.7%	-
	前立腺容積50ml未満	25.7%	-
	前立腺容積50ml以上	54.3%	-
	不明	14.3%	-
計	100.0%	-	
白内障	(人)	-	-
	1眼(処置対象のもの)	92.2%	-
	2眼(処置対象のもの)	7.8%	-
	不明	N/A	-
計	100.0%	-	
痔核	(人)	-	-
	第一度(出血のみ)	20.0%	-
	第二度(還納可能)	N/A	-
	第三度(脱肛)	73.3%	-
	不明	6.7%	-
計	100.0%	-	
子宮筋腫	(人)	-	-
	貧血なし(Hb10g/dl以上)	78.2%	-
	貧血あり(Hb10g/dl未満)	21.8%	-
	不明	N/A	-
計	100.0%	-	
狭心症	(人)	-	-
	重症度の指標なし	100.0%	-
計	100.0%	-	
腎結石及び尿管結石	(人)	-	-
	水腎・水尿管なし	55.6%	-
	水腎・水尿管あり	44.4%	-

【重症度別集計】表

		平均	病院コード 9021
腎結石及び尿管結石	不明	N/A	-
	計	100.0%	-
乳房の悪性新生物	(人)	-	-
	ステージ0	8.8%	-
	ステージI	43.1%	-
	ステージII	28.8%	-
	ステージIII	13.1%	-
	ステージIV	4.6%	-
	不明	1.5%	-
計	100.0%	-	
膝関節症	(人)	-	-
	骨移植なし	97.3%	-
	骨移植あり	2.7%	-
	不明	N/A	-
計	100.0%	-	
鼠径ヘルニア	(人)	-	-
	重症度の指標なし	100.0%	-
計	100.0%	-	
全疾患合計		100.0%	-
集計病院数		6	