

【重症度別集計】表

絞込条件

対象年月設定: 201904 ~ 202003
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 退院患者数

	(単位:%)	平均	病院コード								
			0003	0202	0203	0235	1001	1002	1003	1004	
胃の悪性新生物	(人)	-	-	41	-	-	-	-	-	-	-
ステージ0		1.1%	0.0%	2.4%	0.0%	5.6%	0.0%	-	0.0%	-	-
ステージI		35.5%	37.2%	36.6%	0.0%	35.2%	23.1%	-	40.5%	-	-
ステージII		12.6%	7.0%	17.1%	0.0%	9.3%	12.3%	-	14.4%	-	-
ステージIII		12.8%	7.0%	14.6%	0.0%	20.4%	12.3%	-	11.8%	-	-
ステージIV		31.8%	27.9%	29.3%	0.0%	25.9%	43.1%	-	31.4%	-	-
不明		6.1%	20.9%	0.0%	100.0%	3.7%	9.2%	-	2.0%	-	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-	-
結腸の悪性新生物	(人)	-	80	60	-	-	147	-	-	-	-
ステージ0		3.9%	8.8%	3.3%	0.0%	5.6%	2.7%	-	1.4%	-	-
ステージI		11.0%	16.3%	15.0%	0.0%	9.6%	9.5%	-	9.7%	-	-
ステージII		15.6%	18.8%	20.0%	0.0%	12.8%	12.2%	-	18.8%	-	-
ステージIII		30.0%	15.0%	23.3%	0.0%	32.8%	38.1%	-	31.9%	-	-
ステージIV		34.0%	32.5%	35.0%	0.0%	37.6%	34.0%	-	33.3%	-	-
不明		5.5%	8.8%	3.3%	100.0%	1.6%	3.4%	-	4.9%	-	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-	-
直腸の悪性新生物	(人)	-	-	45	-	113	-	-	-	-	-
ステージ0		4.1%	2.1%	17.8%	0.0%	3.5%	0.0%	-	2.1%	-	-
ステージI		11.0%	10.6%	8.9%	0.0%	11.5%	5.0%	-	15.5%	-	-
ステージII		19.9%	19.1%	17.8%	0.0%	12.4%	41.7%	-	16.5%	-	-
ステージIII		42.3%	31.9%	42.2%	0.0%	40.7%	41.7%	-	49.5%	-	-
ステージIV		17.4%	31.9%	11.1%	0.0%	19.5%	11.7%	-	14.4%	-	-
不明		5.2%	4.3%	2.2%	0.0%	12.4%	0.0%	-	2.1%	-	-
計		100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	-	100.0%	-	-
気管支および肺の悪性新生物	(人)	-	-	9	-	-	-	-	-	-	-
ステージ0		0.9%	0.0%	11.1%	0.0%	0.4%	0.0%	-	1.3%	-	-
ステージI		21.3%	0.0%	55.6%	0.0%	33.0%	10.7%	-	7.9%	-	-
ステージII		5.9%	0.0%	0.0%	0.0%	8.5%	3.6%	-	3.9%	-	-
ステージIII		19.3%	14.3%	0.0%	28.6%	22.8%	10.7%	-	18.4%	-	-
ステージIV		33.8%	57.1%	22.2%	0.0%	25.0%	48.2%	-	42.8%	-	-
不明		18.7%	28.6%	11.1%	71.4%	10.3%	26.8%	-	25.7%	-	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-	-
急性心筋梗塞	(人)	-	-	24	-	-	-	-	-	84	-
Killip I		49.6%	43.8%	25.0%	100.0%	58.0%	7.1%	-	70.2%	-	-
Killip II		25.4%	37.5%	0.0%	0.0%	16.0%	73.8%	-	15.5%	-	-
Killip III		3.6%	0.0%	0.0%	0.0%	6.2%	2.4%	-	3.6%	-	-
Killip IV		18.5%	18.8%	75.0%	0.0%	18.5%	14.3%	-	4.8%	-	-
不明		2.8%	0.0%	0.0%	0.0%	1.2%	2.4%	-	6.0%	-	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-	-
肺炎	(人)	-	-	142	-	-	-	-	-	151	-
軽症		31.9%	29.1%	35.9%	56.1%	28.0%	32.1%	-	21.2%	-	-
中等症		9.9%	12.2%	24.6%	12.3%	2.7%	6.4%	-	7.3%	-	-
重症		53.5%	58.7%	39.4%	31.6%	69.3%	61.5%	-	40.4%	-	-
不明		4.7%	0.0%	0.0%	0.0%	0.0%	0.0%	-	31.1%	-	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-	-
喘息	(人)	-	-	4	-	-	-	-	-	-	-
軽症間欠型		16.6%	10.0%	25.0%	44.4%	26.4%	0.0%	-	0.0%	-	-
軽症持続型		18.6%	50.0%	50.0%	22.2%	28.3%	0.0%	-	1.7%	-	-
中等症持続型		40.0%	40.0%	25.0%	33.3%	34.0%	0.0%	-	48.3%	-	-
重症持続型		23.4%	0.0%	0.0%	0.0%	7.5%	0.0%	-	50.0%	-	-
不明		1.4%	0.0%	0.0%	0.0%	3.8%	0.0%	-	0.0%	-	-
計		100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	-	100.0%	-	-
脳梗塞	(人)	-	-	659	-	-	-	-	-	-	-
JCS 0-1		65.3%	76.9%	62.1%	75.0%	69.7%	75.0%	-	71.4%	-	-
JCS 2-3		28.0%	19.2%	32.5%	0.0%	21.8%	25.0%	-	14.3%	-	-
JCS 10-100		5.0%	3.8%	3.8%	0.0%	6.9%	0.0%	-	12.5%	-	-

【重症度別集計】表

	(単位:%)	平均	病院コード	
			9022	9023
胃の悪性新生物	(人)	-	-	-
ステージ0		1.1%	-	-
ステージI		35.5%	-	-
ステージII		12.6%	-	-
ステージIII		12.8%	-	-
ステージIV		31.8%	-	-
不明		6.1%	-	-
計		100.0%	-	-
結腸の悪性新生物	(人)	-	-	-
ステージ0		3.9%	-	-
ステージI		11.0%	-	-
ステージII		15.6%	-	-
ステージIII		30.0%	-	-
ステージIV		34.0%	-	-
不明		5.5%	-	-
計		100.0%	-	-
直腸の悪性新生物	(人)	-	-	-
ステージ0		4.1%	-	-
ステージI		11.0%	-	-
ステージII		19.9%	-	-
ステージIII		42.3%	-	-
ステージIV		17.4%	-	-
不明		5.2%	-	-
計		100.0%	-	-
気管支および肺の悪性新生物	(人)	-	-	-
ステージ0		0.9%	-	-
ステージI		21.3%	-	-
ステージII		5.9%	-	-
ステージIII		19.3%	-	-
ステージIV		33.8%	-	-
不明		18.7%	-	-
計		100.0%	-	-
急性心筋梗塞	(人)	-	-	-
Killip I		49.6%	-	-
Killip II		25.4%	-	-
Killip III		3.6%	-	-
Killip IV		18.5%	-	-
不明		2.8%	-	-
計		100.0%	-	-
肺炎	(人)	-	-	-
軽症		31.9%	-	-
中等症		9.9%	-	-
重症		53.5%	-	-
不明		4.7%	-	-
計		100.0%	-	-
喘息	(人)	-	-	-
軽症間欠型		16.6%	-	-
軽症持続型		18.6%	-	-
中等症持続型		40.0%	-	-
重症持続型		23.4%	-	-
不明		1.4%	-	-
計		100.0%	-	-
脳梗塞	(人)	-	-	-
JCS 0-1		65.3%	-	-
JCS 2-3		28.0%	-	-
JCS 10-100		5.0%	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	1.6%	0.0%	1.7%	25.0%	1.5%	0.0%	-	1.8%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
脳出血	(人)	-	-	217	-	-	-	-	-	-
	JCS 0-1	39.7%	40.0%	31.3%	0.0%	51.4%	0.0%	-	50.0%	-
	JCS 2-3	24.9%	10.0%	32.7%	0.0%	15.8%	0.0%	-	8.3%	-
	JCS 10-100	19.2%	40.0%	18.9%	0.0%	17.8%	0.0%	-	25.0%	-
	JCS 200-300	16.1%	10.0%	17.1%	0.0%	15.1%	0.0%	-	16.7%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	-	100.0%	-
糖尿病	(人)	-	-	18	-	-	-	-	-	-
	軽症	54.0%	63.2%	50.0%	66.7%	27.4%	61.1%	-	66.7%	-
	中等症	28.4%	30.3%	50.0%	33.3%	29.0%	29.6%	-	14.6%	-
	重症	17.6%	6.6%	0.0%	0.0%	43.5%	9.3%	-	18.8%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
大腿骨頸部骨折	(人)	-	-	28	-	-	-	-	-	-
	重症度Ⅰ	54.7%	53.2%	71.4%	0.0%	46.7%	0.0%	-	63.4%	-
	重症度Ⅱ	17.1%	34.2%	7.1%	0.0%	17.5%	0.0%	-	1.4%	-
	重症度Ⅲ	22.1%	12.7%	17.9%	0.0%	31.7%	0.0%	-	18.3%	-
	重症度Ⅳ	6.0%	0.0%	3.6%	0.0%	4.2%	0.0%	-	16.9%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	-	100.0%	-
胃潰瘍	(人)	-	-	11	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	89.3%	100.0%	100.0%	0.0%	96.2%	80.0%	-	70.8%	-
	ショックあり(収縮期血圧90mmHg未満)	10.7%	0.0%	0.0%	0.0%	3.8%	20.0%	-	29.2%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	-	100.0%	-
急性腸炎	(人)	-	-	39	-	-	-	-	-	-
	血便なし	85.9%	57.1%	92.3%	100.0%	87.5%	90.7%	-	78.8%	-
	血便あり	14.1%	42.9%	7.7%	0.0%	12.5%	9.3%	-	21.2%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
急性虫垂炎	(人)	-	-	19	-	-	-	-	-	-
	白血球15000/mm3未満	85.8%	100.0%	78.9%	50.0%	100.0%	93.5%	-	84.2%	-
	白血球15000/mm3以上	14.2%	0.0%	21.1%	50.0%	0.0%	6.5%	-	15.8%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
胆石症	(人)	-	-	65	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	93.7%	96.2%	84.6%	83.3%	96.8%	92.6%	-	92.9%	-
	黄疸あり(T Bill 5mg/dl 以上)	6.3%	3.8%	15.4%	16.7%	3.2%	7.4%	-	7.1%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
前立腺肥大症	(人)	-	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	11.6%	11.1%	0.0%	0.0%	0.0%	16.7%	-	7.7%	-
	前立腺容積50ml未満	37.2%	61.1%	0.0%	0.0%	0.0%	33.3%	-	7.7%	-
	前立腺容積50ml以上	46.5%	27.8%	0.0%	0.0%	0.0%	33.3%	-	84.6%	-
	不明	4.7%	0.0%	0.0%	0.0%	0.0%	16.7%	-	0.0%	-
	計	100.0%	100.0%	0.0%	0.0%	0.0%	100.0%	-	100.0%	-
白内障	(人)	-	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	76.2%	76.2%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	2眼(処置対象のもの)	23.8%	23.8%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
痔核	(人)	-	-	2	-	-	-	-	-	-
	第一度(出血のみ)	33.3%	0.0%	100.0%	0.0%	0.0%	0.0%	-	50.0%	-
	第二度(還納可能)	16.7%	0.0%	0.0%	0.0%	0.0%	33.3%	-	0.0%	-
	第三度(脱肛)	50.0%	0.0%	0.0%	0.0%	0.0%	66.7%	-	50.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	0.0%	100.0%	0.0%	0.0%	100.0%	-	100.0%	-
子宮筋腫	(人)	-	-	32	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	77.3%	83.3%	59.4%	0.0%	0.0%	0.0%	-	0.0%	-
	貧血あり(Hb10g/dl未満)	22.7%	16.7%	40.6%	0.0%	0.0%	0.0%	-	0.0%	-
	不明	N/A	0.0%	0.0%	0.0%	0.0%	0.0%	-	0.0%	-
	計	100.0%	100.0%	100.0%	0.0%	0.0%	0.0%	-	0.0%	-
狭心症	(人)	-	240	77	3	382	178	-	227	-
	重症度の指標なし	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
	計	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	-	100.0%	-
腎結石及び尿管結石	(人)	-	-	5	-	-	-	-	-	-
	水腎・水尿管なし	47.2%	50.5%	60.0%	100.0%	36.4%	38.7%	-	51.0%	-
	水腎・水尿管あり	52.5%	48.6%	40.0%	0.0%	63.6%	61.3%	-	49.0%	-

【重症度別集計】表

		平均	病院コード	
			9022	9023
脳梗塞	JCS 200-300	1.6%	-	-
	不明	N/A	-	-
	計	100.0%	-	-
脳出血	(人)	-	-	-
	JCS 0-1	39.7%	-	-
	JCS 2-3	24.9%	-	-
	JCS 10-100	19.2%	-	-
	JCS 200-300	16.1%	-	-
	計	100.0%	-	-
糖尿病	(人)	-	-	-
	軽症	54.0%	-	-
	中等症	28.4%	-	-
	重症	17.6%	-	-
	計	100.0%	-	-
大腿骨頸部骨折	(人)	-	-	-
	重症度Ⅰ	54.7%	-	-
	重症度Ⅱ	17.1%	-	-
	重症度Ⅲ	22.1%	-	-
	重症度Ⅳ	6.0%	-	-
	計	100.0%	-	-
胃潰瘍	(人)	-	-	-
	ショックなし（収縮期血圧90mmHg以上）	89.3%	-	-
	ショックあり（収縮期血圧90mmHg未満）	10.7%	-	-
	計	100.0%	-	-
急性腸炎	(人)	-	-	-
	血便なし	85.9%	-	-
	血便あり	14.1%	-	-
	計	100.0%	-	-
急性虫垂炎	(人)	-	-	-
	白血球15000/mm3未満	85.8%	-	-
	白血球15000/mm3以上	14.2%	-	-
	計	100.0%	-	-
胆石症	(人)	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	93.7%	-	-
	黄疸あり(T Bill 5mg/dl 以上)	6.3%	-	-
	計	100.0%	-	-
前立腺肥大症	(人)	-	-	-
	前立腺容積20ml未満	11.6%	-	-
	前立腺容積50ml未満	37.2%	-	-
	前立腺容積50ml以上	46.5%	-	-
	計	100.0%	-	-
白内障	(人)	-	-	-
	1眼(処置対象のもの)	76.2%	-	-
	2眼(処置対象のもの)	23.8%	-	-
	計	100.0%	-	-
痔核	(人)	-	-	-
	第一度(出血のみ)	33.3%	-	-
	第二度(還納可能)	16.7%	-	-
	第三度(脱肛)	50.0%	-	-
	計	100.0%	-	-
子宮筋腫	(人)	-	-	-
	貧血なし(Hb10g/dl以上)	77.3%	-	-
	貧血あり(Hb10g/dl未満)	22.7%	-	-
	計	100.0%	-	-
狭心症	(人)	-	-	-
	重症度の指標なし	100.0%	-	-
腎結石及び尿管結石	(人)	-	-	-
	水腎・水尿管なし	47.2%	-	-
	水腎・水尿管あり	52.5%	-	-

【重症度別集計】表

		平均	病院コード	
			9022	9023
腎結石及び尿管結石	不明	0.3%	-	-
	計	100.0%	-	-
乳房の悪性新生物	(人)	-	-	-
	ステージ0	9.8%	-	-
	ステージI	38.1%	-	-
	ステージII	30.8%	-	-
	ステージIII	7.9%	-	-
	ステージIV	12.4%	-	-
	不明	1.0%	-	-
計	100.0%	-	-	
膝関節症	(人)	-	-	-
	骨移植なし	90.8%	-	-
	骨移植あり	9.2%	-	-
	不明	N/A	-	-
計	100.0%	-	-	
鼠径ヘルニア	(人)	-	-	-
	重症度の指標なし	100.0%	-	-
計	100.0%	-	-	
全疾患合計		100.0%	-	-
集計病院数		6		