

【重症度別集計】表

絞込条件

対象年月設定: 201304 ~ 201403
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 平均在院日数

(単位:日)	平均	退院年月								
		2013/04	2013/05	2013/06	2013/07	2013/08	2013/09	2013/10	2013/11	
胃の悪性新生物 (人)	969	88	91	96	92	65	70	76	80	
ステージ0	12.3	N/A	9.0	19.0	7.5	N/A	N/A	9.0	20.5	
ステージI	18.7	15.7	37.5	17.0	17.3	20.0	15.0	12.3	17.7	
ステージII	23.8	17.2	34.3	26.3	18.6	31.0	33.4	18.8	17.4	
ステージIII	35.2	29.1	20.6	23.3	69.1	40.5	23.2	16.5	66.4	
ステージIV	17.5	17.7	17.7	17.6	14.0	20.3	10.1	19.7	17.0	
不明	19.3	13.3	17.3	16.6	20.2	7.0	44.3	20.8	7.4	
計	21.1	17.9	24.4	18.6	25.7	23.6	22.6	17.6	21.3	
結腸の悪性新生物 (人)	1,187	111	98	73	122	102	100	94	99	
ステージ0	7.1	6.7	7.9	5.2	10.0	4.4	9.5	4.7	6.7	
ステージI	14.6	13.9	12.6	12.5	15.8	16.2	17.0	22.6	14.3	
ステージII	17.7	25.5	29.8	15.1	21.0	14.2	21.3	20.5	19.9	
ステージIII	16.2	19.2	11.8	7.8	19.4	34.5	16.0	12.5	9.8	
ステージIV	13.0	13.9	13.7	16.0	10.1	11.6	8.5	16.0	14.6	
不明	11.7	14.8	11.3	2.3	11.2	10.1	14.8	8.0	10.7	
計	14.2	15.9	15.1	12.4	14.6	16.8	14.2	14.4	13.4	
直腸の悪性新生物 (人)	557	42	62	51	46	46	33	58	48	
ステージ0	9.7	5.0	10.0	29.0	2.0	12.7	N/A	13.0	3.8	
ステージI	16.5	27.3	16.6	21.5	13.3	10.5	16.7	22.0	13.3	
ステージII	26.8	35.2	28.2	33.3	31.0	26.4	33.5	20.0	18.0	
ステージIII	18.3	31.1	18.6	24.9	19.0	11.4	18.4	15.9	16.0	
ステージIV	19.3	13.9	10.2	16.2	30.6	25.3	15.1	22.9	42.7	
不明	16.4	11.2	53.0	21.3	5.0	9.6	15.0	18.7	3.5	
計	19.1	20.0	18.1	23.5	21.9	16.5	19.7	18.9	19.4	
気管支および肺の悪性新生物 (人)	1,312	142	119	106	146	113	106	113	99	
ステージ0	16.0	N/A	8.0	N/A	36.0	6.0	25.0	N/A	N/A	
ステージI	10.6	9.1	9.9	21.6	10.2	8.5	5.3	10.4	6.9	
ステージII	11.2	9.0	10.5	17.1	10.2	14.7	10.1	13.4	4.3	
ステージIII	13.7	9.6	15.0	10.9	20.4	9.2	11.4	16.4	17.7	
ステージIV	19.5	16.5	21.8	21.1	18.2	21.1	23.4	27.8	16.2	
不明	7.2	5.0	4.7	7.2	9.7	3.6	6.8	16.8	4.8	
計	14.1	11.2	14.6	16.2	15.9	13.5	14.7	17.5	12.6	
急性心筋梗塞 (人)	370	30	32	43	31	24	16	26	43	
Killip I	16.6	16.1	16.1	14.8	12.2	13.9	12.1	24.4	13.9	
Killip II	17.4	15.6	20.1	15.2	16.9	18.9	17.6	24.4	16.0	
Killip III	19.8	26.0	17.5	11.0	21.5	14.7	38.5	9.5	N/A	
Killip IV	20.4	11.8	3.0	24.8	12.3	15.8	N/A	39.0	23.5	
不明	8.3	N/A	7.5	N/A	N/A	1.5	N/A	2.0	1.0	
計	17.3	17.0	16.7	15.7	15.4	14.9	17.8	24.6	15.0	
肺炎 (人)	3,253	295	361	297	293	222	198	198	196	
軽症	13.6	15.6	12.1	12.5	11.7	12.3	13.8	16.1	13.8	
中等症	19.7	15.7	19.2	17.8	21.9	17.4	38.2	18.6	22.3	
重症	22.6	25.8	21.8	17.4	25.1	25.0	23.7	22.3	22.2	
不明	9.0	8.9	9.7	8.5	9.4	8.6	11.8	6.1	11.8	
計	15.8	16.9	15.3	13.0	16.0	15.9	19.2	16.8	17.5	
喘息 (人)	1,141	94	119	106	113	96	118	100	105	
軽症間欠型	6.4	5.0	6.2	5.9	5.8	6.0	5.6	5.7	7.6	
軽症持続型	5.9	5.5	5.5	6.2	6.6	6.5	5.2	6.3	5.4	
中等症持続型	6.9	6.4	7.8	6.2	8.5	7.5	6.6	5.3	6.9	
重症持続型	7.3	5.8	6.3	7.1	8.4	7.1	7.0	6.5	6.4	
不明	14.2	18.8	8.8	N/A	14.6	9.0	6.0	5.0	N/A	
計	6.6	6.1	6.4	6.2	7.2	6.7	5.8	5.8	6.4	
脳梗塞 (人)	1,735	155	150	143	138	125	138	161	143	
JCS 0-1	21.4	22.6	21.0	21.7	17.5	18.9	22.2	28.1	25.8	
JCS 2-3	29.1	41.8	34.0	23.5	33.1	37.9	32.7	22.6	25.5	
JCS 10-100	42.1	46.6	31.0	47.2	39.3	46.4	35.8	54.7	32.3	

【重症度別集計】表

	(単位:日)	平均	退院年月			
			2013/12	2014/01	2014/02	2014/03
胃の悪性新生物	(人)	969	79	82	68	82
ステージ0		12.3	17.0	9.0	N/A	11.0
ステージI		18.7	15.8	12.9	19.3	20.9
ステージII		23.8	24.6	23.9	22.3	16.7
ステージIII		35.2	24.6	53.2	25.3	26.3
ステージIV		17.5	21.6	14.7	22.9	13.5
不明		19.3	35.5	18.0	8.0	17.9
計		21.1	21.8	21.0	21.2	17.8
結腸の悪性新生物	(人)	1,187	107	96	84	101
ステージ0		7.1	6.7	4.9	7.8	9.4
ステージI		14.6	9.2	11.5	16.4	15.4
ステージII		17.7	14.1	12.5	12.0	12.4
ステージIII		16.2	18.5	19.1	8.0	12.4
ステージIV		13.0	15.0	12.9	11.8	12.2
不明		11.7	15.4	11.1	11.2	13.1
計		14.2	14.8	13.1	11.2	12.6
直腸の悪性新生物	(人)	557	47	42	40	42
ステージ0		9.7	12.0	2.0	12.3	10.7
ステージI		16.5	13.9	18.9	12.5	12.8
ステージII		26.8	26.9	24.0	18.1	43.3
ステージIII		18.3	17.6	14.0	19.5	16.6
ステージIV		19.3	22.4	20.7	14.6	13.0
不明		16.4	17.8	8.2	23.7	18.8
計		19.1	19.7	17.1	17.3	16.7
気管支および肺の悪性新生物	(人)	1,312	117	88	77	86
ステージ0		16.0	25.0	N/A	6.0	N/A
ステージI		10.6	10.3	13.9	13.1	14.8
ステージII		11.2	5.6	1.9	23.0	6.5
ステージIII		13.7	11.2	13.1	12.2	14.9
ステージIV		19.5	17.0	15.3	15.6	20.5
不明		7.2	7.4	10.3	6.1	3.8
計		14.1	12.1	12.4	13.8	15.2
急性心筋梗塞	(人)	370	33	30	26	36
Killip I		16.6	13.9	14.1	14.1	43.8
Killip II		17.4	16.4	15.0	15.8	17.8
Killip III		19.8	45.0	11.0	14.0	18.8
Killip IV		20.4	15.9	7.5	22.5	36.8
不明		8.3	2.5	24.3	N/A	N/A
計		17.3	15.2	13.6	15.0	27.6
肺炎	(人)	3,253	274	294	330	295
軽症		13.6	12.9	13.3	12.9	15.0
中等症		19.7	23.9	15.7	14.9	16.0
重症		22.6	19.7	18.6	23.9	25.3
不明		9.0	8.0	8.0	8.8	8.5
計		15.8	15.1	13.5	15.5	16.7
喘息	(人)	1,141	59	60	74	97
軽症間欠型		6.4	3.5	11.5	7.7	7.8
軽症持続型		5.9	6.0	7.3	5.8	5.6
中等症持続型		6.9	7.1	6.6	9.9	7.3
重症持続型		7.3	6.9	10.5	10.9	6.1
不明		14.2	19.7	N/A	N/A	34.0
計		6.6	6.9	8.2	7.6	7.3
脳梗塞	(人)	1,735	139	152	135	156
JCS 0-1		21.4	16.4	17.5	20.8	24.8
JCS 2-3		29.1	25.0	26.6	23.2	27.8
JCS 10-100		42.1	59.8	52.8	26.1	31.4

【重症度別集計】表

(単位:日)		平均	退院年月							
			2013/04	2013/05	2013/06	2013/07	2013/08	2013/09	2013/10	2013/11
脳梗塞	JCS 200-300	33.7	30.4	34.8	23.3	20.7	39.5	73.3	13.3	44.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	24.9	29.2	24.7	24.4	22.9	24.7	25.5	29.0	26.8
脳出血	(人)	667	61	66	55	53	45	41	48	35
	JCS 0-1	26.5	26.7	31.2	28.8	26.8	35.3	19.0	25.2	18.3
	JCS 2-3	33.5	29.6	40.2	31.5	32.0	24.3	26.5	30.7	18.6
	JCS 10-100	47.8	44.9	52.1	74.8	41.7	43.6	50.4	57.7	34.3
	JCS 200-300	37.1	12.4	37.0	46.8	25.8	38.4	20.4	34.2	18.4
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	33.7	28.1	37.0	43.1	31.0	36.4	25.0	33.4	22.0	
糖尿病	(人)	855	98	84	88	85	64	58	62	66
	軽症	16.7	16.0	15.4	16.6	16.6	18.5	14.0	19.0	14.3
	中等症	30.3	12.6	30.1	18.5	19.6	17.5	17.5	21.6	121.0
	重症	20.7	12.8	20.8	21.3	28.8	14.8	20.9	11.8	11.6
	不明	13.7	13.4	14.0	12.0	13.6	17.6	11.0	16.0	12.2
計	18.6	14.8	16.8	16.1	17.0	17.9	15.4	18.8	33.2	
大腿骨頸部骨折	(人)	648	64	52	56	66	44	52	40	51
	重症度Ⅰ	34.3	37.9	31.4	29.8	44.1	22.2	31.8	40.3	46.8
	重症度Ⅱ	36.4	32.9	84.7	50.3	28.2	32.8	43.3	20.3	36.3
	重症度Ⅲ	36.7	38.5	28.3	35.4	33.9	31.8	47.7	30.5	40.3
	重症度Ⅳ	34.5	2.0	32.0	16.0	38.0	32.1	59.0	69.7	22.0
	不明	32.9	35.2	45.2	24.8	35.6	14.0	42.0	21.3	25.0
計	35.1	36.0	38.3	33.3	37.9	27.6	38.4	35.7	39.6	
胃潰瘍	(人)	252	19	25	16	27	24	19	23	20
	ショックなし(収縮期血圧90mmHg以上)	12.5	8.5	9.5	12.2	11.9	17.8	11.1	12.4	18.3
	ショックあり(収縮期血圧90mmHg未満)	15.2	14.7	6.5	N/A	14.0	23.5	13.3	21.5	16.5
	不明	20.4	8.5	24.3	17.5	29.2	13.0	N/A	N/A	N/A
計	13.3	9.5	11.6	12.9	15.2	18.4	11.6	13.2	17.9	
急性腸炎	(人)	896	88	90	57	76	98	59	77	68
	血便なし	6.3	5.8	6.9	5.0	6.9	6.9	7.9	6.0	5.7
	血便あり	7.2	6.5	7.6	4.7	5.7	5.9	8.1	8.7	15.3
	不明	5.7	7.2	4.3	6.8	9.0	2.0	2.0	N/A	N/A
計	6.3	5.9	6.9	5.1	7.0	6.8	7.8	6.1	6.3	
急性虫垂炎	(人)	703	59	63	73	58	60	66	73	49
	白血球15000/mm3未満	7.2	6.5	6.4	7.0	5.9	7.5	8.9	7.9	7.0
	白血球15000/mm3以上	7.5	5.9	8.9	5.9	8.8	5.8	11.8	7.2	7.3
	不明	7.5	6.0	10.3	6.2	8.7	N/A	N/A	5.0	N/A
計	7.3	6.3	7.3	6.7	6.8	7.0	9.4	7.7	7.1	
胆石症	(人)	1,413	129	117	127	111	108	124	132	136
	黄疸なし(T Bill 5mg/dl 未満)	11.4	10.1	12.1	13.1	9.9	10.7	12.4	11.8	11.2
	黄疸あり(T Bill 5mg/dl 以上)	26.3	10.5	14.2	19.4	99.8	20.8	19.2	17.0	12.2
	不明	9.7	8.7	7.2	9.6	12.3	N/A	N/A	N/A	N/A
計	12.2	10.0	12.0	13.2	14.2	11.7	12.7	12.2	11.3	
前立腺肥大症	(人)	189	12	23	16	22	20	17	10	23
	前立腺容積20ml未満	10.0	9.8	12.3	8.8	10.0	8.8	11.0	9.7	7.8
	前立腺容積50ml未満	11.7	14.0	10.8	12.8	15.3	11.5	16.0	9.5	10.6
	前立腺容積50ml以上	10.0	11.0	8.3	12.3	9.0	7.7	10.0	12.5	10.5
	不明	8.0	7.3	7.7	5.5	5.7	15.6	6.0	5.0	4.0
計	9.8	9.4	9.3	9.8	9.4	11.9	9.4	9.7	9.6	
白内障	(人)	1,194	116	103	132	135	97	75	106	101
	1眼(処置対象のもの)	3.2	3.4	3.4	3.2	3.2	3.3	2.9	3.1	3.2
	2眼(処置対象のもの)	6.7	6.7	6.1	7.3	6.9	6.6	6.3	6.3	7.4
	不明	5.4	5.3	6.0	5.2	5.4	N/A	2.0	N/A	N/A
計	4.5	4.8	4.9	5.0	4.7	4.4	4.1	4.0	4.2	
痔核	(人)	140	14	13	13	10	13	4	8	15
	第一度(出血のみ)	6.2	2.0	6.5	9.0	2.3	5.8	2.0	8.3	8.7
	第二度(還納可能)	6.6	9.0	4.5	5.7	4.5	8.3	2.0	4.0	3.7
	第三度(脱肛)	7.8	6.8	7.4	8.1	5.8	8.7	18.0	7.0	5.0
	不明	3.0	N/A	4.0	2.0	N/A	N/A	N/A	N/A	N/A
計	7.0	6.6	6.2	7.2	4.5	7.7	6.0	7.3	6.2	
子宮筋腫	(人)	476	41	37	46	51	51	36	37	37
	貧血なし(Hb10g/dl以上)	9.6	10.2	9.4	10.4	9.6	9.8	10.0	8.4	9.9
	貧血あり(Hb10g/dl未満)	8.7	6.3	8.1	8.8	9.9	9.3	8.2	9.1	9.8
	不明	9.3	9.1	7.6	9.0	11.7	N/A	N/A	N/A	4.0
計	9.4	9.2	8.8	9.8	10.1	9.7	9.7	8.6	9.8	
狭心症	(人)	2,070	213	211	242	202	175	121	160	172
	重症度の指標なし	4.8	4.6	4.0	4.4	4.8	4.9	3.7	4.3	5.2
計	4.8	4.6	4.0	4.4	4.8	4.9	3.7	4.3	5.2	
腎結石及び尿管結石	(人)	632	55	57	63	56	71	49	51	54
	水腎・水尿管なし	3.5	3.3	4.7	2.3	2.9	4.2	3.1	4.8	3.3
	水腎・水尿管あり	5.4	4.2	4.8	6.2	5.9	5.9	4.4	4.4	5.3

【重症度別集計】表

		平均	退院年月			
			2013/12	2014/01	2014/02	2014/03
脳梗塞	JCS 200-300	33.7	21.0	45.0	29.5	41.5
	不明	N/A	N/A	N/A	N/A	N/A
	計	24.9	20.8	21.8	21.9	26.5
脳出血	(人)	667	48	72	62	81
	JCS 0-1	26.5	19.3	28.2	26.4	28.3
	JCS 2-3	33.5	31.6	35.9	36.5	48.5
	JCS 10-100	47.8	53.1	38.3	56.0	35.8
	JCS 200-300	37.1	16.4	99.2	33.8	48.6
	不明	N/A	N/A	N/A	N/A	N/A
	計	33.7	25.9	43.8	33.5	34.4
糖尿病	(人)	855	59	54	61	76
	軽症	16.7	16.6	18.8	13.9	19.8
	中等症	30.3	38.9	14.2	15.0	16.5
	重症	20.7	24.7	12.3	25.0	35.0
	不明	13.7	9.0	15.3	19.0	15.0
	計	18.6	21.4	17.1	16.0	21.6
大腿骨頸部骨折	(人)	648	64	55	52	52
	重症度Ⅰ	34.3	31.9	33.0	35.1	26.4
	重症度Ⅱ	36.4	25.6	33.1	37.5	36.9
	重症度Ⅲ	36.7	49.9	29.1	39.1	34.3
	重症度Ⅳ	34.5	21.8	33.3	34.0	34.0
	不明	32.9	30.0	26.6	22.7	33.0
	計	35.1	35.2	31.3	35.5	30.5
胃潰瘍	(人)	252	20	18	21	20
	ショックなし(収縮期血圧90mmHg以上)	12.5	10.2	11.1	15.5	11.6
	ショックあり(収縮期血圧90mmHg未満)	15.2	N/A	10.5	15.0	1.0
	不明	20.4	5.0	N/A	N/A	N/A
	計	13.3	10.0	11.1	15.4	11.1
急性腸炎	(人)	896	90	70	52	71
	血便なし	6.3	5.1	5.9	6.6	6.4
	血便あり	7.2	6.2	7.0	7.5	6.5
	不明	5.7	5.3	2.3	4.0	N/A
	計	6.3	5.3	5.9	6.6	6.4
急性虫垂炎	(人)	703	71	41	42	48
	白血球15000/mm3未満	7.2	6.7	8.5	6.7	7.5
	白血球15000/mm3以上	7.5	6.5	9.1	8.3	6.2
	不明	7.5	N/A	N/A	N/A	N/A
	計	7.3	6.6	8.7	7.3	7.1
胆石症	(人)	1,413	102	101	96	130
	黄疸なし(T Bill 5mg/dl 未満)	11.4	12.0	11.5	10.0	11.1
	黄疸あり(T Bill 5mg/dl 以上)	26.3	23.2	20.7	72.7	14.5
	不明	9.7	N/A	N/A	N/A	N/A
	計	12.2	12.6	12.0	13.9	11.2
前立腺肥大症	(人)	189	20	11	10	5
	前立腺容積20ml未満	10.0	12.4	8.5	9.5	8.0
	前立腺容積50ml未満	11.7	10.5	8.6	12.0	11.5
	前立腺容積50ml以上	10.0	8.4	10.5	13.0	N/A
	不明	8.0	7.2	3.0	13.3	6.5
	計	9.8	9.7	7.9	12.1	8.8
白内障	(人)	1,194	85	77	86	81
	1眼(処置対象のもの)	3.2	3.4	3.3	2.9	3.6
	2眼(処置対象のもの)	6.7	6.3	6.5	7.1	7.0
	不明	5.4	N/A	N/A	N/A	N/A
	計	4.5	4.4	4.3	4.0	4.9
痔核	(人)	140	11	10	13	16
	第一度(出血のみ)	6.2	8.3	7.3	2.7	5.3
	第二度(還納可能)	6.6	N/A	9.8	9.0	8.0
	第三度(脱肛)	7.8	9.1	6.0	6.8	12.0
	不明	3.0	N/A	N/A	N/A	2.0
	計	7.0	8.8	7.9	6.0	9.1
子宮筋腫	(人)	476	46	21	34	39
	貧血なし(Hb10g/dl以上)	9.6	8.2	10.9	9.9	9.6
	貧血あり(Hb10g/dl未満)	8.7	8.3	9.4	7.0	9.0
	不明	9.3	N/A	N/A	N/A	N/A
	計	9.4	8.2	10.4	9.5	9.5
狭心症	(人)	2,070	143	145	144	142
	重症度の指標なし	4.8	4.7	5.6	5.1	6.1
	計	4.8	4.7	5.6	5.1	6.1
腎結石及び尿管結石	(人)	632	56	36	37	47
	水腎・水尿管なし	3.5	2.9	2.5	4.0	3.3
	水腎・水尿管あり	5.4	4.3	7.2	5.7	6.0

【重症度別集計】表

		平均	退院年月							
			2013/04	2013/05	2013/06	2013/07	2013/08	2013/09	2013/10	2013/11
腎結石及び尿管結石	不明	4.2	3.0	4.3	3.9	4.6	3.0	N/A	8.0	14.0
	計	4.4	3.5	4.7	4.1	4.5	4.9	3.7	4.8	4.5
乳房の悪性新生物	(人)	576	50	52	63	68	40	43	48	51
	ステージ0	8.1	N/A	5.0	4.0	6.0	5.0	4.3	8.0	5.0
	ステージI	9.1	10.9	12.3	9.2	8.1	6.0	8.9	9.4	8.4
	ステージII	10.1	13.4	12.4	8.7	12.2	9.5	10.2	7.4	7.0
	ステージIII	11.6	5.0	12.3	17.0	8.4	4.7	3.3	24.2	17.8
	ステージIV	25.7	10.3	9.9	64.1	20.1	3.0	5.7	11.3	32.9
	不明	11.0	9.3	9.9	5.6	8.3	2.0	2.0	10.2	28.8
	計	11.5	11.0	11.5	16.1	10.8	6.4	7.9	10.4	15.8
膝関節症	(人)	386	37	46	37	44	35	33	30	29
	骨移植なし	22.5	22.4	23.0	21.1	25.4	20.6	19.8	21.1	26.3
	骨移植あり	16.5	25.0	N/A	6.0	27.0	8.0	N/A	N/A	N/A
	不明	34.7	43.8	35.6	29.8	28.5	17.0	N/A	N/A	N/A
	計	23.4	27.1	26.0	22.5	25.7	20.1	19.8	21.1	26.3
鼠径ヘルニア	(人)	912	81	78	85	92	104	57	69	63
	重症度の指標なし	5.5	5.6	5.7	5.0	5.3	5.0	5.5	6.1	5.5
	計	5.5	5.6	5.7	5.0	5.3	5.0	5.5	6.1	5.5
全疾患合計		13.9	13.6	14.0	13.2	14.1	13.0	14.1	14.2	14.3
集計病院数		-	17	17	17	17	16	16	16	16

【重症度別集計】表

(単位:日)		平均	退院年月			
			2013/12	2014/01	2014/02	2014/03
腎結石及び尿管結石	不明	4.2	2.0	2.0	N/A	1.0
	計	4.4	3.6	5.5	4.9	4.5
乳房の悪性新生物	(人)	576	43	35	40	43
	ステージ0	8.1	22.0	7.5	10.3	8.6
	ステージI	9.1	7.7	5.9	10.0	13.8
	ステージII	10.1	8.1	8.4	11.7	7.0
	ステージIII	11.6	13.8	7.0	14.4	7.0
	ステージIV	25.7	17.2	73.3	9.0	10.0
	不明	11.0	39.0	3.5	2.0	5.0
	計	11.5	12.0	12.6	11.3	10.0
膝関節症	(人)	386	23	22	28	22
	骨移植なし	22.5	20.7	21.0	26.7	19.9
	骨移植あり	16.5	N/A	N/A	N/A	N/A
	不明	34.7	N/A	N/A	N/A	N/A
	計	23.4	20.7	21.0	26.7	19.9
鼠径ヘルニア	(人)	912	66	57	78	82
	重症度の指標なし	5.5	5.0	6.1	5.6	5.6
	計	5.5	5.0	6.1	5.6	5.6
全疾患合計		13.9	13.3	14.3	14.1	14.8
集計病院数		-	16	16	16	16