

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201404 ~ 201503  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 退院年月・昇順

## ■ 平均在院日数

(単位:日)	平均	退院年月								
		2014/04	2014/05	2014/06	2014/07	2014/08	2014/09	2014/10	2014/11	
<b>胃の悪性新生物</b> (人)	696	72	63	46	58	70	62	60	54	
ステージ0	10.1	11.0	N/A	8.0	11.0	N/A	8.5	12.2	N/A	
ステージI	16.4	16.6	18.3	22.5	18.2	20.8	14.9	19.8	16.2	
ステージII	19.7	20.6	14.4	16.8	22.3	15.4	14.9	22.0	13.9	
ステージIII	20.1	15.6	21.1	26.0	16.6	16.3	26.1	23.4	21.8	
ステージIV	15.2	12.4	13.6	18.0	16.6	18.0	12.8	12.9	12.3	
不明	21.7	24.3	14.8	12.6	88.0	6.3	20.0	16.0	10.1	
計	17.0	16.0	16.1	18.3	22.8	17.7	15.3	17.1	14.7	
<b>結腸の悪性新生物</b> (人)	866	83	75	83	76	80	70	70	70	
ステージ0	9.5	4.5	20.3	4.5	22.0	4.0	8.2	4.0	9.8	
ステージI	14.1	10.8	10.2	15.0	15.3	11.7	14.5	18.5	13.3	
ステージII	18.5	8.8	14.3	21.9	25.3	21.4	20.1	14.3	15.3	
ステージIII	14.8	11.0	11.2	16.9	12.2	13.2	13.0	14.3	14.3	
ステージIV	17.3	17.6	17.0	26.7	18.7	11.5	14.1	13.3	21.0	
不明	13.0	31.3	5.9	17.9	9.2	12.6	9.2	9.3	17.0	
計	16.1	14.5	13.7	21.8	18.1	13.9	14.1	13.4	16.7	
<b>直腸の悪性新生物</b> (人)	453	34	29	29	32	49	36	39	44	
ステージ0	10.1	4.0	31.0	12.0	18.5	2.0	N/A	6.5	N/A	
ステージI	18.3	60.8	11.3	16.0	9.0	18.8	6.0	12.0	15.8	
ステージII	19.3	26.2	18.0	13.0	6.5	24.8	23.8	30.7	17.7	
ステージIII	15.9	11.3	9.2	18.5	22.6	16.0	16.8	24.9	12.9	
ステージIV	14.9	14.4	6.4	18.7	19.4	13.4	19.5	9.2	14.6	
不明	9.9	7.5	6.5	4.0	12.0	3.0	N/A	23.0	9.0	
計	16.0	24.5	10.6	16.8	18.5	16.3	18.5	17.9	14.5	
<b>気管支および肺の悪性新生物</b> (人)	783	80	88	70	86	78	89	51	56	
ステージ0	6.3	3.0	8.0	8.0	N/A	N/A	N/A	N/A	N/A	
ステージI	9.7	12.6	5.1	4.8	9.0	10.1	6.0	14.8	10.5	
ステージII	8.3	6.6	3.4	3.1	8.8	4.4	5.9	56.0	13.6	
ステージIII	12.6	16.3	6.3	8.3	10.2	5.4	15.1	13.3	19.7	
ステージIV	17.3	20.6	22.3	11.6	12.7	10.2	20.9	13.9	18.9	
不明	6.3	2.0	13.3	5.6	3.5	3.6	3.8	7.9	7.3	
計	12.5	14.3	14.3	8.3	9.9	7.7	14.2	14.4	14.9	
<b>急性心筋梗塞</b> (人)	266	14	19	20	20	28	20	29	25	
Killip I	11.9	12.1	8.5	11.1	14.8	9.3	11.5	12.1	9.7	
Killip II	17.0	11.0	29.3	25.0	13.0	15.3	13.3	12.1	15.7	
Killip III	27.2	N/A	116.0	22.4	17.8	12.5	15.3	12.0	13.0	
Killip IV	15.2	12.5	22.3	10.5	8.5	17.3	16.0	16.4	21.0	
不明	5.6	N/A	N/A	4.0	2.0	N/A	N/A	N/A	10.0	
計	15.5	11.8	21.4	17.0	13.2	12.1	13.0	12.8	13.6	
<b>肺炎</b> (人)	2,889	270	283	272	241	229	183	190	175	
軽症	12.0	11.9	10.6	12.8	12.3	17.7	11.6	12.3	9.9	
中等症	18.5	18.1	28.8	21.2	12.1	17.1	19.2	14.0	21.4	
重症	19.7	20.1	20.4	26.5	17.7	17.6	17.9	20.0	23.4	
不明	9.8	8.6	9.4	7.3	10.4	10.1	7.3	14.9	14.8	
計	14.3	14.1	14.5	15.5	12.9	15.1	12.9	15.3	16.6	
<b>喘息</b> (人)	916	74	95	60	76	71	86	82	85	
軽症間欠型	5.9	5.5	5.8	5.1	5.3	5.7	5.3	5.8	6.5	
軽症持続型	6.1	5.4	6.3	7.1	6.1	6.1	6.6	5.1	4.9	
中等症持続型	7.0	8.4	6.5	8.2	8.1	9.3	5.9	5.9	6.3	
重症持続型	7.6	7.6	6.7	8.3	9.5	7.4	7.5	7.6	6.2	
不明	7.1	N/A	9.0	N/A	11.0	N/A	6.7	3.0	N/A	
計	6.4	6.2	6.3	7.2	6.7	6.6	6.1	5.8	5.9	
<b>脳梗塞</b> (人)	1,365	119	123	108	120	118	119	121	96	
JCS 0-1	18.7	18.4	19.2	18.0	18.2	17.3	17.1	20.2	16.4	
JCS 2-3	27.3	30.3	25.9	24.7	28.4	31.1	27.9	24.0	30.5	
JCS 10-100	33.1	53.4	29.1	31.1	31.8	37.4	28.1	26.7	40.1	

# 【重症度別集計】表

	(単位:日)	平均	退院年月			
			2014/12	2015/01	2015/02	2015/03
<b>胃の悪性新生物</b>	(人)	696	62	54	45	50
ステージ0		10.1	6.0	10.0	N/A	N/A
ステージI		16.4	13.5	11.2	12.2	13.3
ステージII		19.7	22.1	25.6	41.8	17.1
ステージIII		20.1	17.2	17.5	22.8	24.8
ステージIV		15.2	17.4	20.1	15.1	11.8
不明		21.7	N/A	N/A	10.5	25.8
計		17.0	16.3	17.1	18.2	15.3
<b>結腸の悪性新生物</b>	(人)	866	67	56	81	55
ステージ0		9.5	16.0	2.5	6.2	23.0
ステージI		14.1	19.0	12.7	14.7	13.0
ステージII		18.5	10.7	25.9	24.6	16.6
ステージIII		14.8	15.7	21.0	15.5	28.2
ステージIV		17.3	16.3	12.4	17.6	16.6
不明		13.0	10.5	6.3	10.0	10.0
計		16.1	15.0	17.2	16.9	17.9
<b>直腸の悪性新生物</b>	(人)	453	44	46	32	39
ステージ0		10.1	25.0	2.5	3.0	5.0
ステージI		18.3	10.3	12.5	16.3	8.8
ステージII		19.3	15.0	18.6	24.0	10.2
ステージIII		15.9	11.3	11.2	21.2	13.8
ステージIV		14.9	8.5	22.4	11.8	17.2
不明		9.9	N/A	N/A	N/A	3.5
計		16.0	11.2	16.2	16.6	11.5
<b>気管支および肺の悪性新生物</b>	(人)	783	50	43	45	47
ステージ0		6.3	N/A	N/A	N/A	N/A
ステージI		9.7	6.6	24.7	12.0	6.2
ステージII		8.3	33.0	N/A	6.5	3.0
ステージIII		12.6	16.5	12.0	15.3	15.1
ステージIV		17.3	22.0	19.3	15.4	17.9
不明		6.3	8.0	6.4	2.8	3.1
計		12.5	15.2	15.2	11.7	13.0
<b>急性心筋梗塞</b>	(人)	266	34	21	22	14
Killip I		11.9	12.8	15.9	12.9	15.2
Killip II		17.0	18.6	23.8	13.7	12.0
Killip III		27.2	36.3	13.0	14.0	204.0
Killip IV		15.2	9.0	10.0	33.0	11.6
不明		5.6	2.0	N/A	N/A	N/A
計		15.5	14.9	18.4	16.9	26.9
<b>肺炎</b>	(人)	2,889	267	333	225	221
軽症		12.0	10.3	11.7	13.6	10.9
中等症		18.5	21.8	12.9	20.3	17.1
重症		19.7	19.3	17.1	17.4	20.5
不明		9.8	9.7	8.0	13.1	8.8
計		14.3	14.2	12.6	15.2	13.7
<b>喘息</b>	(人)	916	66	63	60	98
軽症間欠型		5.9	6.1	7.8	6.7	6.0
軽症持続型		6.1	6.8	5.6	8.1	5.5
中等症持続型		7.0	5.2	6.4	7.8	6.5
重症持続型		7.6	7.0	7.7	10.8	6.6
不明		7.1	N/A	N/A	N/A	8.0
計		6.4	6.3	6.8	7.9	6.0
<b>脳梗塞</b>	(人)	1,365	133	91	92	125
JCS 0-1		18.7	20.6	19.9	17.4	20.9
JCS 2-3		27.3	21.5	21.1	29.1	29.0
JCS 10-100		33.1	34.5	25.9	27.0	37.5

# 【重症度別集計】表

(単位:日)		平均	退院年月							
			2014/04	2014/05	2014/06	2014/07	2014/08	2014/09	2014/10	2014/11
脳梗塞	JCS 200-300	28.9	43.2	18.5	11.0	39.8	22.0	11.5	10.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	22.1	24.6	21.9	21.0	21.3	22.6	19.7	21.5	22.9
脳出血	(人)	586	58	58	42	40	40	33	39	47
	JCS 0-1	22.9	21.1	20.4	20.5	25.1	25.5	22.3	25.0	20.3
	JCS 2-3	35.7	69.0	29.2	29.0	46.7	28.4	24.3	42.4	32.3
	JCS 10-100	40.6	34.1	42.1	62.7	41.7	24.0	34.3	33.4	39.8
	JCS 200-300	20.8	19.4	25.7	8.8	5.5	26.0	18.8	22.8	14.5
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	28.4	30.4	26.5	28.9	29.3	25.9	24.7	28.7	26.9	
糖尿病	(人)	585	55	51	43	54	66	42	44	42
	軽症	21.3	14.0	19.6	82.4	15.5	12.6	18.2	18.4	16.5
	中等症	17.7	12.7	18.9	15.0	17.2	14.8	17.4	12.9	22.0
	重症	20.9	15.4	32.3	22.7	11.6	9.7	6.5	45.0	14.6
	不明	15.8	16.5	16.5	12.5	17.0	15.4	8.0	23.5	13.5
計	20.3	14.2	20.1	57.5	15.2	13.0	17.3	19.4	16.5	
大腿骨頸部骨折	(人)	511	38	41	46	37	47	40	45	26
	重症度Ⅰ	26.0	28.5	24.9	22.5	25.2	20.4	20.2	28.6	26.8
	重症度Ⅱ	30.5	25.5	31.7	22.2	28.9	22.0	31.9	27.8	32.3
	重症度Ⅲ	32.0	29.8	49.4	35.9	28.4	24.5	45.2	20.7	34.2
	重症度Ⅳ	28.3	N/A	24.0	35.0	25.5	17.5	24.0	19.7	82.0
	不明	22.6	33.3	26.8	18.3	21.0	29.2	16.0	16.0	N/A
計	28.5	28.5	33.9	26.9	26.6	23.0	25.9	25.0	32.3	
胃潰瘍	(人)	202	18	21	13	19	11	14	20	18
	ショックなし(収縮期血圧90mmHg以上)	10.9	15.5	10.1	9.7	10.4	12.1	7.3	10.4	10.5
	ショックあり(収縮期血圧90mmHg未満)	15.5	10.0	17.0	14.0	13.3	12.0	19.0	8.0	19.3
	不明	12.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	11.5	14.9	11.0	10.0	10.9	12.1	8.9	10.3	12.4	
急性腸炎	(人)	701	66	76	59	57	56	52	49	64
	血便なし	6.1	5.0	4.9	5.3	5.3	7.6	6.8	5.5	7.8
	血便あり	8.1	12.3	7.6	8.0	10.3	6.5	6.8	5.6	6.8
	不明	6.1	6.0	N/A	7.0	3.0	6.5	N/A	N/A	N/A
計	6.2	5.4	5.1	5.4	5.5	7.5	6.8	5.5	7.7	
急性虫垂炎	(人)	522	46	43	40	54	49	49	58	35
	白血球15000/mm3未満	7.1	8.0	6.3	7.2	7.5	7.3	7.7	7.3	6.3
	白血球15000/mm3以上	7.3	6.6	6.9	8.1	5.8	10.0	7.0	7.3	7.6
	不明	3.5	N/A	2.0	N/A	N/A	5.0	N/A	N/A	N/A
計	7.2	7.6	6.4	7.5	6.9	8.2	7.6	7.3	6.7	
胆石症	(人)	1,108	100	94	75	88	87	106	102	104
	黄疸なし(T Bill 5mg/dl 未満)	11.8	10.9	11.2	11.7	12.3	13.8	13.4	12.1	12.5
	黄疸あり(T Bill 5mg/dl 以上)	17.6	20.7	17.6	10.8	25.0	9.5	16.7	15.3	19.2
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	12.2	11.6	11.5	11.6	13.9	13.7	13.5	12.5	12.9	
前立腺肥大症	(人)	95	6	4	4	11	9	7	10	17
	前立腺容積20ml未満	10.5	10.0	10.0	7.5	N/A	11.5	10.0	N/A	10.0
	前立腺容積50ml未満	11.4	10.0	15.5	21.0	9.8	12.8	N/A	11.4	11.3
	前立腺容積50ml以上	12.0	12.0	17.0	N/A	13.5	10.0	15.7	8.8	11.2
	不明	8.2	10.5	N/A	7.0	N/A	8.0	2.0	3.0	19.0
計	11.1	10.5	14.5	10.8	10.5	11.3	10.1	9.5	11.6	
白内障	(人)	679	53	60	68	69	61	45	83	52
	1眼(処置対象のもの)	3.0	3.1	3.4	3.1	2.9	3.2	2.8	2.8	3.1
	2眼(処置対象のもの)	2.7	6.5	N/A	N/A	N/A	N/A	N/A	3.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	3.0	3.3	3.4	3.1	2.9	3.2	2.8	2.8	3.1	
痔核	(人)	74	6	12	4	10	3	6	6	7
	第一度(出血のみ)	6.6	4.0	5.0	N/A	3.0	2.0	11.0	10.0	2.5
	第二度(還納可能)	10.3	N/A	8.5	N/A	8.8	N/A	N/A	N/A	18.0
	第三度(脱肛)	8.8	8.8	6.1	12.3	12.4	9.0	8.5	6.0	7.5
	不明	9.0	N/A	N/A	N/A	N/A	9.0	N/A	N/A	N/A
計	8.5	8.0	6.4	12.3	10.0	6.7	9.3	6.7	7.6	
子宮筋腫	(人)	142	14	18	7	15	13	11	14	8
	貧血なし(Hb10g/dl以上)	7.3	7.0	7.7	7.3	5.6	7.8	6.0	9.6	7.5
	貧血あり(Hb10g/dl未満)	7.3	4.8	8.4	5.5	8.3	6.5	4.8	8.3	11.5
	不明	9.0	N/A	N/A	N/A	N/A	N/A	N/A	9.0	N/A
計	7.3	6.4	8.1	6.3	6.3	7.4	5.5	9.1	8.5	
狭心症	(人)	1,963	135	112	125	176	182	196	216	158
	重症度の指標なし	4.5	5.0	6.0	5.6	4.5	4.3	3.9	4.2	4.2
計	4.5	5.0	6.0	5.6	4.5	4.3	3.9	4.2	4.2	
腎結石及び尿管結石	(人)	487	26	34	43	33	58	46	47	43
	水腎・水尿管なし	4.3	6.8	3.3	2.8	3.6	4.4	2.8	3.8	6.3
	水腎・水尿管あり	4.1	2.5	4.3	3.4	4.2	3.7	3.6	6.5	3.8

# 【重症度別集計】表

		平均	退院年月			
			2014/12	2015/01	2015/02	2015/03
脳梗塞	JCS 200-300	28.9	29.0	67.0	31.7	35.4
	不明	N/A	N/A	N/A	N/A	N/A
	計	22.1	21.8	21.1	21.3	25.1
脳出血	(人)	586	62	68	51	48
	JCS 0-1	22.9	18.9	23.9	27.6	26.6
	JCS 2-3	35.7	29.1	38.2	19.4	37.8
	JCS 10-100	40.6	57.6	35.8	36.8	37.2
	JCS 200-300	20.8	14.6	35.3	24.2	36.4
	不明	N/A	N/A	N/A	N/A	N/A
	計	28.4	26.0	31.8	27.3	33.1
糖尿病	(人)	585	54	40	55	39
	軽症	21.3	17.2	17.1	15.0	20.5
	中等症	17.7	23.5	18.0	21.8	17.1
	重症	20.9	63.0	11.7	24.0	20.4
	不明	15.8	8.0	N/A	N/A	31.0
	計	20.3	22.5	15.8	18.1	20.1
大腿骨頸部骨折	(人)	511	56	44	41	50
	重症度Ⅰ	26.0	21.8	27.1	28.4	35.0
	重症度Ⅱ	30.5	29.8	24.1	42.2	50.4
	重症度Ⅲ	32.0	22.4	29.8	40.8	33.4
	重症度Ⅳ	28.3	13.5	26.0	34.5	37.0
	不明	22.6	17.7	17.0	2.0	N/A
	計	28.5	22.6	27.1	34.9	37.9
胃潰瘍	(人)	202	19	18	16	15
	ショックなし(収縮期血圧90mmHg以上)	10.9	7.9	12.7	11.7	12.5
	ショックあり(収縮期血圧90mmHg未満)	15.5	18.0	N/A	17.0	14.8
	不明	12.0	12.0	N/A	N/A	N/A
	計	11.5	9.2	12.7	12.1	13.1
急性腸炎	(人)	701	72	53	48	49
	血便なし	6.1	6.4	6.7	6.2	6.0
	血便あり	8.1	12.0	6.5	9.3	10.4
	不明	6.1	N/A	N/A	N/A	N/A
	計	6.2	6.4	6.7	6.4	6.4
急性虫垂炎	(人)	522	41	33	31	43
	白血球15000/mm3未満	7.1	7.4	8.1	6.0	5.7
	白血球15000/mm3以上	7.3	10.3	5.0	5.3	6.6
	不明	3.5	N/A	N/A	N/A	N/A
	計	7.2	8.2	7.1	5.7	6.1
胆石症	(人)	1,108	107	74	83	88
	黄疸なし(T Bill 5mg/dl 未満)	11.8	11.1	9.8	11.9	10.3
	黄疸あり(T Bill 5mg/dl 以上)	17.6	15.1	12.0	18.9	18.7
	不明	N/A	N/A	N/A	N/A	N/A
	計	12.2	11.4	10.0	12.5	10.9
前立腺肥大症	(人)	95	10	7	6	4
	前立腺容積20ml未満	10.5	13.3	10.3	8.5	N/A
	前立腺容積50ml未満	11.4	11.3	10.0	14.0	9.5
	前立腺容積50ml以上	12.0	14.0	12.0	13.0	11.5
	不明	8.2	12.0	N/A	N/A	N/A
	計	11.1	12.4	10.4	11.7	10.5
白内障	(人)	679	44	40	48	56
	1眼(処置対象のもの)	3.0	2.6	3.3	3.1	3.1
	2眼(処置対象のもの)	2.7	4.0	2.3	2.3	2.9
	不明	N/A	N/A	N/A	N/A	N/A
	計	3.0	2.7	2.9	2.8	3.1
痔核	(人)	74	7	2	5	6
	第一度(出血のみ)	6.6	8.3	1.0	10.0	7.8
	第二度(還納可能)	10.3	10.0	13.0	N/A	N/A
	第三度(脱肛)	8.8	11.7	N/A	12.3	5.0
	不明	9.0	N/A	N/A	N/A	N/A
	計	8.5	10.0	7.0	11.8	6.8
子宮筋腫	(人)	142	10	8	13	11
	貧血なし(Hb10g/dl以上)	7.3	7.9	8.3	6.5	7.0
	貧血あり(Hb10g/dl未満)	7.3	N/A	5.5	7.6	8.7
	不明	9.0	N/A	N/A	N/A	N/A
	計	7.3	7.9	7.6	6.9	7.9
狭心症	(人)	1,963	171	158	167	167
	重症度の指標なし	4.5	4.3	4.3	4.6	4.4
	計	4.5	4.3	4.3	4.6	4.4
腎結石及び尿管結石	(人)	487	47	38	36	36
	水腎・水尿管なし	4.3	5.1	3.5	3.7	4.8
	水腎・水尿管あり	4.1	4.0	3.9	3.3	5.4



# 【重症度別集計】表

(単位:日)		平均	退院年月			
			2014/12	2015/01	2015/02	2015/03
腎結石及び尿管結石	不明	6.2	4.0	N/A	2.0	N/A
	計	4.3	4.4	3.7	3.4	5.2
乳房の悪性新生物	(人)	493	51	37	50	41
	ステージ0	5.6	4.7	5.0	4.3	5.5
	ステージI	7.5	8.9	8.3	6.6	6.9
	ステージII	10.0	6.9	10.1	12.3	6.7
	ステージIII	17.3	17.3	18.5	11.0	8.5
	ステージIV	21.4	20.9	3.0	7.8	3.3
	不明	16.3	5.0	6.5	4.3	8.8
	計	10.8	9.8	10.1	8.6	6.8
膝関節症	(人)	313	24	14	18	24
	骨移植なし	19.7	19.8	17.9	18.2	21.7
	骨移植あり	N/A	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	19.7	19.8	17.9	18.2	21.7
鼠径ヘルニア	(人)	727	63	47	60	58
	重症度の指標なし	4.7	4.1	4.9	5.0	3.9
	計	4.7	4.1	4.9	5.0	3.9
全疾患合計		12.7	12.6	12.8	13.0	13.2
集計病院数		-	13	12	12	11