

【重症度別集計】表

絞込条件

対象年月設定: 201504 ~ 201603
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 平均在院日数

	(単位:日)	平均	退院年月							
			2015/04	2015/05	2015/06	2015/07	2015/08	2015/09	2015/10	2015/11
胃の悪性新生物	(人)	586	44	53	49	46	55	52	31	46
ステージ0		9.2	9.0	7.5	8.5	13.0	N/A	N/A	N/A	N/A
ステージI		17.7	25.8	17.5	19.6	14.5	14.9	12.3	16.2	20.9
ステージII		22.3	15.2	16.1	26.9	16.4	35.8	42.8	18.0	44.0
ステージIII		24.3	44.7	23.0	29.8	29.4	33.6	15.6	9.3	12.4
ステージIV		19.1	18.5	10.5	31.2	19.9	13.2	18.7	36.3	17.6
不明		22.2	22.4	15.0	12.3	5.0	26.0	24.0	30.3	22.8
計		20.1	23.8	15.7	25.8	19.0	22.8	18.1	22.6	19.3
結腸の悪性新生物	(人)	957	74	62	74	86	77	79	88	79
ステージ0		10.2	11.3	6.5	20.0	6.0	2.0	5.0	2.5	14.0
ステージI		17.4	18.0	7.0	17.5	24.7	25.8	17.0	17.0	10.4
ステージII		16.4	11.5	22.6	15.9	12.3	16.3	19.8	14.4	11.4
ステージIII		12.5	14.0	15.6	18.5	11.0	12.6	9.3	12.0	11.7
ステージIV		13.8	15.6	10.7	13.5	15.3	12.9	10.3	10.2	16.7
不明		15.0	25.0	20.0	15.4	15.0	20.4	7.6	8.4	19.2
計		14.3	15.8	16.3	16.3	14.2	15.2	12.4	12.0	13.2
直腸の悪性新生物	(人)	515	42	30	35	46	41	43	55	44
ステージ0		13.9	N/A	N/A	N/A	8.5	17.3	10.0	10.0	2.0
ステージI		18.9	27.8	N/A	18.0	9.0	13.8	20.7	26.7	13.2
ステージII		19.2	14.8	35.7	30.8	24.0	7.8	13.5	14.8	5.6
ステージIII		13.9	15.8	29.0	14.3	7.5	13.9	17.3	12.6	9.9
ステージIV		11.1	21.2	17.7	7.0	10.1	15.3	9.9	6.2	7.3
不明		15.3	16.7	4.0	9.5	6.0	17.5	15.3	12.0	42.0
計		14.4	19.0	23.0	14.9	12.0	14.0	13.6	12.8	9.2
気管支および肺の悪性新生物	(人)	522	49	39	39	56	32	40	40	44
ステージ0		12.3	N/A	N/A	N/A	N/A	N/A	11.0	N/A	N/A
ステージI		11.7	24.7	15.3	12.5	9.0	9.9	15.3	4.6	12.0
ステージII		11.6	2.0	19.5	N/A	11.0	N/A	8.0	10.4	8.2
ステージIII		20.6	17.6	12.6	15.0	16.2	25.0	28.0	23.8	14.0
ステージIV		20.1	24.7	12.3	21.4	15.7	19.0	21.1	18.8	18.6
不明		8.8	15.5	12.0	6.3	4.9	10.9	12.2	3.0	13.5
計		15.4	20.0	13.2	12.6	12.1	15.7	17.7	12.5	13.4
急性心筋梗塞	(人)	316	31	24	31	14	31	28	28	24
Killip I		12.3	14.2	13.3	13.7	10.3	11.5	14.4	11.5	16.3
Killip II		16.4	21.1	16.4	18.8	23.4	17.4	13.8	16.7	9.5
Killip III		17.7	19.5	18.0	N/A	10.0	25.0	14.3	18.0	6.0
Killip IV		13.6	16.0	27.3	19.3	N/A	19.5	11.5	17.8	10.8
不明		11.4	30.0	N/A	2.0	1.0	1.7	29.0	N/A	15.0
計		14.1	18.4	16.2	15.7	14.3	13.8	15.0	14.1	11.7
肺炎	(人)	1,893	139	135	158	143	147	142	173	155
軽症		11.3	10.3	9.8	11.3	10.6	10.6	12.4	11.9	10.8
中等症		18.5	25.1	15.8	15.0	26.8	25.1	22.4	17.1	15.7
重症		18.6	18.2	21.4	19.3	15.7	19.1	16.9	23.3	16.8
不明		6.6	6.7	6.7	6.6	7.1	7.2	6.9	6.8	6.3
計		13.8	14.7	14.4	13.9	12.5	13.9	13.6	15.2	12.2
喘息	(人)	367	18	36	24	28	23	60	44	28
軽症間欠型		7.2	7.8	7.0	12.0	5.7	7.6	7.6	6.9	5.9
軽症持続型		6.7	20.0	6.6	7.0	4.3	10.7	6.3	7.0	5.8
中等症持続型		8.8	8.1	10.9	10.4	7.5	8.9	7.7	7.5	6.2
重症持続型		9.4	6.7	10.0	N/A	9.0	9.7	7.3	7.8	7.7
不明		7.3	N/A	2.0	N/A	14.0	N/A	N/A	N/A	N/A
計		8.0	8.4	8.6	10.3	6.8	8.7	7.4	7.4	6.4
脳梗塞	(人)	1,234	91	117	121	101	114	75	116	99
JCS 0-1		20.5	20.7	18.0	22.7	19.5	17.3	20.9	25.1	20.2
JCS 2-3		29.9	25.8	31.4	28.0	29.3	31.9	28.0	34.9	22.8
JCS 10-100		32.3	28.6	29.2	32.3	27.9	30.3	19.5	38.7	36.8

【重症度別集計】表

	(単位:日)	平均	退院年月			
			2015/12	2016/01	2016/02	2016/03
胃の悪性新生物	(人)	586	53	48	46	63
ステージ0		9.2	10.0	N/A	9.0	N/A
ステージI		17.7	16.0	22.6	18.7	17.3
ステージII		22.3	8.0	23.2	21.6	12.5
ステージIII		24.3	20.1	17.8	26.8	26.8
ステージIV		19.1	18.8	21.3	9.4	16.2
不明		22.2	17.3	17.3	11.5	42.8
計		20.1	17.4	20.7	17.3	20.2
結腸の悪性新生物	(人)	957	84	77	79	98
ステージ0		10.2	8.7	8.5	7.0	27.5
ステージI		17.4	8.3	22.1	13.9	14.9
ステージII		16.4	14.5	15.0	12.5	25.7
ステージIII		12.5	14.4	7.7	12.1	13.2
ステージIV		13.8	9.6	18.3	22.9	11.3
不明		15.0	5.3	24.4	4.0	5.3
計		14.3	11.8	14.4	15.0	15.6
直腸の悪性新生物	(人)	515	44	55	37	43
ステージ0		13.9	N/A	19.0	N/A	N/A
ステージI		18.9	16.0	13.7	20.7	30.0
ステージII		19.2	60.4	13.7	9.0	9.0
ステージIII		13.9	9.2	17.6	11.9	16.6
ステージIV		11.1	9.2	9.2	7.2	11.4
不明		15.3	42.0	22.3	4.0	4.0
計		14.4	18.7	14.2	10.9	12.9
気管支および肺の悪性新生物	(人)	522	43	46	41	53
ステージ0		12.3	8.0	N/A	N/A	18.0
ステージI		11.7	11.9	7.2	8.1	8.0
ステージII		11.6	6.0	8.0	26.7	11.8
ステージIII		20.6	51.0	21.2	22.6	12.4
ステージIV		20.1	19.9	24.2	21.3	23.1
不明		8.8	6.0	4.9	6.4	8.5
計		15.4	19.5	16.0	16.1	16.0
急性心筋梗塞	(人)	316	34	24	18	29
Killip I		12.3	10.8	11.1	11.8	10.8
Killip II		16.4	15.6	14.2	18.0	12.6
Killip III		17.7	18.5	32.0	10.5	13.0
Killip IV		13.6	6.7	3.8	8.0	5.0
不明		11.4	10.5	23.0	1.5	2.0
計		14.1	13.2	13.3	12.5	10.7
肺炎	(人)	1,893	182	169	185	165
軽症		11.3	9.8	13.6	11.5	12.3
中等症		18.5	17.0	16.5	16.8	20.9
重症		18.6	18.6	13.5	20.9	18.9
不明		6.6	6.1	6.6	5.8	6.3
計		13.8	12.6	12.9	14.5	15.6
喘息	(人)	367	35	28	17	26
軽症間欠型		7.2	7.2	5.8	4.6	6.7
軽症持続型		6.7	6.0	8.1	6.0	5.0
中等症持続型		8.8	7.7	10.2	11.9	8.3
重症持続型		9.4	13.2	11.3	23.0	19.0
不明		7.3	N/A	N/A	N/A	6.0
計		8.0	8.2	9.2	9.0	7.6
脳梗塞	(人)	1,234	111	91	77	121
JCS 0-1		20.5	18.6	26.3	19.8	18.8
JCS 2-3		29.9	34.1	27.8	31.5	32.0
JCS 10-100		32.3	34.7	44.0	28.8	34.6

【重症度別集計】表

(単位:日)		平均	退院年月							
			2015/04	2015/05	2015/06	2015/07	2015/08	2015/09	2015/10	2015/11
脳梗塞	JCS 200-300	27.8	1.0	15.0	22.5	53.8	N/A	19.5	17.0	33.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	24.3	22.7	22.9	25.6	24.7	23.3	22.9	28.7	22.8
脳出血	(人)	525	48	40	48	45	38	25	43	37
	JCS 0-1	21.9	15.6	25.0	25.1	22.0	18.3	24.3	22.5	15.1
	JCS 2-3	32.1	43.7	20.6	28.3	44.7	23.3	27.3	28.0	36.1
	JCS 10-100	37.9	29.9	40.9	39.6	46.6	41.0	38.7	31.3	37.8
	JCS 200-300	26.4	27.8	44.2	27.0	26.8	28.6	17.5	15.8	28.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	28.5	28.3	34.0	29.4	32.8	27.8	26.3	24.6	27.9
糖尿病	(人)	407	38	39	34	32	45	35	24	30
	軽症	15.1	16.6	16.7	15.0	12.6	11.8	15.2	13.1	17.6
	中等症	18.9	15.4	27.2	12.1	11.8	19.0	14.8	26.2	18.3
	重症	19.2	17.7	12.0	17.8	25.6	20.3	21.9	19.0	17.3
	不明	7.0	N/A	N/A	N/A	N/A	7.0	N/A	N/A	N/A
	計	16.6	16.4	18.9	14.8	15.6	14.8	16.7	16.3	17.7
大腿骨頸部骨折	(人)	429	32	29	24	40	37	35	39	32
	重症度Ⅰ	26.2	22.5	19.0	32.1	27.1	24.9	22.7	26.5	26.9
	重症度Ⅱ	29.9	38.0	44.0	26.7	23.1	26.2	20.0	30.1	19.6
	重症度Ⅲ	32.0	27.1	31.4	26.7	29.2	43.8	31.9	29.0	30.6
	重症度Ⅳ	24.6	51.7	N/A	N/A	21.0	N/A	30.0	12.5	12.5
	不明	12.5	N/A	N/A	N/A	N/A	10.0	N/A	N/A	N/A
計	28.5	27.7	27.1	29.0	26.2	29.3	26.1	26.9	25.1	
胃潰瘍	(人)	157	12	13	14	10	15	18	11	9
	ショックなし(収縮期血圧90mmHg以上)	12.1	15.3	10.8	16.2	13.5	10.8	10.8	8.4	11.7
	ショックあり(収縮期血圧90mmHg未満)	9.7	N/A	10.0	N/A	8.5	23.0	12.5	8.0	5.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	11.9	15.3	10.7	16.2	12.5	11.6	10.9	8.4	9.4	
急性腸炎	(人)	518	42	52	34	48	49	43	40	38
	血便なし	6.6	5.3	7.0	6.5	7.1	6.7	7.1	5.9	6.8
	血便あり	9.7	11.0	6.6	18.3	8.0	12.0	7.9	19.7	10.0
	不明	6.0	4.0	N/A	N/A	8.0	N/A	N/A	N/A	N/A
計	6.9	5.6	6.9	7.6	7.3	7.0	7.2	7.0	7.0	
急性虫垂炎	(人)	423	34	36	38	36	35	35	51	30
	白血球15000/mm3未満	7.1	5.7	6.2	5.6	8.2	6.6	7.3	7.0	7.6
	白血球15000/mm3以上	8.0	7.3	8.9	10.6	5.3	11.6	5.7	7.5	7.2
	不明	5.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	7.3	6.3	6.9	7.4	7.6	7.9	7.0	7.1	7.5	
胆石症	(人)	923	57	83	83	78	76	81	98	71
	黄疸なし(T Bill 5mg/dl 未満)	11.5	9.9	13.7	13.5	11.3	9.9	10.4	11.7	11.4
	黄疸あり(T Bill 5mg/dl 以上)	16.1	21.3	10.3	8.5	12.0	26.0	14.8	16.3	21.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	11.9	10.5	13.4	13.1	11.4	10.3	10.9	12.1	12.0	
前立腺肥大症	(人)	43	6	3	2	5	3	1	3	2
	前立腺容積20ml未満	11.3	9.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	前立腺容積50ml未満	9.6	10.0	8.0	10.0	5.3	11.0	N/A	16.5	N/A
	前立腺容積50ml以上	12.3	16.5	12.5	12.0	11.0	N/A	N/A	16.0	12.0
	不明	10.3	N/A	N/A	N/A	N/A	21.0	9.0	N/A	N/A
計	11.1	12.0	11.0	11.0	7.6	17.7	9.0	16.3	12.0	
白内障	(人)	647	58	48	56	65	43	43	60	63
	1眼(処置対象のもの)	3.1	3.6	3.1	3.0	3.2	3.2	3.0	3.3	3.0
	2眼(処置対象のもの)	3.4	3.3	N/A	N/A	4.0	4.0	N/A	N/A	N/A
	不明	2.0	N/A	N/A	N/A	2.0	N/A	N/A	N/A	2.0
計	3.1	3.5	3.1	3.0	3.2	3.2	3.0	3.3	3.0	
痔核	(人)	109	14	8	5	8	6	11	6	12
	第一度(出血のみ)	9.4	16.3	6.0	6.5	14.0	N/A	7.0	6.7	12.7
	第二度(還納可能)	9.8	12.0	15.0	10.7	13.5	10.0	8.8	5.0	N/A
	第三度(脱肛)	11.2	13.6	7.7	N/A	8.6	9.4	13.8	2.0	12.9
	不明	4.8	N/A	2.0	N/A	N/A	N/A	N/A	11.0	2.0
計	10.2	14.1	8.4	9.0	10.5	9.5	10.1	6.3	11.9	
子宮筋腫	(人)	90	7	6	5	7	7	8	11	9
	貧血なし(Hb10g/dl以上)	7.2	6.8	6.3	7.7	5.0	6.0	7.3	7.4	7.6
	貧血あり(Hb10g/dl未満)	9.7	5.0	9.0	3.5	5.0	7.7	9.0	10.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	7.7	6.3	7.7	6.0	5.0	6.7	7.5	7.9	7.6	
狭心症	(人)	1,688	161	157	153	144	122	127	126	143
	重症度の指標なし	4.6	5.0	3.7	3.8	4.9	4.2	5.9	4.5	4.2
	計	4.6	5.0	3.7	3.8	4.9	4.2	5.9	4.5	4.2
腎結石及び尿管結石	(人)	363	21	34	43	39	44	25	36	22
	水腎・水尿管なし	2.8	3.3	3.5	2.8	2.8	2.6	1.5	3.4	3.1
	水腎・水尿管あり	4.0	2.9	3.8	4.3	3.1	3.6	3.2	4.4	4.6

【重症度別集計】表

		平均	退院年月			
			2015/12	2016/01	2016/02	2016/03
		(単位:日)				
脳梗塞	JCS 200-300	27.8	17.0	42.8	28.0	7.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	24.3	23.3	28.6	23.5	22.6
脳出血	(人)	525	60	41	48	52
	JCS 0-1	21.9	21.2	26.7	23.2	21.2
	JCS 2-3	32.1	43.0	33.1	21.5	26.8
	JCS 10-100	37.9	32.6	40.7	36.8	35.1
	JCS 200-300	26.4	22.9	6.9	32.7	26.9
	不明	N/A	N/A	N/A	N/A	N/A
	計	28.5	28.7	27.5	28.0	25.9
糖尿病	(人)	407	28	30	34	38
	軽症	15.1	15.0	15.6	16.7	14.5
	中等症	18.9	27.4	13.1	25.3	18.7
	重症	19.2	9.3	20.5	18.4	19.1
	不明	7.0	N/A	N/A	N/A	N/A
	計	16.6	18.2	15.5	18.5	16.1
大腿骨頸部骨折	(人)	429	47	35	38	41
	重症度Ⅰ	26.2	22.0	23.6	32.4	34.9
	重症度Ⅱ	29.9	36.7	26.1	31.0	33.2
	重症度Ⅲ	32.0	32.4	27.0	51.3	30.1
	重症度Ⅳ	24.6	N/A	32.3	2.0	N/A
	不明	12.5	N/A	N/A	N/A	13.3
計	28.5	29.1	26.4	35.8	31.6	
胃潰瘍	(人)	157	10	15	16	14
	ショックなし(収縮期血圧90mmHg以上)	12.1	9.6	10.3	14.9	11.4
	ショックあり(収縮期血圧90mmHg未満)	9.7	N/A	6.0	N/A	12.0
	不明	N/A	N/A	N/A	N/A	N/A
計	11.9	9.6	10.0	14.9	11.4	
急性腸炎	(人)	518	50	49	32	41
	血便なし	6.6	8.3	5.8	5.6	6.3
	血便あり	9.7	5.0	3.0	8.0	10.7
	不明	6.0	N/A	N/A	N/A	N/A
計	6.9	8.2	5.7	5.7	6.7	
急性虫垂炎	(人)	423	32	16	35	45
	白血球15000/mm3未満	7.1	7.8	6.3	8.1	7.8
	白血球15000/mm3以上	8.0	7.3	8.6	7.1	7.8
	不明	5.0	N/A	N/A	5.0	N/A
計	7.3	7.7	7.0	7.6	7.8	
胆石症	(人)	923	77	67	71	81
	黄疸なし(T Bill 5mg/dl 未満)	11.5	12.2	11.3	10.8	11.6
	黄疸あり(T Bill 5mg/dl 以上)	16.1	19.3	16.9	18.3	17.5
	不明	N/A	N/A	N/A	N/A	N/A
計	11.9	12.8	12.0	11.2	12.1	
前立腺肥大症	(人)	43	7	0	2	9
	前立腺容積20ml未満	11.3	12.0	N/A	N/A	13.0
	前立腺容積50ml未満	9.6	N/A	N/A	N/A	7.0
	前立腺容積50ml以上	12.3	11.7	N/A	12.5	10.6
	不明	10.3	4.7	N/A	N/A	8.5
計	11.1	8.7	N/A	12.5	10.0	
白内障	(人)	647	40	43	59	69
	1眼(処置対象のもの)	3.1	3.6	3.1	2.7	2.9
	2眼(処置対象のもの)	3.4	N/A	N/A	N/A	N/A
	不明	2.0	N/A	N/A	N/A	N/A
計	3.1	3.6	3.1	2.7	2.9	
痔核	(人)	109	11	3	9	16
	第一度(出血のみ)	9.4	4.0	6.0	6.5	12.0
	第二度(還納可能)	9.8	6.0	N/A	9.0	7.5
	第三度(脱肛)	11.2	9.4	12.0	11.6	11.9
	不明	4.8	N/A	7.0	2.0	N/A
計	10.2	8.1	8.3	9.1	10.8	
子宮筋腫	(人)	90	6	6	5	13
	貧血なし(Hb10g/dl以上)	7.2	7.6	8.3	6.8	8.0
	貧血あり(Hb10g/dl未満)	9.7	6.0	N/A	9.0	29.0
	不明	N/A	N/A	N/A	N/A	N/A
計	7.7	7.3	8.3	7.2	11.2	
狭心症	(人)	1,688	143	120	136	156
	重症度の指標なし	4.6	5.1	5.1	4.6	4.8
	計	4.6	5.1	5.1	4.6	4.8
腎結石及び尿管結石	(人)	363	21	18	30	30
	水腎・水尿管なし	2.8	2.3	4.2	2.5	1.9
	水腎・水尿管あり	4.0	4.1	2.5	2.4	7.3

【重症度別集計】表

(単位:日)		平均	退院年月			
			2015/12	2016/01	2016/02	2016/03
腎結石及び尿管結石	不明	3.7	2.0	N/A	N/A	2.0
	計	3.5	3.5	3.6	2.4	5.1
乳房の悪性新生物	(人)	469	40	34	47	37
	ステージ0	7.8	13.0	5.0	14.0	6.0
	ステージI	8.2	10.1	8.5	7.4	9.2
	ステージII	7.8	7.3	4.5	6.7	9.2
	ステージIII	11.2	7.8	9.7	12.5	12.0
	ステージIV	12.2	14.3	15.5	5.0	13.3
	不明	12.7	18.0	N/A	4.4	67.5
	計	9.1	10.3	8.1	7.6	12.6
膝関節症	(人)	311	23	16	20	18
	骨移植なし	17.8	15.0	16.5	12.5	14.1
	骨移植あり	29.5	N/A	28.0	30.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	17.9	15.0	17.3	15.2	14.1
鼠径ヘルニア	(人)	574	47	40	43	49
	重症度の指標なし	5.5	4.5	4.5	5.4	4.0
	計	5.5	4.5	4.5	5.4	4.0
全疾患合計		13.1	13.6	13.5	13.0	13.4
集計病院数		-	11	11	11	11