

【重症度別集計】表

絞込条件

対象年月設定: 201604 ~ 201703
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 退院年月・昇順

■ 平均在院日数

(単位:日)	平均	退院年月								
		2016/04	2016/05	2016/06	2016/07	2016/08	2016/09	2016/10	2016/11	
胃の悪性新生物 (人)	578	39	51	54	55	43	52	39	45	
ステージ0	8.3	6.0	15.0	N/A	5.5	8.5	14.0	7.0	8.0	
ステージI	16.6	16.2	14.3	16.8	14.0	21.3	12.6	17.0	20.2	
ステージII	19.5	12.0	17.4	24.0	31.1	18.0	15.7	22.3	18.1	
ステージIII	21.8	12.8	12.1	24.9	22.1	43.1	18.3	15.2	17.0	
ステージIV	17.9	22.6	19.0	12.9	13.6	25.9	16.0	21.4	16.2	
不明	16.9	15.0	15.2	16.5	16.8	8.0	16.3	19.0	22.8	
計	17.8	17.4	15.9	17.6	18.0	24.8	15.5	18.1	18.2	
結腸の悪性新生物 (人)	946	54	77	80	75	61	79	93	83	
ステージ0	11.2	N/A	14.0	3.0	7.0	9.5	N/A	12.0	3.7	
ステージI	13.7	12.3	13.8	16.6	18.7	12.3	9.9	14.0	11.5	
ステージII	18.4	35.4	17.0	13.8	13.3	25.0	16.7	23.5	18.8	
ステージIII	11.8	14.1	13.5	14.1	8.7	10.2	12.1	10.9	15.2	
ステージIV	14.2	18.0	14.4	10.9	12.3	10.5	17.8	17.4	20.1	
不明	16.1	19.0	14.2	10.3	11.0	14.0	23.8	11.0	19.0	
計	14.1	18.7	14.4	13.3	11.4	13.9	15.1	16.1	16.8	
直腸の悪性新生物 (人)	523	29	45	39	47	49	45	52	42	
ステージ0	10.1	N/A	14.0	N/A	10.0	14.3	N/A	6.0	4.3	
ステージI	14.1	7.8	13.1	12.3	10.3	25.2	14.5	15.0	10.3	
ステージII	21.7	46.8	51.4	12.5	12.6	14.6	17.7	20.2	24.3	
ステージIII	15.4	19.0	12.0	12.5	17.5	16.8	7.8	18.3	21.7	
ステージIV	10.4	10.4	6.1	12.0	11.9	8.0	13.5	8.2	6.5	
不明	13.6	4.0	5.5	5.0	4.0	N/A	37.5	17.8	18.0	
計	13.8	17.3	18.1	11.7	12.9	12.7	13.9	14.0	12.6	
気管支および肺の悪性新生物 (人)	518	48	41	38	36	35	43	37	51	
ステージ0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
ステージI	10.3	8.6	9.7	8.2	24.2	10.2	8.1	6.1	10.6	
ステージII	11.2	6.3	10.5	3.0	2.0	8.3	N/A	64.0	12.7	
ステージIII	17.9	19.9	13.3	19.9	9.5	11.2	20.2	26.0	18.4	
ステージIV	19.8	20.0	15.1	17.3	16.6	23.5	19.8	24.9	27.3	
不明	10.3	2.3	4.6	5.1	14.3	4.5	6.7	12.7	9.0	
計	15.4	14.5	11.8	13.0	16.2	14.9	13.8	20.7	17.7	
急性心筋梗塞 (人)	289	17	21	25	21	23	20	34	28	
Killip I	12.0	13.3	11.4	15.5	10.8	11.1	12.9	10.9	16.2	
Killip II	15.9	16.3	13.0	14.3	15.5	28.2	13.5	17.8	17.6	
Killip III	22.2	12.0	3.0	N/A	20.0	27.0	48.0	16.0	16.3	
Killip IV	20.2	N/A	14.0	16.0	17.6	24.8	4.0	20.0	36.9	
不明	6.2	1.0	3.0	7.5	N/A	N/A	N/A	N/A	12.0	
計	14.8	13.2	11.3	14.5	14.2	19.9	15.2	14.0	21.5	
肺炎 (人)	1,858	120	126	137	124	135	124	158	170	
軽症	12.1	11.6	10.7	10.7	11.2	13.2	12.7	12.6	13.8	
中等症	19.0	11.4	11.7	18.7	21.9	17.1	13.8	22.5	22.6	
重症	19.7	17.9	21.5	20.8	20.8	20.4	20.9	24.4	20.6	
不明	6.0	6.0	5.8	5.2	6.2	6.2	6.4	6.2	6.5	
計	15.0	14.1	14.5	14.5	14.5	15.3	14.8	17.2	15.9	
喘息 (人)	274	22	15	15	21	21	26	40	28	
軽症間欠型	7.3	8.7	5.7	7.0	6.3	11.5	7.3	5.7	6.5	
軽症持続型	8.7	5.8	12.5	7.2	5.3	14.3	9.0	6.8	7.8	
中等症持続型	9.2	11.3	10.6	8.0	9.6	7.4	10.3	10.3	8.0	
重症持続型	10.1	4.0	N/A	9.0	6.8	15.3	8.0	15.3	8.0	
不明	9.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
計	8.6	9.1	9.1	7.7	7.8	11.7	8.4	8.1	7.6	
脳梗塞 (人)	1,184	60	96	87	78	104	81	117	104	
JCS 0-1	17.7	15.1	25.3	19.2	16.2	21.4	17.7	17.6	13.1	
JCS 2-3	26.3	31.3	29.2	23.4	26.3	34.1	25.8	23.8	24.5	
JCS 10-100	32.1	34.5	40.1	60.0	37.8	23.6	20.8	33.9	28.6	

【重症度別集計】表

	(単位:日)	平均	退院年月			
			2016/12	2017/01	2017/02	2017/03
胃の悪性新生物	(人)	578	59	43	44	54
ステージ0		8.3	8.0	6.0	8.3	9.0
ステージI		16.6	17.3	20.4	17.1	13.7
ステージII		19.5	13.3	15.5	20.7	14.2
ステージIII		21.8	14.8	27.0	21.8	35.0
ステージIV		17.9	11.9	18.2	26.9	16.8
不明		16.9	18.7	17.8	16.5	14.5
計		17.8	15.1	18.9	18.6	17.4
結腸の悪性新生物	(人)	946	96	74	79	95
ステージ0		11.2	11.0	26.0	8.0	24.0
ステージI		13.7	14.3	12.4	14.5	13.4
ステージII		18.4	27.0	8.2	10.7	14.8
ステージIII		11.8	11.9	8.3	11.6	10.8
ステージIV		14.2	14.7	9.3	14.0	9.9
不明		16.1	9.4	31.2	7.1	17.1
計		14.1	14.8	11.1	12.2	12.2
直腸の悪性新生物	(人)	523	53	51	35	36
ステージ0		10.1	6.0	19.5	9.0	7.3
ステージI		14.1	14.0	18.6	6.5	18.0
ステージII		21.7	12.8	14.0	16.2	19.7
ステージIII		15.4	15.8	13.1	15.1	16.4
ステージIV		10.4	16.7	8.5	7.1	12.2
不明		13.6	13.0	20.3	N/A	5.7
計		13.8	15.2	12.5	11.1	14.3
気管支および肺の悪性新生物	(人)	518	66	38	41	44
ステージ0		N/A	N/A	N/A	N/A	N/A
ステージI		10.3	10.0	10.0	10.4	13.1
ステージII		11.2	10.0	9.7	5.0	N/A
ステージIII		17.9	17.5	18.2	19.0	15.8
ステージIV		19.8	15.0	17.1	19.9	22.2
不明		10.3	11.1	21.8	23.0	2.3
計		15.4	13.4	16.6	17.9	15.5
急性心筋梗塞	(人)	289	28	23	21	28
Killip I		12.0	9.7	13.7	7.4	11.9
Killip II		15.9	13.4	10.3	14.2	17.3
Killip III		22.2	13.5	26.3	31.5	17.5
Killip IV		20.2	15.5	19.4	N/A	8.5
不明		6.2	N/A	N/A	N/A	N/A
計		14.8	11.7	16.0	12.6	12.6
肺炎	(人)	1,858	205	202	188	169
軽症		12.1	14.5	9.7	12.9	10.8
中等症		19.0	15.6	17.2	31.0	18.3
重症		19.7	17.6	19.6	17.6	16.9
不明		6.0	5.8	5.8	5.2	6.1
計		15.0	14.6	15.4	15.7	13.4
喘息	(人)	274	29	21	16	20
軽症間欠型		7.3	6.1	6.8	4.0	16.6
軽症持続型		8.7	3.0	11.0	9.3	9.3
中等症持続型		9.2	8.6	9.0	7.2	8.2
重症持続型		10.1	7.3	16.5	N/A	9.3
不明		9.0	N/A	N/A	N/A	9.0
計		8.6	6.7	9.3	8.0	10.9
脳梗塞	(人)	1,184	139	106	113	99
JCS 0-1		17.7	15.6	17.5	15.1	19.0
JCS 2-3		26.3	22.5	27.2	22.7	27.1
JCS 10-100		32.1	20.8	35.2	31.6	26.0

【重症度別集計】表

(単位:日)		平均	退院年月							
			2016/04	2016/05	2016/06	2016/07	2016/08	2016/09	2016/10	2016/11
脳梗塞	JCS 200-300	59.4	19.0	101.0	3.7	3.0	N/A	39.0	297.0	22.5
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	22.1	21.2	29.2	21.4	20.8	25.4	20.0	28.3	18.3
脳出血	(人)	480	36	38	38	34	33	31	33	51
	JCS 0-1	25.0	31.1	19.5	24.5	29.0	36.3	26.4	16.5	20.5
	JCS 2-3	31.6	28.0	31.4	37.6	42.8	39.9	54.0	36.8	25.3
	JCS 10-100	37.3	24.0	53.5	51.6	42.0	22.6	73.4	32.6	32.7
	JCS 200-300	31.9	29.7	32.5	34.0	33.8	39.7	28.3	40.8	22.4
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	30.2	28.7	29.7	33.7	36.3	34.9	40.2	29.4	24.5	
糖尿病	(人)	348	33	21	41	27	24	39	37	27
	軽症	15.7	13.0	18.4	17.4	14.4	14.8	16.6	16.7	13.3
	中等症	17.4	17.0	15.6	14.5	19.2	17.1	20.5	11.9	20.4
	重症	14.6	11.8	11.7	12.8	35.8	8.0	11.8	14.0	13.7
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	16.0	13.8	16.8	15.8	19.7	14.6	17.1	14.6	15.2	
大腿骨頸部骨折	(人)	393	35	30	33	25	25	28	35	28
	重症度Ⅰ	26.3	33.9	25.7	32.5	20.2	18.3	26.7	23.8	21.1
	重症度Ⅱ	27.6	23.8	27.0	26.2	41.0	24.2	24.0	34.1	22.0
	重症度Ⅲ	33.3	36.6	44.7	46.8	60.8	29.8	30.1	34.1	35.2
	重症度Ⅳ	31.0	24.0	24.0	96.0	10.5	16.0	39.8	25.3	N/A
	不明	15.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	28.3	30.3	30.2	37.3	33.4	21.2	29.1	28.7	24.5	
胃潰瘍	(人)	138	8	12	11	19	6	9	14	10
	ショックなし(収縮期血圧90mmHg以上)	12.7	12.0	12.5	9.3	18.8	12.5	8.9	11.4	11.1
	ショックあり(収縮期血圧90mmHg未満)	16.4	20.0	17.0	8.0	8.0	N/A	14.0	8.5	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	13.1	13.0	12.8	9.2	18.3	12.5	9.4	11.0	11.1	
急性腸炎	(人)	559	47	52	42	54	45	41	41	53
	血便なし	6.9	6.0	6.0	7.5	6.4	8.6	7.0	9.0	8.3
	血便あり	8.9	12.3	6.8	7.5	5.9	5.8	6.4	10.5	12.8
	不明	7.0	N/A	N/A	N/A	N/A	7.0	N/A	N/A	N/A
計	7.1	6.6	6.0	7.5	6.3	8.2	6.9	9.1	8.6	
急性虫垂炎	(人)	377	28	47	39	30	38	27	40	26
	白血球15000/mm3未満	7.7	8.2	7.0	8.6	7.9	9.3	7.8	7.0	7.0
	白血球15000/mm3以上	8.0	5.3	8.3	7.2	9.7	5.5	9.0	7.7	14.7
	不明	7.0	N/A	7.0	N/A	N/A	N/A	N/A	N/A	N/A
計	7.8	7.3	7.4	8.2	8.4	8.2	8.0	7.1	8.7	
胆石症	(人)	955	75	73	75	81	81	85	93	92
	黄疸なし(T Bill 5mg/dl 未満)	11.8	11.4	11.8	11.9	12.3	12.8	13.7	11.1	12.0
	黄疸あり(T Bill 5mg/dl 以上)	14.8	21.6	9.8	16.0	12.3	16.8	17.9	19.1	14.1
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	12.1	12.5	11.7	12.2	12.3	13.2	14.0	11.7	12.2	
前立腺肥大症	(人)	54	4	5	8	10	0	6	2	5
	前立腺容積20ml未満	7.0	N/A	N/A	N/A	7.0	N/A	N/A	N/A	N/A
	前立腺容積50ml未満	10.5	10.5	12.0	4.0	9.3	N/A	12.7	N/A	1.0
	前立腺容積50ml以上	8.8	11.5	8.3	8.2	8.2	N/A	9.0	4.0	11.7
	不明	8.0	N/A	9.0	4.0	4.0	N/A	6.0	10.0	8.0
計	9.2	11.0	9.2	6.6	8.0	N/A	10.3	7.0	8.8	
白内障	(人)	588	39	40	57	43	40	44	64	40
	1眼(処置対象のもの)	2.4	2.2	2.1	2.1	1.9	2.0	2.2	2.6	2.3
	2眼(処置対象のもの)	5.0	N/A	N/A	N/A	N/A	N/A	N/A	5.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	2.4	2.2	2.1	2.1	1.9	2.0	2.2	2.7	2.3	
痔核	(人)	109	6	8	8	10	6	6	10	11
	第一度(出血のみ)	5.5	3.0	6.7	4.0	5.7	4.0	4.0	2.5	4.0
	第二度(還納可能)	8.7	N/A	10.0	4.5	N/A	N/A	6.0	7.2	8.0
	第三度(脱肛)	9.1	5.8	10.0	11.0	10.1	9.0	11.3	9.0	6.3
	不明	3.0	N/A	2.0	N/A	N/A	N/A	N/A	N/A	4.0
計	7.9	4.8	7.8	7.6	8.8	8.2	8.0	6.6	5.5	
子宮筋腫	(人)	115	6	10	6	7	11	5	14	9
	貧血なし(Hb10g/dl以上)	7.4	6.7	6.8	8.2	6.4	8.0	7.3	8.7	6.5
	貧血あり(Hb10g/dl未満)	8.5	N/A	9.4	N/A	N/A	N/A	6.0	9.7	7.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	7.6	6.7	8.1	8.2	6.4	8.0	7.0	8.9	6.6	
狭心症	(人)	1,649	120	120	160	134	122	126	135	142
	重症度の指標なし	4.4	4.9	4.2	4.2	4.1	5.6	4.0	5.2	3.5
計	4.4	4.9	4.2	4.2	4.1	5.6	4.0	5.2	3.5	
腎結石及び尿管結石	(人)	352	27	25	22	30	40	37	29	31
	水腎・水尿管なし	4.0	3.1	4.4	3.9	3.2	4.0	3.7	2.9	4.6
	水腎・水尿管あり	4.4	3.8	2.0	3.2	5.5	3.9	6.5	5.5	4.6

【重症度別集計】表

		平均	退院年月			
			2016/12	2017/01	2017/02	2017/03
脳梗塞	JCS 200-300	59.4	46.8	18.7	17.8	41.5
	不明	N/A	N/A	N/A	N/A	N/A
	計	22.1	18.4	21.6	19.2	21.6
脳出血	(人)	480	52	36	45	53
	JCS 0-1	25.0	37.5	20.5	17.6	18.3
	JCS 2-3	31.6	32.8	31.1	19.4	24.3
	JCS 10-100	37.3	25.0	38.3	33.1	34.9
	JCS 200-300	31.9	48.2	26.2	16.3	26.8
	不明	N/A	N/A	N/A	N/A	N/A
	計	30.2	35.4	28.3	21.7	25.4
糖尿病	(人)	348	28	19	19	33
	軽症	15.7	18.8	9.9	20.5	12.8
	中等症	17.4	19.2	22.4	18.4	16.3
	重症	14.6	13.0	13.3	4.0	16.8
	不明	N/A	N/A	N/A	N/A	N/A
	計	16.0	17.3	15.8	19.1	14.6
大腿骨頸部骨折	(人)	393	47	44	31	32
	重症度Ⅰ	26.3	27.2	23.9	23.8	34.5
	重症度Ⅱ	27.6	21.4	27.3	35.0	27.4
	重症度Ⅲ	33.3	25.3	20.6	28.3	23.4
	重症度Ⅳ	31.0	11.0	35.3	N/A	21.8
	不明	15.5	N/A	5.0	N/A	26.0
	計	28.3	24.7	24.9	28.6	28.9
胃潰瘍	(人)	138	20	7	10	12
	ショックなし(収縮期血圧90mmHg以上)	12.7	15.4	16.4	10.0	8.1
	ショックあり(収縮期血圧90mmHg未満)	16.4	11.0	6.5	45.0	20.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	13.1	15.0	13.6	17.0	9.1
急性腸炎	(人)	559	58	50	34	42
	血便なし	6.9	6.5	6.0	7.4	5.1
	血便あり	8.9	21.0	10.3	10.5	10.0
	不明	7.0	N/A	N/A	N/A	N/A
	計	7.1	6.7	6.3	8.0	5.4
急性虫垂炎	(人)	377	29	24	27	22
	白血球15000/mm3未満	7.7	8.1	8.2	7.1	6.3
	白血球15000/mm3以上	8.0	5.8	6.0	11.7	8.7
	不明	7.0	N/A	N/A	N/A	N/A
	計	7.8	7.7	7.8	7.6	7.4
胆石症	(人)	955	83	76	66	75
	黄疸なし(T Bill 5mg/dl 未満)	11.8	11.4	11.4	10.4	11.2
	黄疸あり(T Bill 5mg/dl 以上)	14.8	13.1	12.9	7.0	9.3
	不明	N/A	N/A	N/A	N/A	N/A
	計	12.1	11.6	11.6	10.2	11.1
前立腺肥大症	(人)	54	6	4	3	1
	前立腺容積20ml未満	7.0	N/A	N/A	N/A	N/A
	前立腺容積50ml未満	10.5	N/A	18.7	3.0	12.0
	前立腺容積50ml以上	8.8	8.0	N/A	9.5	N/A
	不明	8.0	10.0	11.0	N/A	N/A
	計	9.2	8.7	16.8	7.3	12.0
白内障	(人)	588	47	51	61	62
	1眼(処置対象のもの)	2.4	3.2	2.8	2.7	2.7
	2眼(処置対象のもの)	5.0	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	2.4	3.2	2.8	2.7	2.7
痔核	(人)	109	8	4	11	21
	第一度(出血のみ)	5.5	4.0	N/A	8.0	8.8
	第二度(還納可能)	8.7	10.0	N/A	15.0	10.1
	第三度(脱肛)	9.1	10.8	8.7	9.9	7.4
	不明	3.0	N/A	3.0	N/A	N/A
	計	7.9	8.9	7.3	10.2	8.9
子宮筋腫	(人)	115	10	12	12	13
	貧血なし(Hb10g/dl以上)	7.4	9.7	6.7	6.7	6.6
	貧血あり(Hb10g/dl未満)	8.5	8.3	14.0	7.0	7.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	7.6	9.1	7.3	6.8	6.8
狭心症	(人)	1,649	147	127	144	172
	重症度の指標なし	4.4	5.2	4.2	3.7	4.4
	計	4.4	5.2	4.2	3.7	4.4
腎結石及び尿管結石	(人)	352	32	19	29	31
	水腎・水尿管なし	4.0	3.8	3.9	5.4	6.5
	水腎・水尿管あり	4.4	6.7	4.2	3.4	3.4

【重症度別集計】表

(単位:日)		平均	退院年月							
			2016/04	2016/05	2016/06	2016/07	2016/08	2016/09	2016/10	2016/11
腎結石及び尿管結石	不明	5.0	N/A	N/A	N/A	N/A	2.0	2.5	18.0	N/A
	計	4.2	3.4	3.0	3.5	4.2	3.9	4.9	4.3	4.6
乳房の悪性新生物	(人)	436	22	37	23	48	37	33	41	36
	ステージ0	7.4	6.5	5.0	8.7	5.0	5.0	7.0	18.0	8.0
	ステージI	8.0	8.9	10.0	10.1	6.6	7.4	7.5	7.5	12.6
	ステージII	11.2	3.7	9.0	43.9	8.5	8.5	10.2	14.0	9.0
	ステージIII	10.7	10.0	15.8	4.0	9.0	53.0	10.0	6.0	8.8
	ステージIV	12.1	7.7	11.0	2.0	11.3	8.3	17.3	26.6	5.7
	不明	12.1	15.0	26.0	11.5	7.5	9.3	20.0	7.7	8.0
	計	9.9	8.5	11.7	20.9	7.9	11.7	10.5	12.1	9.6
膝関節症	(人)	77	24	18	3	2	1	7	6	6
	骨移植なし	16.4	15.0	18.7	15.0	N/A	12.0	20.4	15.7	16.5
	骨移植あり	32.5	N/A	N/A	N/A	27.0	N/A	N/A	N/A	30.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	18.1	15.0	18.7	15.0	27.0	12.0	20.4	15.7	21.0
鼠径ヘルニア	(人)	535	31	41	49	51	51	46	39	53
	重症度の指標なし	4.4	3.5	5.2	4.1	4.4	3.8	4.6	4.2	4.4
	計	4.4	3.5	5.2	4.1	4.4	3.8	4.6	4.2	4.4
全疾患合計		12.9	12.8	13.5	12.7	12.3	13.6	12.8	14.0	12.8
集計病院数		-	9	10	10	10	10	10	11	11

【重症度別集計】表

(単位:日)		平均	退院年月			
			2016/12	2017/01	2017/02	2017/03
腎結石及び尿管結石	不明	5.0	4.0	N/A	N/A	N/A
	計	4.2	5.1	4.0	4.1	4.9
乳房の悪性新生物	(人)	436	37	44	34	44
	ステージ0	7.4	5.0	8.0	5.0	7.0
	ステージI	8.0	7.2	7.2	4.9	8.9
	ステージII	11.2	9.0	7.2	7.7	9.9
	ステージIII	10.7	6.3	8.0	6.3	6.6
	ステージIV	12.1	N/A	2.3	10.0	13.0
	不明	12.1	18.4	9.2	7.7	7.0
	計	9.9	8.9	7.2	6.5	8.2
膝関節症	(人)	77	2	1	3	4
	骨移植なし	16.4	N/A	10.0	9.0	15.7
	骨移植あり	32.5	48.0	N/A	27.0	23.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	18.1	48.0	10.0	15.0	17.5
鼠径ヘルニア	(人)	535	55	33	42	44
	重症度の指標なし	4.4	5.1	5.0	3.9	4.3
	計	4.4	5.1	5.0	3.9	4.3
全疾患合計		12.9	13.0	12.8	12.1	11.9
集計病院数		-	11	11	10	10