

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201704 ~ 201803  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 退院年月・昇順

## ■ 平均在院日数

	(単位:日)	平均	退院年月							
			2017/04	2017/05	2017/06	2017/07	2017/08	2017/09	2017/10	2017/11
<b>胃の悪性新生物</b>	(人)	491	36	31	38	47	46	43	49	37
ステージ0		29.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29.0
ステージI		15.4	18.6	11.3	12.7	13.3	15.7	12.5	18.3	13.9
ステージII		22.0	15.0	10.0	32.8	37.3	35.5	32.0	27.0	12.8
ステージIII		29.0	77.0	16.3	21.3	26.5	19.0	28.2	33.3	14.2
ステージIV		17.3	16.1	16.2	9.6	20.9	15.1	16.0	16.7	29.9
不明		14.8	4.0	26.3	16.5	9.2	17.8	9.8	11.0	19.0
計		18.6	19.8	15.7	15.1	19.4	18.6	17.4	19.2	19.2
<b>結腸の悪性新生物</b>	(人)	755	67	71	73	75	61	65	60	68
ステージ0		7.9	9.0	7.0	N/A	8.0	N/A	5.0	7.0	N/A
ステージI		14.1	11.1	15.6	23.4	16.0	12.7	14.0	10.4	15.0
ステージII		17.8	20.0	20.3	14.8	18.4	15.1	23.6	24.6	16.5
ステージIII		13.5	10.0	12.2	10.3	13.8	12.8	14.7	15.9	13.9
ステージIV		17.4	15.6	10.3	32.0	21.5	10.9	14.9	20.6	24.1
不明		11.7	3.8	8.7	6.7	8.2	14.2	22.0	15.5	7.1
計		15.2	13.2	13.3	17.1	17.0	12.8	16.6	18.0	16.3
<b>直腸の悪性新生物</b>	(人)	424	36	36	35	28	32	41	34	33
ステージ0		12.1	18.0	7.0	7.5	N/A	9.0	N/A	10.0	N/A
ステージI		18.9	7.3	22.5	22.9	27.3	27.2	12.3	16.8	10.6
ステージII		15.6	15.8	22.8	11.3	3.0	11.5	18.0	15.5	13.6
ステージIII		17.8	14.5	10.0	10.4	19.8	3.0	40.0	16.4	27.0
ステージIV		10.6	13.7	9.2	12.0	11.1	13.3	10.3	6.7	15.0
不明		12.1	3.0	11.8	11.0	N/A	2.5	11.0	6.0	20.0
計		14.4	13.5	13.3	13.6	16.3	12.3	17.2	12.1	15.9
<b>気管支および肺の悪性新生物</b>	(人)	515	33	29	46	46	41	54	31	34
ステージ0		6.3	N/A	5.0	6.0	N/A	10.0	N/A	6.0	N/A
ステージI		9.6	9.5	12.3	6.4	7.9	8.1	10.9	4.0	9.8
ステージII		15.3	19.0	13.0	8.3	18.0	13.5	11.0	9.6	11.3
ステージIII		15.7	23.0	22.8	34.8	20.0	11.1	18.3	15.2	15.2
ステージIV		19.1	24.3	29.5	16.9	18.6	18.9	20.8	22.6	15.7
不明		8.7	9.3	4.3	11.7	8.9	12.6	14.7	5.5	5.4
計		14.6	17.4	20.8	14.8	14.8	13.8	15.8	14.1	11.8
<b>急性心筋梗塞</b>	(人)	306	30	28	22	31	19	28	16	29
Killip I		11.0	15.7	9.5	10.5	11.1	11.3	14.1	6.6	11.8
Killip II		15.7	13.4	11.7	13.0	15.8	25.3	14.3	14.5	21.4
Killip III		17.9	15.3	N/A	34.0	2.0	19.0	8.0	20.0	25.3
Killip IV		18.8	39.5	32.0	N/A	8.8	18.0	17.0	16.0	8.3
不明		4.2	1.0	N/A	1.0	N/A	8.0	N/A	13.0	1.0
計		13.4	15.1	14.2	11.5	11.6	14.8	13.6	11.0	15.8
<b>肺炎</b>	(人)	1,687	158	183	141	135	143	108	107	119
軽症		13.0	11.2	12.3	14.3	12.9	13.4	17.6	10.5	13.7
中等症		20.2	18.4	22.7	19.4	17.8	16.9	28.9	12.8	30.1
重症		18.6	18.1	18.4	20.9	15.5	17.1	18.7	19.2	21.1
不明		5.5	5.0	5.4	5.7	6.5	5.8	5.3	5.2	5.4
計		15.4	14.4	14.9	16.7	13.9	15.1	17.6	13.5	17.4
<b>喘息</b>	(人)	257	20	31	22	26	15	34	25	21
軽症間欠型		6.4	3.7	7.5	6.6	5.2	6.0	7.1	8.3	5.7
軽症持続型		8.3	7.5	8.3	5.7	10.5	9.0	7.5	36.5	7.3
中等症持続型		9.0	10.1	7.2	10.0	7.6	9.2	8.8	8.5	9.7
重症持続型		11.8	15.8	13.3	17.0	12.8	8.0	5.8	7.7	14.0
不明		12.6	13.0	N/A	N/A	23.5	N/A	N/A	4.0	N/A
計		8.5	9.9	8.4	7.7	9.7	7.8	7.4	10.4	8.9
<b>脳梗塞</b>	(人)	1,218	111	108	111	104	118	106	107	90
JCS 0-1		17.7	16.8	15.4	16.1	18.3	20.0	19.6	15.9	19.3
JCS 2-3		25.2	20.8	27.7	29.8	24.2	28.6	23.5	24.6	27.2
JCS 10-100		33.4	33.0	32.7	40.3	50.7	37.0	28.1	13.4	38.3

# 【重症度別集計】表

	(単位:日)	平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
<b>胃の悪性新生物</b>	(人)	491	49	45	40	30
ステージ0		29.0	N/A	N/A	N/A	N/A
ステージI		15.4	13.0	19.9	18.2	14.2
ステージII		22.0	12.3	15.0	16.0	21.7
ステージIII		29.0	60.1	23.4	22.1	22.7
ステージIV		17.3	19.2	18.5	15.1	12.9
不明		14.8	5.0	15.0	32.0	8.0
計		18.6	22.6	19.3	18.4	15.8
<b>結腸の悪性新生物</b>	(人)	755	56	48	56	55
ステージ0		7.9	34.0	2.0	5.5	3.5
ステージI		14.1	2.0	17.0	2.0	16.0
ステージII		17.8	16.5	17.5	16.0	12.3
ステージIII		13.5	11.1	15.4	16.8	15.3
ステージIV		17.4	13.4	14.9	14.2	15.2
不明		11.7	8.5	6.0	9.0	26.6
計		15.2	13.0	15.0	14.7	15.3
<b>直腸の悪性新生物</b>	(人)	424	43	37	45	24
ステージ0		12.1	N/A	N/A	27.0	N/A
ステージI		18.9	14.6	6.0	33.3	16.3
ステージII		15.6	22.0	14.3	9.6	15.0
ステージIII		17.8	19.2	19.5	20.2	24.2
ステージIV		10.6	10.4	11.7	6.9	8.1
不明		12.1	14.5	1.0	21.7	N/A
計		14.4	14.5	13.8	15.7	13.5
<b>気管支および肺の悪性新生物</b>	(人)	515	48	46	48	59
ステージ0		6.3	N/A	N/A	N/A	N/A
ステージI		9.6	9.1	25.1	8.1	6.6
ステージII		15.3	9.3	19.0	17.8	34.6
ステージIII		15.7	9.8	11.2	14.5	9.7
ステージIV		19.1	16.9	19.4	16.9	14.8
不明		8.7	5.0	4.7	2.0	4.3
計		14.6	11.7	16.3	14.0	12.9
<b>急性心筋梗塞</b>	(人)	306	31	17	28	27
Killip I		11.0	11.8	9.7	8.2	8.7
Killip II		15.7	16.7	20.5	16.1	11.0
Killip III		17.9	14.3	N/A	41.0	21.0
Killip IV		18.8	3.7	23.0	28.8	10.0
不明		4.2	N/A	1.0	11.0	N/A
計		13.4	13.3	12.5	15.4	10.2
<b>肺炎</b>	(人)	1,687	152	156	164	121
軽症		13.0	14.0	10.0	14.9	9.9
中等症		20.2	18.4	16.6	29.5	16.0
重症		18.6	22.6	18.3	15.1	19.0
不明		5.5	5.5	5.7	5.6	5.5
計		15.4	17.4	14.2	14.7	15.2
<b>喘息</b>	(人)	257	19	19	14	11
軽症間欠型		6.4	7.2	10.0	4.3	4.0
軽症持続型		8.3	8.6	6.4	4.7	5.0
中等症持続型		9.0	13.0	8.2	9.7	6.3
重症持続型		11.8	7.5	8.0	16.0	N/A
不明		12.6	6.0	9.0	N/A	N/A
計		8.5	9.4	7.7	7.5	5.2
<b>脳梗塞</b>	(人)	1,218	113	93	81	76
JCS 0-1		17.7	19.4	17.8	15.3	18.7
JCS 2-3		25.2	20.0	31.7	21.6	26.9
JCS 10-100		33.4	32.1	29.5	34.3	25.7

【重症度別集計】表

(単位:日)		平均	退院年月							
			2017/04	2017/05	2017/06	2017/07	2017/08	2017/09	2017/10	2017/11
脳梗塞	JCS 200-300	24.3	46.5	1.0	58.0	22.6	6.5	24.7	17.0	18.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	21.0	19.7	18.9	22.7	22.8	22.0	21.6	17.9	23.5
脳出血	(人)	432	43	48	41	43	34	36	29	23
	JCS 0-1	21.5	17.0	17.1	41.3	27.6	19.5	18.0	16.5	23.8
	JCS 2-3	26.6	26.0	26.9	20.5	28.6	25.3	35.3	21.7	30.0
	JCS 10-100	37.7	37.1	33.7	52.9	39.8	34.4	48.3	30.0	53.5
	JCS 200-300	32.5	33.3	34.7	34.1	36.3	15.9	30.3	4.0	38.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	28.4	25.2	26.5	37.0	32.5	24.4	29.6	16.8	32.8	
糖尿病	(人)	345	40	33	23	27	37	32	25	24
	軽症	15.2	14.5	11.3	13.9	15.7	14.1	16.8	16.5	16.2
	中等症	19.0	25.0	15.2	17.3	13.8	23.9	7.0	21.3	16.5
	重症	22.8	41.0	15.6	84.0	13.0	19.5	20.3	27.0	17.0
	不明	19.0	N/A	13.0	N/A	23.0	16.0	21.0	N/A	9.0
計	17.2	19.7	12.7	17.8	15.1	18.5	16.5	18.1	16.0	
大腿骨頸部骨折	(人)	379	31	35	38	31	34	27	24	40
	重症度Ⅰ	22.9	30.1	23.6	20.9	22.9	26.6	23.6	19.8	26.3
	重症度Ⅱ	30.4	32.7	36.1	27.3	26.0	24.2	37.2	29.2	29.0
	重症度Ⅲ	23.5	30.6	34.1	19.0	27.3	29.8	18.7	11.6	17.5
	重症度Ⅳ	25.8	30.0	17.3	27.0	37.5	25.0	30.7	13.0	23.0
	不明	27.5	35.0	16.0	N/A	N/A	N/A	N/A	56.0	2.0
計	25.4	31.3	28.8	23.8	25.8	27.0	26.3	21.0	24.8	
胃潰瘍	(人)	133	10	8	10	8	12	14	11	20
	ショックなし(収縮期血圧90mmHg以上)	12.7	18.6	19.4	10.3	16.9	15.8	16.8	11.5	9.2
	ショックあり(収縮期血圧90mmHg未満)	15.0	N/A	N/A	N/A	N/A	9.0	15.7	6.0	27.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	12.8	18.6	19.4	10.3	16.9	15.3	16.6	11.0	11.0	
急性腸炎	(人)	487	54	48	60	45	38	47	32	30
	血便なし	6.8	6.8	5.8	7.5	5.9	6.4	8.3	8.1	5.1
	血便あり	7.7	6.0	10.0	6.5	8.9	8.0	6.3	4.0	7.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	6.8	6.7	6.3	7.5	6.4	6.7	8.1	7.7	5.2	
急性虫垂炎	(人)	368	29	46	25	29	25	41	50	31
	白血球15000/mm3未満	7.1	7.0	7.2	6.8	6.9	5.8	6.8	8.7	6.4
	白血球15000/mm3以上	7.8	10.0	7.0	4.2	7.0	9.9	6.5	6.8	8.6
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	7.3	8.7	7.2	6.3	6.9	7.3	6.7	8.0	7.0	
胆石症	(人)	910	83	76	82	84	83	88	73	96
	黄疸なし(T Bill 5mg/dl 未満)	10.4	10.9	10.4	11.1	12.2	9.6	9.0	9.0	12.0
	黄疸あり(T Bill 5mg/dl 以上)	15.0	17.2	35.3	17.0	16.9	9.9	8.8	11.8	12.5
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	10.8	11.7	13.0	11.3	12.6	9.6	9.0	9.2	12.1	
前立腺肥大症	(人)	43	3	2	1	5	5	5	3	6
	前立腺容積20ml未満	8.2	N/A	N/A	N/A	N/A	N/A	10.0	8.0	N/A
	前立腺容積50ml未満	9.9	N/A	5.0	N/A	11.0	6.7	N/A	10.0	10.0
	前立腺容積50ml以上	8.4	7.0	7.0	N/A	7.7	8.0	9.0	9.0	8.3
	不明	56.7	N/A	N/A	27.0	292.0	1.0	N/A	N/A	8.5
計	15.6	7.0	6.0	27.0	65.2	5.8	9.6	9.0	8.7	
白内障	(人)	530	41	39	62	46	49	53	48	58
	1眼(処置対象のもの)	2.2	2.3	2.4	2.6	2.5	2.3	2.5	2.2	1.8
	2眼(処置対象のもの)	5.0	N/A	N/A	N/A	5.0	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	2.2	2.3	2.4	2.6	2.6	2.3	2.5	2.2	1.8	
痔核	(人)	105	10	7	15	8	7	10	10	4
	第一度(出血のみ)	5.2	2.0	2.5	3.8	9.0	N/A	8.0	6.0	N/A
	第二度(還納可能)	7.7	7.3	10.0	6.2	5.0	5.8	12.0	9.0	12.0
	第三度(脱肛)	7.4	5.7	11.0	7.4	8.3	6.7	8.2	6.8	2.0
	不明	3.0	3.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	7.1	5.3	8.3	5.9	6.8	6.1	8.5	7.3	9.5	
子宮筋腫	(人)	118	14	8	9	13	17	13	10	5
	貧血なし(Hb10g/dl以上)	6.7	6.1	7.0	8.6	6.5	5.9	7.0	5.8	8.3
	貧血あり(Hb10g/dl未満)	6.9	6.5	9.7	6.0	6.8	7.8	5.5	7.0	7.5
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	6.8	6.3	8.0	8.3	6.7	6.8	6.3	6.0	8.0	
狭心症	(人)	1,534	135	132	144	149	123	137	122	117
	重症度の指標なし	4.5	5.0	4.7	3.7	3.5	4.7	5.3	4.6	4.1
計	4.5	5.0	4.7	3.7	3.5	4.7	5.3	4.6	4.1	
腎結石及び尿管結石	(人)	306	20	18	30	40	36	25	27	23
	水腎・水尿管なし	4.3	3.1	10.4	5.7	3.2	5.0	3.8	2.5	3.5
	水腎・水尿管あり	4.1	2.7	2.3	4.8	3.1	4.0	4.1	5.4	5.0

# 【重症度別集計】表

		平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
脳梗塞	JCS 200-300	24.3	N/A	4.5	N/A	6.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	21.0	20.9	22.5	19.0	20.3
脳出血	(人)	432	29	32	40	34
	JCS 0-1	21.5	10.7	18.7	19.5	27.7
	JCS 2-3	26.6	32.3	25.5	21.8	28.6
	JCS 10-100	37.7	28.0	28.3	36.4	40.2
	JCS 200-300	32.5	14.3	77.0	50.8	41.3
	不明	N/A	N/A	N/A	N/A	N/A
	計	28.4	19.8	29.5	30.2	32.8
糖尿病	(人)	345	29	21	30	24
	軽症	15.2	14.4	19.3	14.3	19.6
	中等症	19.0	15.4	18.5	18.9	25.2
	重症	22.8	12.6	25.8	24.0	15.5
	不明	19.0	30.0	N/A	N/A	N/A
	計	17.2	14.9	20.9	16.8	20.3
大腿骨頸部骨折	(人)	379	37	38	22	22
	重症度Ⅰ	22.9	19.9	17.5	22.2	24.8
	重症度Ⅱ	30.4	31.4	33.9	35.3	23.7
	重症度Ⅲ	23.5	18.7	13.4	20.8	23.5
	重症度Ⅳ	25.8	32.2	25.0	17.5	N/A
	不明	27.5	21.0	N/A	N/A	N/A
	計	25.4	23.5	23.7	23.8	24.1
胃潰瘍	(人)	133	14	7	10	9
	ショックなし(収縮期血圧90mmHg以上)	12.7	10.1	10.2	7.2	9.1
	ショックあり(収縮期血圧90mmHg未満)	15.0	25.0	1.0	8.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	12.8	11.1	8.9	7.3	9.1
急性腸炎	(人)	487	36	29	35	33
	血便なし	6.8	7.3	5.4	7.8	5.7
	血便あり	7.7	6.3	7.5	7.8	8.3
	不明	N/A	N/A	N/A	N/A	N/A
	計	6.8	7.2	5.6	7.8	5.9
急性虫垂炎	(人)	368	32	26	19	15
	白血球15000/mm3未満	7.1	7.5	7.4	6.6	5.9
	白血球15000/mm3以上	7.8	6.6	11.7	7.0	4.3
	不明	N/A	N/A	N/A	N/A	N/A
	計	7.3	7.4	8.4	6.7	5.6
胆石症	(人)	910	80	44	55	66
	黄疸なし(T Bill 5mg/dl 未満)	10.4	9.9	11.0	9.6	9.6
	黄疸あり(T Bill 5mg/dl 以上)	15.0	10.5	6.0	8.0	14.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	10.8	10.0	10.7	9.4	9.9
前立腺肥大症	(人)	43	1	3	5	4
	前立腺容積20ml未満	8.2	N/A	3.0	N/A	N/A
	前立腺容積50ml未満	9.9	N/A	11.0	10.0	13.0
	前立腺容積50ml以上	8.4	N/A	8.0	10.7	N/A
	不明	56.7	3.0	N/A	N/A	N/A
	計	15.6	3.0	7.3	10.4	13.0
白内障	(人)	530	31	38	48	17
	1眼(処置対象のもの)	2.2	1.5	1.8	2.1	2.9
	2眼(処置対象のもの)	5.0	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	2.2	1.5	1.8	2.1	2.9
痔核	(人)	105	12	8	6	8
	第一度(出血のみ)	5.2	5.3	7.0	5.0	5.0
	第二度(還納可能)	7.7	8.3	7.5	11.5	2.0
	第三度(脱肛)	7.4	3.0	12.4	5.0	5.7
	不明	3.0	N/A	N/A	N/A	N/A
	計	7.1	6.7	10.5	7.2	5.1
子宮筋腫	(人)	118	7	13	7	2
	貧血なし(Hb10g/dl以上)	6.7	6.7	6.5	6.4	3.0
	貧血あり(Hb10g/dl未満)	6.9	6.8	6.4	9.5	2.0
	不明	N/A	N/A	N/A	N/A	N/A
	計	6.8	6.7	6.5	7.3	2.5
狭心症	(人)	1,534	124	114	119	118
	重症度の指標なし	4.5	5.6	4.9	4.0	4.6
	計	4.5	5.6	4.9	4.0	4.6
腎結石及び尿管結石	(人)	306	31	19	25	12
	水腎・水尿管なし	4.3	3.5	5.3	3.5	2.4
	水腎・水尿管あり	4.1	3.2	7.5	3.2	4.2



## 【重症度別集計】表

(単位:日)		平均	退院年月			
			2017/12	2018/01	2018/02	2018/03
腎結石及び尿管結石	不明	N/A	N/A	N/A	N/A	N/A
	計	4.2	3.3	6.6	3.4	3.2
乳房の悪性新生物	(人)	389	32	26	28	23
	ステージ0	7.4	6.4	5.8	11.4	9.5
	ステージI	7.7	6.8	7.0	11.5	6.7
	ステージII	9.1	7.7	11.4	8.8	7.3
	ステージIII	11.7	13.0	21.8	41.0	2.3
	ステージIV	13.5	N/A	17.7	23.5	13.0
	不明	14.2	16.5	4.0	N/A	4.0
	計	9.4	8.5	11.5	13.9	6.7
膝関節症	(人)	104	31	14	18	21
	骨移植なし	15.9	17.1	13.6	14.2	14.1
	骨移植あり	29.1	25.0	28.0	23.0	N/A
	不明	N/A	N/A	N/A	N/A	N/A
	計	17.3	17.3	14.6	14.7	14.1
鼠径ヘルニア	(人)	481	41	31	36	28
	重症度の指標なし	4.5	4.2	4.3	5.3	4.4
	計	4.5	4.2	4.3	5.3	4.4
全疾患合計		12.7	12.9	13.3	12.6	12.6
集計病院数		-	9	7	7	6