

【重症度別集計】表

絞込条件

対象年月設定: 201304 ~ 201403
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 平均在院日数

	(単位:日)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	969	66	0	7	77	72	43	165	8
ステージ0		12.3	N/A	N/A	N/A	N/A	10.6	N/A	N/A	19.0
ステージI		18.7	19.0	N/A	N/A	10.7	26.2	17.3	14.2	N/A
ステージII		23.8	20.7	N/A	N/A	17.8	25.8	24.9	24.8	N/A
ステージIII		35.2	20.4	N/A	N/A	20.0	28.6	36.0	16.1	N/A
ステージIV		17.5	20.0	N/A	N/A	14.4	21.9	17.1	17.1	N/A
不明		19.3	12.1	N/A	21.0	10.3	13.0	24.0	8.0	19.3
計		21.1	18.7	N/A	21.0	13.7	23.5	21.0	16.3	19.3
結腸の悪性新生物	(人)	1,187	90	0	7	116	322	22	125	1
ステージ0		7.1	9.8	N/A	N/A	9.3	5.5	17.3	7.3	N/A
ステージI		14.6	13.1	N/A	N/A	14.9	20.6	20.0	16.8	N/A
ステージII		17.7	22.1	N/A	N/A	14.7	11.4	13.5	19.4	N/A
ステージIII		16.2	18.0	N/A	N/A	22.1	7.2	30.6	15.3	N/A
ステージIV		13.0	26.1	N/A	N/A	14.2	6.8	32.6	16.4	N/A
不明		11.7	3.8	N/A	10.6	16.0	7.2	2.5	11.0	1.0
計		14.2	14.1	N/A	10.6	16.7	8.1	20.5	16.4	1.0
直腸の悪性新生物	(人)	557	46	0	1	51	97	13	90	1
ステージ0		9.7	27.3	N/A	N/A	2.0	11.7	7.7	11.3	N/A
ステージI		16.5	17.4	N/A	N/A	8.8	29.6	20.7	16.3	N/A
ステージII		26.8	17.7	N/A	N/A	13.4	26.9	49.0	30.2	N/A
ステージIII		18.3	23.3	N/A	N/A	18.8	10.5	31.0	17.7	N/A
ステージIV		19.3	21.2	N/A	20.0	14.7	8.1	14.8	25.5	N/A
不明		16.4	5.4	N/A	N/A	11.0	4.0	N/A	3.7	29.0
計		19.1	19.7	N/A	20.0	14.0	13.3	18.4	21.4	29.0
気管支および肺の悪性新生物	(人)	1,312	19	2	9	172	34	50	180	4
ステージ0		16.0	N/A	N/A	N/A	8.0	36.0	N/A	7.5	N/A
ステージI		10.6	23.0	N/A	N/A	9.1	4.5	13.9	12.9	N/A
ステージII		11.2	5.0	N/A	N/A	6.0	19.4	17.0	17.8	N/A
ステージIII		13.7	9.2	N/A	85.0	11.7	5.5	28.0	22.3	N/A
ステージIV		19.5	26.9	2.0	10.3	10.1	25.2	23.4	19.5	N/A
不明		7.2	28.0	8.0	24.2	3.4	2.0	3.5	3.5	5.3
計		14.1	19.8	5.0	26.3	8.3	16.8	15.3	15.3	5.3
急性心筋梗塞	(人)	370	14	6	0	80	47	13	46	1
Killip I		16.6	12.3	12.5	N/A	13.3	11.5	N/A	13.0	N/A
Killip II		17.4	15.3	22.0	N/A	16.9	14.1	14.5	17.6	N/A
Killip III		19.8	N/A	N/A	N/A	23.2	17.8	5.5	23.4	N/A
Killip IV		20.4	1.0	1.5	N/A	19.8	12.8	N/A	69.8	N/A
不明		8.3	1.0	36.0	N/A	2.0	2.0	N/A	5.0	2.0
計		17.3	12.0	14.3	N/A	15.7	12.5	13.2	23.7	2.0
肺炎	(人)	3,253	133	50	149	198	108	185	256	121
軽症		13.6	11.5	11.2	15.8	9.2	15.4	11.7	13.2	17.9
中等症		19.7	18.0	24.0	30.4	10.2	16.8	16.1	13.9	18.0
重症		22.6	17.9	22.1	23.3	12.6	15.8	21.0	23.2	40.8
不明		9.0	N/A	N/A	N/A	16.0	N/A	N/A	6.8	18.6
計		15.8	15.1	18.6	18.8	11.5	15.7	17.8	12.4	25.1
喘息	(人)	1,141	13	4	23	63	2	11	84	7
軽症間欠型		6.4	5.0	19.0	7.2	11.1	8.0	6.0	17.5	N/A
軽症持続型		5.9	6.7	18.0	8.8	6.7	N/A	7.5	6.0	N/A
中等症持続型		6.9	10.3	N/A	7.2	8.9	N/A	5.0	7.1	N/A
重症持続型		7.3	N/A	N/A	5.0	5.5	N/A	N/A	9.3	N/A
不明		14.2	N/A	9.0	N/A	N/A	N/A	N/A	N/A	17.3
計		6.6	8.2	16.3	7.4	8.6	8.0	6.5	8.3	17.3
脳梗塞	(人)	1,735	118	403	5	206	1	71	113	35
JCS 0-1		21.4	22.5	13.0	44.3	22.0	16.0	20.4	17.1	32.6
JCS 2-3		29.1	28.3	19.8	N/A	35.0	N/A	16.0	48.3	19.0
JCS 10-100		42.1	40.0	31.6	22.0	37.3	N/A	48.3	69.6	21.4

【重症度別集計】表

	(単位:日)	平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1026
胃の悪性新生物	(人)	969	-	68	1	8	-	-	-	-
ステージ0		12.3	-	8.0	N/A	N/A	-	-	-	-
ステージI		18.7	-	20.0	N/A	53.5	-	-	-	-
ステージII		23.8	-	37.0	N/A	N/A	-	-	-	-
ステージIII		35.2	-	46.4	N/A	70.0	-	-	-	-
ステージIV		17.5	-	19.1	30.0	63.0	-	-	-	-
不明		19.3	-	28.3	N/A	23.0	-	-	-	-
計		21.1	-	26.8	30.0	49.1	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	43	0	18	-	-	-	-
ステージ0		7.1	-	6.4	N/A	N/A	-	-	-	-
ステージI		14.6	-	13.1	N/A	10.7	-	-	-	-
ステージII		17.7	-	21.3	N/A	80.0	-	-	-	-
ステージIII		16.2	-	23.3	N/A	27.5	-	-	-	-
ステージIV		13.0	-	11.4	N/A	30.0	-	-	-	-
不明		11.7	-	18.7	N/A	13.3	-	-	-	-
計		14.2	-	16.0	N/A	31.1	-	-	-	-
直腸の悪性新生物	(人)	557	-	17	0	14	-	-	-	-
ステージ0		9.7	-	6.0	N/A	N/A	-	-	-	-
ステージI		16.5	-	15.0	N/A	N/A	-	-	-	-
ステージII		26.8	-	37.0	N/A	131.0	-	-	-	-
ステージIII		18.3	-	35.8	N/A	19.0	-	-	-	-
ステージIV		19.3	-	38.8	N/A	132.0	-	-	-	-
不明		16.4	-	5.0	N/A	30.7	-	-	-	-
計		19.1	-	30.7	N/A	42.6	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	18	344	4	-	-	-	-
ステージ0		16.0	-	N/A	N/A	N/A	-	-	-	-
ステージI		10.6	-	3.0	2.3	N/A	-	-	-	-
ステージII		11.2	-	N/A	4.3	N/A	-	-	-	-
ステージIII		13.7	-	5.0	4.8	N/A	-	-	-	-
ステージIV		19.5	-	23.6	12.3	46.0	-	-	-	-
不明		7.2	-	23.0	3.5	12.0	-	-	-	-
計		14.1	-	21.3	7.5	37.5	-	-	-	-
急性心筋梗塞	(人)	370	-	44	1	1	-	-	-	-
Killip I		16.6	-	24.4	31.0	N/A	-	-	-	-
Killip II		17.4	-	16.7	N/A	N/A	-	-	-	-
Killip III		19.8	-	22.7	N/A	45.0	-	-	-	-
Killip IV		20.4	-	15.0	N/A	N/A	-	-	-	-
不明		8.3	-	N/A	N/A	N/A	-	-	-	-
計		17.3	-	21.5	31.0	45.0	-	-	-	-
肺炎	(人)	3,253	-	212	133	246	-	-	-	-
軽症		13.6	-	11.0	15.4	17.4	-	-	-	-
中等症		19.7	-	22.2	24.0	16.0	-	-	-	-
重症		22.6	-	21.0	24.2	29.0	-	-	-	-
不明		9.0	-	N/A	N/A	6.2	-	-	-	-
計		15.8	-	16.7	19.4	16.1	-	-	-	-
喘息	(人)	1,141	-	50	37	27	-	-	-	-
軽症間欠型		6.4	-	5.9	8.3	6.3	-	-	-	-
軽症持続型		5.9	-	6.7	10.0	9.0	-	-	-	-
中等症持続型		6.9	-	7.8	12.9	5.0	-	-	-	-
重症持続型		7.3	-	5.0	5.8	N/A	-	-	-	-
不明		14.2	-	N/A	16.0	7.0	-	-	-	-
計		6.6	-	6.8	9.7	6.4	-	-	-	-
脳梗塞	(人)	1,735	-	97	0	62	-	-	-	-
JCS 0-1		21.4	-	21.4	N/A	23.0	-	-	-	-
JCS 2-3		29.1	-	37.1	N/A	29.2	-	-	-	-
JCS 10-100		42.1	-	25.9	N/A	43.5	-	-	-	-

【重症度別集計】表

	(単位:日)	平均	病院コード							
			1039	1041	1046	1047	1049	1058	1069	1129
胃の悪性新生物	(人)	969	87	-	3	-	133	-	70	-
ステージ0		12.3	N/A	-	N/A	-	19.0	-	10.0	-
ステージI		18.7	9.8	-	23.0	-	65.1	-	15.7	-
ステージII		23.8	20.0	-	N/A	-	21.6	-	18.8	-
ステージIII		35.2	22.5	-	N/A	-	94.6	-	62.3	-
ステージIV		17.5	16.1	-	N/A	-	15.0	-	15.2	-
不明		19.3	8.0	-	15.5	-	25.5	-	48.5	-
計		21.1	14.6	-	18.0	-	30.2	-	23.2	-
結腸の悪性新生物	(人)	1,187	130	-	4	-	99	-	70	-
ステージ0		7.1	6.1	-	2.0	-	19.8	-	5.2	-
ステージI		14.6	13.8	-	N/A	-	14.8	-	24.2	-
ステージII		17.7	20.5	-	N/A	-	19.6	-	15.9	-
ステージIII		16.2	17.3	-	N/A	-	118.0	-	14.1	-
ステージIV		13.0	9.7	-	N/A	-	17.6	-	14.8	-
不明		11.7	9.6	-	3.7	-	16.7	-	N/A	-
計		14.2	13.5	-	3.3	-	20.6	-	14.8	-
直腸の悪性新生物	(人)	557	71	-	0	-	40	-	28	-
ステージ0		9.7	2.0	-	N/A	-	N/A	-	6.5	-
ステージI		16.5	7.9	-	N/A	-	20.2	-	4.0	-
ステージII		26.8	23.5	-	N/A	-	24.6	-	17.7	-
ステージIII		18.3	18.3	-	N/A	-	25.5	-	21.8	-
ステージIV		19.3	22.3	-	N/A	-	25.3	-	16.4	-
不明		16.4	16.3	-	N/A	-	19.1	-	3.0	-
計		19.1	19.1	-	N/A	-	22.1	-	16.3	-
気管支および肺の悪性新生物	(人)	1,312	138	-	4	-	212	-	11	-
ステージ0		16.0	3.0	-	25.0	-	N/A	-	N/A	-
ステージI		10.6	6.8	-	N/A	-	21.1	-	4.0	-
ステージII		11.2	16.5	-	N/A	-	44.0	-	N/A	-
ステージIII		13.7	15.9	-	N/A	-	23.6	-	51.3	-
ステージIV		19.5	17.3	-	N/A	-	24.0	-	81.6	-
不明		7.2	4.9	-	22.3	-	9.2	-	N/A	-
計		14.1	13.8	-	23.0	-	21.3	-	66.3	-
急性心筋梗塞	(人)	370	59	-	4	-	30	-	0	-
Killip I		16.6	16.6	-	N/A	-	20.4	-	N/A	-
Killip II		17.4	19.1	-	N/A	-	23.1	-	N/A	-
Killip III		19.8	14.0	-	N/A	-	13.0	-	N/A	-
Killip IV		20.4	17.2	-	1.7	-	1.0	-	N/A	-
不明		8.3	N/A	-	10.0	-	N/A	-	N/A	-
計		17.3	17.0	-	3.8	-	20.1	-	N/A	-
肺炎	(人)	3,253	812	-	65	-	262	-	80	-
軽症		13.6	11.5	-	15.0	-	13.5	-	12.6	-
中等症		19.7	11.8	-	14.9	-	26.0	-	16.9	-
重症		22.6	19.7	-	20.7	-	31.4	-	19.6	-
不明		9.0	9.8	-	N/A	-	N/A	-	N/A	-
計		15.8	10.8	-	17.8	-	23.2	-	17.9	-
喘息	(人)	1,141	703	-	5	-	54	-	13	-
軽症間欠型		6.4	5.1	-	12.8	-	7.5	-	6.0	-
軽症持続型		5.9	5.5	-	N/A	-	8.5	-	20.0	-
中等症持続型		6.9	5.5	-	N/A	-	4.0	-	10.7	-
重症持続型		7.3	6.2	-	N/A	-	12.0	-	10.9	-
不明		14.2	N/A	-	19.0	-	N/A	-	6.0	-
計		6.6	5.5	-	14.0	-	7.6	-	10.8	-
脳梗塞	(人)	1,735	218	-	54	-	126	-	7	-
JCS 0-1		21.4	15.3	-	12.6	-	44.1	-	15.5	-
JCS 2-3		29.1	30.9	-	22.0	-	69.5	-	10.0	-
JCS 10-100		42.1	27.8	-	52.0	-	69.3	-	34.5	-

【重症度別集計】表

	(単位:日)	平均	病院コード							
			9009	9010	9011	9012	9013	9014	9015	9016
胃の悪性新生物	(人)	969	-	55	106	-	-	-	-	-
ステージ0		12.3	-	N/A	N/A	-	-	-	-	-
ステージI		18.7	-	11.2	18.9	-	-	-	-	-
ステージII		23.8	-	18.3	28.1	-	-	-	-	-
ステージIII		35.2	-	19.0	40.5	-	-	-	-	-
ステージIV		17.5	-	12.9	25.6	-	-	-	-	-
不明		19.3	-	15.1	12.3	-	-	-	-	-
計		21.1	-	13.4	24.9	-	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	53	87	-	-	-	-	-
ステージ0		7.1	-	4.7	4.7	-	-	-	-	-
ステージI		14.6	-	8.2	11.8	-	-	-	-	-
ステージII		17.7	-	14.9	22.6	-	-	-	-	-
ステージIII		16.2	-	23.2	21.1	-	-	-	-	-
ステージIV		13.0	-	25.1	18.6	-	-	-	-	-
不明		11.7	-	23.6	14.1	-	-	-	-	-
計		14.2	-	19.8	14.7	-	-	-	-	-
直腸の悪性新生物	(人)	557	-	20	68	-	-	-	-	-
ステージ0		9.7	-	N/A	3.8	-	-	-	-	-
ステージI		16.5	-	11.7	16.8	-	-	-	-	-
ステージII		26.8	-	12.5	41.7	-	-	-	-	-
ステージIII		18.3	-	36.4	18.4	-	-	-	-	-
ステージIV		19.3	-	13.0	22.6	-	-	-	-	-
不明		16.4	-	19.5	11.1	-	-	-	-	-
計		19.1	-	19.9	19.3	-	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	85	26	-	-	-	-	-
ステージ0		16.0	-	N/A	25.0	-	-	-	-	-
ステージI		10.6	-	6.9	24.0	-	-	-	-	-
ステージII		11.2	-	11.7	N/A	-	-	-	-	-
ステージIII		13.7	-	13.3	20.8	-	-	-	-	-
ステージIV		19.5	-	28.3	23.3	-	-	-	-	-
不明		7.2	-	9.5	26.7	-	-	-	-	-
計		14.1	-	16.9	23.2	-	-	-	-	-
急性心筋梗塞	(人)	370	-	15	9	-	-	-	-	-
Killip I		16.6	-	14.6	2.0	-	-	-	-	-
Killip II		17.4	-	16.5	38.0	-	-	-	-	-
Killip III		19.8	-	N/A	14.0	-	-	-	-	-
Killip IV		20.4	-	N/A	19.0	-	-	-	-	-
不明		8.3	-	N/A	16.5	-	-	-	-	-
計		17.3	-	15.6	19.7	-	-	-	-	-
肺炎	(人)	3,253	-	53	190	-	-	-	-	-
軽症		13.6	-	8.1	13.4	-	-	-	-	-
中等症		19.7	-	4.5	20.1	-	-	-	-	-
重症		22.6	-	20.5	27.1	-	-	-	-	-
不明		9.0	-	4.7	9.1	-	-	-	-	-
計		15.8	-	15.6	19.9	-	-	-	-	-
喘息	(人)	1,141	-	10	35	-	-	-	-	-
軽症間欠型		6.4	-	N/A	7.2	-	-	-	-	-
軽症持続型		5.9	-	N/A	8.4	-	-	-	-	-
中等症持続型		6.9	-	N/A	6.0	-	-	-	-	-
重症持続型		7.3	-	N/A	N/A	-	-	-	-	-
不明		14.2	-	16.0	5.3	-	-	-	-	-
計		6.6	-	16.0	7.4	-	-	-	-	-
脳梗塞	(人)	1,735	-	50	169	-	-	-	-	-
JCS 0-1		21.4	-	15.8	31.3	-	-	-	-	-
JCS 2-3		29.1	-	34.4	40.7	-	-	-	-	-
JCS 10-100		42.1	-	47.0	46.0	-	-	-	-	-

【重症度別集計】表

	(単位:日)	平均	病院コード				
			9017	9018	9019	9020	9021
胃の悪性新生物	(人)	969	-	-	-	-	-
ステージ0		12.3	-	-	-	-	-
ステージI		18.7	-	-	-	-	-
ステージII		23.8	-	-	-	-	-
ステージIII		35.2	-	-	-	-	-
ステージIV		17.5	-	-	-	-	-
不明		19.3	-	-	-	-	-
計		21.1	-	-	-	-	-
結腸の悪性新生物	(人)	1,187	-	-	-	-	-
ステージ0		7.1	-	-	-	-	-
ステージI		14.6	-	-	-	-	-
ステージII		17.7	-	-	-	-	-
ステージIII		16.2	-	-	-	-	-
ステージIV		13.0	-	-	-	-	-
不明		11.7	-	-	-	-	-
計		14.2	-	-	-	-	-
直腸の悪性新生物	(人)	557	-	-	-	-	-
ステージ0		9.7	-	-	-	-	-
ステージI		16.5	-	-	-	-	-
ステージII		26.8	-	-	-	-	-
ステージIII		18.3	-	-	-	-	-
ステージIV		19.3	-	-	-	-	-
不明		16.4	-	-	-	-	-
計		19.1	-	-	-	-	-
気管支および肺の悪性新生物	(人)	1,312	-	-	-	-	-
ステージ0		16.0	-	-	-	-	-
ステージI		10.6	-	-	-	-	-
ステージII		11.2	-	-	-	-	-
ステージIII		13.7	-	-	-	-	-
ステージIV		19.5	-	-	-	-	-
不明		7.2	-	-	-	-	-
計		14.1	-	-	-	-	-
急性心筋梗塞	(人)	370	-	-	-	-	-
Killip I		16.6	-	-	-	-	-
Killip II		17.4	-	-	-	-	-
Killip III		19.8	-	-	-	-	-
Killip IV		20.4	-	-	-	-	-
不明		8.3	-	-	-	-	-
計		17.3	-	-	-	-	-
肺炎	(人)	3,253	-	-	-	-	-
軽症		13.6	-	-	-	-	-
中等症		19.7	-	-	-	-	-
重症		22.6	-	-	-	-	-
不明		9.0	-	-	-	-	-
計		15.8	-	-	-	-	-
喘息	(人)	1,141	-	-	-	-	-
軽症間欠型		6.4	-	-	-	-	-
軽症持続型		5.9	-	-	-	-	-
中等症持続型		6.9	-	-	-	-	-
重症持続型		7.3	-	-	-	-	-
不明		14.2	-	-	-	-	-
計		6.6	-	-	-	-	-
脳梗塞	(人)	1,735	-	-	-	-	-
JCS 0-1		21.4	-	-	-	-	-
JCS 2-3		29.1	-	-	-	-	-
JCS 10-100		42.1	-	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	33.7	15.2	23.3	N/A	8.3	N/A	9.5	52.6	24.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	24.9	24.9	16.5	39.8	25.7	16.0	22.9	28.2	29.9
脳出血	(人)	667	34	161	1	120	4	20	28	22
	JCS 0-1	26.5	18.5	24.6	2.0	28.9	42.0	27.8	5.0	15.5
	JCS 2-3	33.5	30.0	26.4	N/A	37.0	N/A	44.0	52.0	24.0
	JCS 10-100	47.8	38.3	39.8	N/A	41.5	N/A	51.6	66.0	14.5
	JCS 200-300	37.1	7.0	28.2	N/A	41.2	1.0	20.0	3.5	44.5
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	33.7	20.9	28.6	2.0	36.3	31.8	34.6	8.6	21.0	
糖尿病	(人)	855	72	16	8	82	79	26	34	38
	軽症	16.7	14.0	11.4	8.3	10.1	18.5	14.6	14.2	14.0
	中等症	30.3	18.5	11.0	373.8	11.2	19.3	7.2	20.3	N/A
	重症	20.7	34.8	5.0	29.0	10.5	51.0	12.4	24.6	N/A
	不明	13.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14.5
計	18.6	16.9	11.0	193.6	10.5	22.0	12.7	18.3	14.4	
大腿骨頸部骨折	(人)	648	100	17	1	96	0	3	28	31
	重症度Ⅰ	34.3	31.0	31.1	N/A	25.4	N/A	5.0	24.3	N/A
	重症度Ⅱ	36.4	32.6	N/A	N/A	26.3	N/A	N/A	51.0	N/A
	重症度Ⅲ	36.7	35.4	24.5	N/A	24.2	N/A	51.0	36.6	N/A
	重症度Ⅳ	34.5	41.0	46.2	N/A	24.5	N/A	N/A	N/A	N/A
	不明	32.9	N/A	N/A	6.0	N/A	N/A	11.0	N/A	25.0
計	35.1	33.0	34.9	6.0	25.1	N/A	22.3	30.1	25.0	
胃潰瘍	(人)	252	12	0	2	33	15	7	36	7
	ショックなし(収縮期血圧90mmHg以上)	12.5	12.3	N/A	7.5	7.2	14.1	8.6	9.0	43.5
	ショックあり(収縮期血圧90mmHg未満)	15.2	N/A	N/A	N/A	9.4	22.0	N/A	12.2	19.0
	不明	20.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	54.0
計	13.3	12.3	N/A	7.5	7.5	14.6	8.6	9.4	43.0	
急性腸炎	(人)	896	100	2	29	54	30	57	64	13
	血便なし	6.3	5.8	2.0	8.3	6.6	6.3	6.2	5.6	2.5
	血便あり	7.2	6.0	N/A	7.0	6.8	9.1	13.8	7.0	N/A
	不明	5.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4.1
計	6.3	5.8	2.0	8.3	6.7	7.0	6.7	5.6	3.8	
急性虫垂炎	(人)	703	58	0	3	91	42	20	56	4
	白血球15000/mm3未満	7.2	7.9	N/A	4.7	5.1	11.6	6.6	7.6	8.0
	白血球15000/mm3以上	7.5	8.3	N/A	N/A	6.3	12.6	4.8	6.6	9.0
	不明	7.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	7.3	8.0	N/A	4.7	5.4	11.9	6.2	7.4	8.3	
胆石症	(人)	1,413	137	0	9	251	102	45	193	9
	黄疸なし(T Bill 5mg/dl 未満)	11.4	11.5	N/A	12.1	9.1	17.7	11.9	11.9	14.4
	黄疸あり(T Bill 5mg/dl 以上)	26.3	11.9	N/A	N/A	13.9	37.3	13.0	14.6	13.0
	不明	9.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	12.2	11.5	N/A	12.1	9.3	18.3	11.9	12.0	14.2	
前立腺肥大症	(人)	189	88	0	0	0	7	0	32	0
	前立腺容積20ml未満	10.0	9.6	N/A	N/A	N/A	15.7	N/A	5.0	N/A
	前立腺容積50ml未満	11.7	11.7	N/A	N/A	N/A	13.5	N/A	13.5	N/A
	前立腺容積50ml以上	10.0	9.0	N/A	N/A	N/A	10.0	N/A	10.5	N/A
	不明	8.0	4.1	N/A	N/A	N/A	33.0	N/A	14.0	N/A
計	9.8	7.8	N/A	N/A	N/A	16.7	N/A	11.9	N/A	
白内障	(人)	1,194	163	0	2	2	0	0	0	0
	1眼(処置対象のもの)	3.2	1.9	N/A	3.0	2.0	N/A	N/A	N/A	N/A
	2眼(処置対象のもの)	6.7	6.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	不明	5.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	4.5	3.1	N/A	3.0	2.0	N/A	N/A	N/A	N/A	
痔核	(人)	140	6	0	2	6	64	5	11	0
	第一度(出血のみ)	6.2	6.0	N/A	N/A	2.0	7.9	3.0	3.3	N/A
	第二度(還納可能)	6.6	N/A	N/A	N/A	7.5	8.0	14.0	7.0	N/A
	第三度(脱肛)	7.8	10.0	N/A	N/A	8.0	9.2	N/A	6.3	N/A
	不明	3.0	N/A	N/A	2.0	N/A	N/A	N/A	N/A	N/A
計	7.0	8.0	N/A	2.0	5.8	8.8	11.8	5.5	N/A	
子宮筋腫	(人)	476	57	0	0	9	0	0	2	0
	貧血なし(Hb10g/dl以上)	9.6	7.5	N/A	N/A	7.6	N/A	N/A	14.5	N/A
	貧血あり(Hb10g/dl未満)	8.7	7.9	N/A	N/A	3.0	N/A	N/A	N/A	N/A
	不明	9.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
計	9.4	7.7	N/A	N/A	5.6	N/A	N/A	14.5	N/A	
狭心症	(人)	2,070	384	44	3	284	327	150	120	4
	重症度の指標なし	4.8	3.3	5.3	12.7	4.8	6.7	4.4	5.0	6.5
計	4.8	3.3	5.3	12.7	4.8	6.7	4.4	5.0	6.5	
腎結石及び尿管結石	(人)	632	238	0	2	13	78	3	58	2
	水腎・水尿管なし	3.5	2.1	N/A	11.0	13.0	6.4	2.0	3.0	2.0
	水腎・水尿管あり	5.4	3.5	N/A	11.0	21.6	5.0	8.0	5.6	N/A

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1026
脳梗塞	JCS 200-300	33.7	-	53.0	N/A	11.3	-	-	-	-
	不明	N/A	-	N/A	N/A	N/A	-	-	-	-
	計	24.9	-	24.7	N/A	25.0	-	-	-	-
脳出血	(人)	667	-	49	0	13	-	-	-	-
	JCS 0-1	26.5	-	22.1	N/A	14.4	-	-	-	-
	JCS 2-3	33.5	-	38.2	N/A	33.5	-	-	-	-
	JCS 10-100	47.8	-	104.2	N/A	79.5	-	-	-	-
	JCS 200-300	37.1	-	41.9	N/A	15.0	-	-	-	-
	計	33.7	-	40.2	N/A	30.4	-	-	-	-
糖尿病	(人)	855	-	26	2	51	-	-	-	-
	軽症	16.7	-	16.5	N/A	17.5	-	-	-	-
	中等症	30.3	-	24.1	11.0	11.0	-	-	-	-
	重症	20.7	-	11.3	31.0	18.7	-	-	-	-
	計	18.6	-	18.0	21.0	16.5	-	-	-	-
大腿骨頸部骨折	(人)	648	-	46	0	79	-	-	-	-
	重症度Ⅰ	34.3	-	41.4	N/A	26.6	-	-	-	-
	重症度Ⅱ	36.4	-	38.0	N/A	34.8	-	-	-	-
	重症度Ⅲ	36.7	-	35.4	N/A	39.6	-	-	-	-
	重症度Ⅳ	34.5	-	26.5	N/A	35.6	-	-	-	-
	計	35.1	-	38.0	N/A	35.8	-	-	-	-
胃潰瘍	(人)	252	-	18	0	12	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	12.5	-	17.4	N/A	21.2	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	15.2	-	14.3	N/A	50.0	-	-	-	-
	計	13.3	-	16.7	N/A	23.6	-	-	-	-
急性腸炎	(人)	896	-	59	2	71	-	-	-	-
	血便なし	6.3	-	6.5	7.0	10.3	-	-	-	-
	血便あり	7.2	-	5.8	N/A	9.1	-	-	-	-
	計	6.3	-	6.4	7.0	10.2	-	-	-	-
急性虫垂炎	(人)	703	-	47	0	21	-	-	-	-
	白血球15000/mm3未満	7.2	-	8.0	N/A	8.3	-	-	-	-
	白血球15000/mm3以上	7.5	-	7.9	N/A	10.8	-	-	-	-
	計	7.3	-	7.9	N/A	8.9	-	-	-	-
胆石症	(人)	1,413	-	58	0	41	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.4	-	10.3	N/A	18.9	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	26.3	-	10.8	N/A	19.2	-	-	-	-
	計	12.2	-	10.3	N/A	18.9	-	-	-	-
前立腺肥大症	(人)	189	-	0	0	2	-	-	-	-
	前立腺容積20ml未満	10.0	-	N/A	N/A	N/A	-	-	-	-
	前立腺容積50ml未満	11.7	-	N/A	N/A	10.0	-	-	-	-
	前立腺容積50ml以上	10.0	-	N/A	N/A	N/A	-	-	-	-
	計	9.8	-	N/A	N/A	8.5	-	-	-	-
白内障	(人)	1,194	-	149	0	121	-	-	-	-
	1眼(処置対象のもの)	3.2	-	3.9	N/A	2.9	-	-	-	-
	2眼(処置対象のもの)	6.7	-	6.4	N/A	6.3	-	-	-	-
	計	4.5	-	5.2	N/A	3.8	-	-	-	-
痔核	(人)	140	-	9	0	0	-	-	-	-
	第一度(出血のみ)	6.2	-	6.3	N/A	N/A	-	-	-	-
	第二度(還納可能)	6.6	-	N/A	N/A	N/A	-	-	-	-
	第三度(脱肛)	7.8	-	4.0	N/A	N/A	-	-	-	-
	計	7.0	-	5.0	N/A	N/A	-	-	-	-
子宮筋腫	(人)	476	-	43	0	0	-	-	-	-
	貧血なし(Hb10g/dl以上)	9.6	-	7.6	N/A	N/A	-	-	-	-
	貧血あり(Hb10g/dl未満)	8.7	-	8.3	N/A	N/A	-	-	-	-
	計	9.4	-	7.8	N/A	N/A	-	-	-	-
狭心症	(人)	2,070	-	112	0	2	-	-	-	-
	重症度の指標なし	4.8	-	4.2	N/A	1.5	-	-	-	-
腎結石及び尿管結石	(人)	632	-	2	0	5	-	-	-	-
	水腎・水尿管なし	3.5	-	18.0	N/A	1.5	-	-	-	-
	水腎・水尿管あり	5.4	-	N/A	N/A	2.7	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			1039	1041	1046	1047	1049	1058	1069	1129
脳梗塞	JCS 200-300	33.7	28.3	-	21.0	-	66.2	-	20.0	-
	不明	N/A	N/A	-	N/A	-	N/A	-	N/A	-
	計	24.9	19.1	-	14.2	-	50.0	-	20.0	-
脳出血	(人)	667	82	-	17	-	39	-	1	-
	JCS 0-1	26.5	21.1	-	14.5	-	59.3	-	N/A	-
	JCS 2-3	33.5	26.1	-	4.0	-	68.3	-	N/A	-
	JCS 10-100	47.8	37.1	-	20.5	-	92.0	-	N/A	-
	JCS 200-300	37.1	31.1	-	N/A	-	99.2	-	1.0	-
	不明	N/A	N/A	-	N/A	-	N/A	-	N/A	-
	計	33.7	27.3	-	14.6	-	75.4	-	1.0	-
糖尿病	(人)	855	154	-	9	-	109	-	45	-
	軽症	16.7	17.5	-	17.8	-	17.8	-	24.0	-
	中等症	30.3	32.6	-	12.5	-	19.1	-	31.0	-
	重症	20.7	18.5	-	2.0	-	16.0	-	31.5	-
	不明	13.7	9.0	-	N/A	-	N/A	-	15.0	-
	計	18.6	18.9	-	14.9	-	17.9	-	24.8	-
大腿骨頸部骨折	(人)	648	79	-	12	-	37	-	0	-
	重症度Ⅰ	34.3	31.0	-	13.8	-	90.5	-	N/A	-
	重症度Ⅱ	36.4	37.0	-	20.7	-	104.2	-	N/A	-
	重症度Ⅲ	36.7	34.8	-	17.0	-	90.3	-	N/A	-
	重症度Ⅳ	34.5	29.0	-	4.0	-	51.5	-	N/A	-
	不明	32.9	N/A	-	N/A	-	N/A	-	N/A	-
胃潰瘍	(人)	252	11	-	2	-	33	-	21	-
	ショックなし(収縮期血圧90mmHg以上)	12.5	7.1	-	8.0	-	17.1	-	13.7	-
	ショックあり(収縮期血圧90mmHg未満)	15.2	N/A	-	N/A	-	13.3	-	16.3	-
	不明	20.4	N/A	-	N/A	-	N/A	-	N/A	-
	計	13.3	7.1	-	8.0	-	16.7	-	14.5	-
急性腸炎	(人)	896	162	-	8	-	103	-	27	-
	血便なし	6.3	4.8	-	4.4	-	7.5	-	6.9	-
	血便あり	7.2	4.7	-	N/A	-	6.5	-	9.7	-
	不明	5.7	N/A	-	N/A	-	N/A	-	N/A	-
急性虫垂炎	(人)	703	139	-	2	-	78	-	32	-
	白血球15000/mm3未満	7.2	5.9	-	10.5	-	7.2	-	10.8	-
	白血球15000/mm3以上	7.5	5.5	-	N/A	-	6.3	-	9.0	-
	不明	7.5	5.0	-	N/A	-	N/A	-	N/A	-
	計	7.3	5.7	-	10.5	-	7.0	-	10.4	-
胆石症	(人)	1,413	232	-	11	-	124	-	66	-
	黄疸なし(T Bill 5mg/dl 未満)	11.4	9.9	-	19.8	-	11.1	-	12.5	-
	黄疸あり(T Bill 5mg/dl 以上)	26.3	16.1	-	6.3	-	140.1	-	23.1	-
	不明	9.7	N/A	-	N/A	-	N/A	-	N/A	-
前立腺肥大症	(人)	189	18	-	0	-	8	-	0	-
	前立腺容積20ml未満	10.0	N/A	-	N/A	-	11.7	-	N/A	-
	前立腺容積50ml未満	11.7	9.8	-	N/A	-	17.5	-	N/A	-
	前立腺容積50ml以上	10.0	9.1	-	N/A	-	12.0	-	N/A	-
	不明	8.0	11.0	-	N/A	-	93.0	-	N/A	-
白内障	(人)	1,194	229	-	0	-	186	-	0	-
	1眼(処置対象のもの)	3.2	2.9	-	N/A	-	3.7	-	N/A	-
	2眼(処置対象のもの)	6.7	5.0	-	N/A	-	11.2	-	N/A	-
	不明	5.4	2.0	-	N/A	-	N/A	-	N/A	-
	計	4.5	3.6	-	N/A	-	4.5	-	N/A	-
痔核	(人)	140	2	-	0	-	32	-	0	-
	第一度(出血のみ)	6.2	6.0	-	N/A	-	5.0	-	N/A	-
	第二度(還納可能)	6.6	N/A	-	N/A	-	3.4	-	N/A	-
	第三度(脱肛)	7.8	N/A	-	N/A	-	4.6	-	N/A	-
	不明	3.0	2.0	-	N/A	-	N/A	-	N/A	-
子宮筋腫	(人)	476	37	-	0	-	239	-	0	-
	貧血なし(Hb10g/dl以上)	9.6	7.0	-	N/A	-	10.5	-	N/A	-
	貧血あり(Hb10g/dl未満)	8.7	6.5	-	N/A	-	10.5	-	N/A	-
	不明	9.3	4.0	-	N/A	-	N/A	-	N/A	-
狭心症	(人)	2,070	210	-	1	-	178	-	0	-
	重症度の指標なし	4.8	4.7	-	2.0	-	6.4	-	N/A	-
	計	4.8	4.7	-	2.0	-	6.4	-	N/A	-
腎結石及び尿管結石	(人)	632	49	-	1	-	114	-	2	-
	水腎・水尿管なし	3.5	7.8	-	27.0	-	2.8	-	2.0	-
	水腎・水尿管あり	5.4	10.1	-	N/A	-	4.3	-	N/A	-

【重症度別集計】表

		平均	病院コード						
			1133	1167	9001	9004	9005	9006	9007
脳梗塞	JCS 200-300	33.7	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
	計	24.9	-	-	-	-	-	-	-
脳出血	(人)	667	-	-	-	-	-	-	-
	JCS 0-1	26.5	-	-	-	-	-	-	-
	JCS 2-3	33.5	-	-	-	-	-	-	-
	JCS 10-100	47.8	-	-	-	-	-	-	-
	JCS 200-300	37.1	-	-	-	-	-	-	-
	不明	N/A	-	-	-	-	-	-	-
計	33.7	-	-	-	-	-	-	-	
糖尿病	(人)	855	-	-	-	-	-	-	-
	軽症	16.7	-	-	-	-	-	-	-
	中等症	30.3	-	-	-	-	-	-	-
	重症	20.7	-	-	-	-	-	-	-
	不明	13.7	-	-	-	-	-	-	-
計	18.6	-	-	-	-	-	-	-	
大腿骨頸部骨折	(人)	648	-	-	-	-	-	-	-
	重症度Ⅰ	34.3	-	-	-	-	-	-	-
	重症度Ⅱ	36.4	-	-	-	-	-	-	-
	重症度Ⅲ	36.7	-	-	-	-	-	-	-
	重症度Ⅳ	34.5	-	-	-	-	-	-	-
	不明	32.9	-	-	-	-	-	-	-
計	35.1	-	-	-	-	-	-	-	
胃潰瘍	(人)	252	-	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	12.5	-	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	15.2	-	-	-	-	-	-	-
	不明	20.4	-	-	-	-	-	-	-
計	13.3	-	-	-	-	-	-	-	
急性腸炎	(人)	896	-	-	-	-	-	-	-
	血便なし	6.3	-	-	-	-	-	-	-
	血便あり	7.2	-	-	-	-	-	-	-
	不明	5.7	-	-	-	-	-	-	-
計	6.3	-	-	-	-	-	-	-	
急性虫垂炎	(人)	703	-	-	-	-	-	-	-
	白血球15000/mm3未満	7.2	-	-	-	-	-	-	-
	白血球15000/mm3以上	7.5	-	-	-	-	-	-	-
	不明	7.5	-	-	-	-	-	-	-
計	7.3	-	-	-	-	-	-	-	
胆石症	(人)	1,413	-	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.4	-	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	26.3	-	-	-	-	-	-	-
	不明	9.7	-	-	-	-	-	-	-
計	12.2	-	-	-	-	-	-	-	
前立腺肥大症	(人)	189	-	-	-	-	-	-	-
	前立腺容積20ml未満	10.0	-	-	-	-	-	-	-
	前立腺容積50ml未満	11.7	-	-	-	-	-	-	-
	前立腺容積50ml以上	10.0	-	-	-	-	-	-	-
	不明	8.0	-	-	-	-	-	-	-
計	9.8	-	-	-	-	-	-	-	
白内障	(人)	1,194	-	-	-	-	-	-	-
	1眼(処置対象のもの)	3.2	-	-	-	-	-	-	-
	2眼(処置対象のもの)	6.7	-	-	-	-	-	-	-
	不明	5.4	-	-	-	-	-	-	-
計	4.5	-	-	-	-	-	-	-	
痔核	(人)	140	-	-	-	-	-	-	-
	第一度(出血のみ)	6.2	-	-	-	-	-	-	-
	第二度(還納可能)	6.6	-	-	-	-	-	-	-
	第三度(脱肛)	7.8	-	-	-	-	-	-	-
	不明	3.0	-	-	-	-	-	-	-
計	7.0	-	-	-	-	-	-	-	
子宮筋腫	(人)	476	-	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	9.6	-	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	8.7	-	-	-	-	-	-	-
	不明	9.3	-	-	-	-	-	-	-
計	9.4	-	-	-	-	-	-	-	
狭心症	(人)	2,070	-	-	-	-	-	-	-
	重症度の指標なし	4.8	-	-	-	-	-	-	-
計	4.8	-	-	-	-	-	-	-	
腎結石及び尿管結石	(人)	632	-	-	-	-	-	-	-
	水腎・水尿管なし	3.5	-	-	-	-	-	-	-
水腎・水尿管あり	5.4	-	-	-	-	-	-	-	

【重症度別集計】表

		平均	病院コード							
			9009	9010	9011	9012	9013	9014	9015	9016
脳梗塞	JCS 200-300	33.7	-	64.0	64.0	-	-	-	-	-
	不明	N/A	-	N/A	N/A	-	-	-	-	-
	計	24.9	-	24.6	34.2	-	-	-	-	-
脳出血	(人)	667	-	20	56	-	-	-	-	-
	JCS 0-1	26.5	-	46.3	43.5	-	-	-	-	-
	JCS 2-3	33.5	-	38.8	57.8	-	-	-	-	-
	JCS 10-100	47.8	-	95.0	56.7	-	-	-	-	-
	JCS 200-300	37.1	-	59.5	8.6	-	-	-	-	-
	不明	N/A	-	N/A	N/A	-	-	-	-	-
	計	33.7	-	54.0	42.9	-	-	-	-	-
糖尿病	(人)	855	-	78	26	-	-	-	-	-
	軽症	16.7	-	12.0	12.5	-	-	-	-	-
	中等症	30.3	-	N/A	16.3	-	-	-	-	-
	重症	20.7	-	N/A	21.5	-	-	-	-	-
	不明	13.7	-	13.4	N/A	-	-	-	-	-
	計	18.6	-	13.3	14.2	-	-	-	-	-
大腿骨頸部骨折	(人)	648	-	42	77	-	-	-	-	-
	重症度Ⅰ	34.3	-	N/A	28.2	-	-	-	-	-
	重症度Ⅱ	36.4	-	N/A	32.8	-	-	-	-	-
	重症度Ⅲ	36.7	-	N/A	32.6	-	-	-	-	-
	重症度Ⅳ	34.5	-	N/A	55.0	-	-	-	-	-
	不明	32.9	-	39.9	N/A	-	-	-	-	-
胃潰瘍	(人)	252	-	11	32	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	12.5	-	N/A	9.4	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	15.2	-	N/A	N/A	-	-	-	-	-
	不明	20.4	-	17.0	10.3	-	-	-	-	-
	計	13.3	-	17.0	9.5	-	-	-	-	-
急性腸炎	(人)	896	-	19	96	-	-	-	-	-
	血便なし	6.3	-	10.5	4.9	-	-	-	-	-
	血便あり	7.2	-	N/A	5.5	-	-	-	-	-
	不明	5.7	-	7.0	3.5	-	-	-	-	-
	計	6.3	-	7.4	4.9	-	-	-	-	-
急性虫垂炎	(人)	703	-	23	87	-	-	-	-	-
	白血球15000/mm3未満	7.2	-	N/A	6.8	-	-	-	-	-
	白血球15000/mm3以上	7.5	-	N/A	9.4	-	-	-	-	-
	不明	7.5	-	7.7	N/A	-	-	-	-	-
	計	7.3	-	7.7	7.8	-	-	-	-	-
胆石症	(人)	1,413	-	33	102	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.4	-	25.0	8.7	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	26.3	-	N/A	9.8	-	-	-	-	-
	不明	9.7	-	9.7	N/A	-	-	-	-	-
	計	12.2	-	10.2	8.8	-	-	-	-	-
前立腺肥大症	(人)	189	-	6	28	-	-	-	-	-
	前立腺容積20ml未満	10.0	-	N/A	9.0	-	-	-	-	-
	前立腺容積50ml未満	11.7	-	N/A	8.0	-	-	-	-	-
	前立腺容積50ml以上	10.0	-	N/A	N/A	-	-	-	-	-
	不明	8.0	-	9.2	8.0	-	-	-	-	-
白内障	(人)	1,194	-	149	193	-	-	-	-	-
	1眼(処置対象のもの)	3.2	-	5.5	4.2	-	-	-	-	-
	2眼(処置対象のもの)	6.7	-	N/A	7.8	-	-	-	-	-
	不明	5.4	-	5.5	N/A	-	-	-	-	-
	計	4.5	-	5.5	5.9	-	-	-	-	-
痔核	(人)	140	-	1	2	-	-	-	-	-
	第一度(出血のみ)	6.2	-	N/A	12.0	-	-	-	-	-
	第二度(還納可能)	6.6	-	N/A	6.0	-	-	-	-	-
	第三度(脱肛)	7.8	-	N/A	N/A	-	-	-	-	-
	不明	3.0	-	6.0	N/A	-	-	-	-	-
子宮筋腫	(人)	476	-	33	56	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	9.6	-	N/A	10.0	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	8.7	-	N/A	10.2	-	-	-	-	-
	不明	9.3	-	9.5	N/A	-	-	-	-	-
	計	9.4	-	9.5	10.0	-	-	-	-	-
狭心症	(人)	2,070	-	245	6	-	-	-	-	-
	重症度の指標なし	4.8	-	3.3	9.3	-	-	-	-	-
	計	4.8	-	3.3	9.3	-	-	-	-	-
腎結石及び尿管結石	(人)	632	-	26	39	-	-	-	-	-
	水腎・水尿管なし	3.5	-	N/A	4.0	-	-	-	-	-
	水腎・水尿管あり	5.4	-	N/A	3.9	-	-	-	-	-

【重症度別集計】表

		平均	病院コード				
			9017	9018	9019	9020	9021
脳梗塞	JCS 200-300	33.7	-	-	-	-	-
	不明	N/A	-	-	-	-	-
	計	24.9	-	-	-	-	-
脳出血	(人)	667	-	-	-	-	-
	JCS 0-1	26.5	-	-	-	-	-
	JCS 2-3	33.5	-	-	-	-	-
	JCS 10-100	47.8	-	-	-	-	-
	JCS 200-300	37.1	-	-	-	-	-
	不明	N/A	-	-	-	-	-
	計	33.7	-	-	-	-	-
糖尿病	(人)	855	-	-	-	-	-
	軽症	16.7	-	-	-	-	-
	中等症	30.3	-	-	-	-	-
	重症	20.7	-	-	-	-	-
	計	18.6	-	-	-	-	-
大腿骨頸部骨折	(人)	648	-	-	-	-	-
	重症度Ⅰ	34.3	-	-	-	-	-
	重症度Ⅱ	36.4	-	-	-	-	-
	重症度Ⅲ	36.7	-	-	-	-	-
	重症度Ⅳ	34.5	-	-	-	-	-
	計	35.1	-	-	-	-	-
胃潰瘍	(人)	252	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	12.5	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	15.2	-	-	-	-	-
	計	13.3	-	-	-	-	-
急性腸炎	(人)	896	-	-	-	-	-
	血便なし	6.3	-	-	-	-	-
	血便あり	7.2	-	-	-	-	-
	計	6.3	-	-	-	-	-
急性虫垂炎	(人)	703	-	-	-	-	-
	白血球15000/mm3未満	7.2	-	-	-	-	-
	白血球15000/mm3以上	7.5	-	-	-	-	-
	計	7.3	-	-	-	-	-
胆石症	(人)	1,413	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.4	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	26.3	-	-	-	-	-
	計	12.2	-	-	-	-	-
前立腺肥大症	(人)	189	-	-	-	-	-
	前立腺容積20ml未満	10.0	-	-	-	-	-
	前立腺容積50ml未満	11.7	-	-	-	-	-
	前立腺容積50ml以上	10.0	-	-	-	-	-
	計	9.8	-	-	-	-	-
白内障	(人)	1,194	-	-	-	-	-
	1眼(処置対象のもの)	3.2	-	-	-	-	-
	2眼(処置対象のもの)	6.7	-	-	-	-	-
	計	4.5	-	-	-	-	-
痔核	(人)	140	-	-	-	-	-
	第一度(出血のみ)	6.2	-	-	-	-	-
	第二度(還納可能)	6.6	-	-	-	-	-
	第三度(脱肛)	7.8	-	-	-	-	-
	計	7.0	-	-	-	-	-
子宮筋腫	(人)	476	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	9.6	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	8.7	-	-	-	-	-
	計	9.4	-	-	-	-	-
狭心症	(人)	2,070	-	-	-	-	-
	重症度の指標なし	4.8	-	-	-	-	-
腎結石及び尿管結石	(人)	632	-	-	-	-	-
	水腎・水尿管なし	3.5	-	-	-	-	-
	水腎・水尿管あり	5.4	-	-	-	-	-

【重症度別集計】表

		平均	病院コード				
			9017	9018	9019	9020	9021
腎結石及び尿管結石	不明	4.2	-	-	-	-	-
	計	4.4	-	-	-	-	-
乳房の悪性新生物	(人)	576	-	-	-	-	-
	ステージ0	8.1	-	-	-	-	
	ステージI	9.1	-	-	-	-	
	ステージII	10.1	-	-	-	-	
	ステージIII	11.6	-	-	-	-	
	ステージIV	25.7	-	-	-	-	
	不明	11.0	-	-	-	-	
	計	11.5	-	-	-	-	
膝関節症	(人)	386	-	-	-	-	
	骨移植なし	22.5	-	-	-	-	
	骨移植あり	16.5	-	-	-	-	
	不明	34.7	-	-	-	-	
	計	23.4	-	-	-	-	
鼠径ヘルニア	(人)	912	-	-	-	-	
	重症度の指標なし	5.5	-	-	-	-	
	計	5.5	-	-	-	-	
全疾患合計		13.9	-	-	-	-	
集計病院数		17					