

【重症度別集計】表

絞込条件

対象年月設定: 201404 ~ 201503
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 平均在院日数

(単位:日)	平均	病院コード							
		0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物 (人)	696	73	1	2	130	61	44	190	6
ステージ0	10.1	10.0	N/A	4.0	8.5	10.2	N/A	N/A	N/A
ステージI	16.4	27.3	N/A	N/A	12.4	28.9	22.5	14.7	N/A
ステージII	19.7	21.5	N/A	N/A	33.8	30.8	18.2	13.2	N/A
ステージIII	20.1	21.1	N/A	N/A	17.9	31.8	18.5	14.7	N/A
ステージIV	15.2	11.4	N/A	N/A	10.5	22.3	17.5	14.3	N/A
不明	21.7	22.1	2.0	19.0	12.3	20.0	N/A	13.3	56.0
計	17.0	19.2	2.0	11.5	13.9	25.4	18.7	14.2	56.0
結腸の悪性新生物 (人)	866	89	0	13	119	258	20	157	5
ステージ0	9.5	6.5	N/A	N/A	8.4	15.5	N/A	10.7	N/A
ステージI	14.1	13.4	N/A	N/A	14.9	22.9	15.0	15.0	N/A
ステージII	18.5	25.5	N/A	3.0	21.8	10.9	25.7	17.9	N/A
ステージIII	14.8	16.2	N/A	4.0	16.6	9.3	16.0	15.3	N/A
ステージIV	17.3	18.5	N/A	N/A	16.6	7.1	30.9	15.9	475.0
不明	13.0	6.3	N/A	22.4	5.0	4.7	18.0	18.3	9.8
計	16.1	16.2	N/A	19.5	17.0	9.2	24.7	16.2	102.8
直腸の悪性新生物 (人)	453	20	0	1	90	96	8	71	3
ステージ0	10.1	2.0	N/A	N/A	14.7	3.0	31.0	10.8	N/A
ステージI	18.3	30.7	N/A	N/A	9.0	19.7	N/A	11.0	N/A
ステージII	19.3	25.5	N/A	N/A	19.6	25.0	15.0	17.3	N/A
ステージIII	15.9	15.5	N/A	N/A	21.2	6.2	23.5	21.3	N/A
ステージIV	14.9	2.0	N/A	N/A	19.2	12.1	21.0	15.8	N/A
不明	9.9	3.0	N/A	3.0	N/A	N/A	9.0	N/A	19.0
計	16.0	15.6	N/A	3.0	18.2	10.9	20.6	16.8	19.0
気管支および肺の悪性新生物 (人)	783	28	1	10	127	38	27	257	15
ステージ0	6.3	N/A	N/A	N/A	N/A	N/A	N/A	8.0	N/A
ステージI	9.7	N/A	N/A	N/A	7.5	8.3	19.9	13.4	N/A
ステージII	8.3	N/A	N/A	N/A	14.6	5.4	53.0	9.8	N/A
ステージIII	12.6	12.0	N/A	N/A	9.2	13.3	17.0	16.0	N/A
ステージIV	17.3	22.2	N/A	11.0	13.1	19.2	30.8	19.6	N/A
不明	6.3	21.2	3.0	25.0	3.1	2.0	2.1	3.4	5.6
計	12.5	20.5	3.0	22.2	9.4	13.3	19.3	14.4	5.6
急性心筋梗塞 (人)	266	15	1	0	63	39	7	54	0
Killip I	11.9	9.5	N/A	N/A	12.1	13.5	N/A	10.9	N/A
Killip II	17.0	10.5	N/A	N/A	18.8	18.1	22.0	12.8	N/A
Killip III	27.2	17.0	N/A	N/A	20.8	74.0	24.3	13.0	N/A
Killip IV	15.2	N/A	1.0	N/A	6.6	19.7	15.0	23.9	N/A
不明	5.6	N/A	N/A	N/A	10.0	N/A	N/A	2.7	N/A
計	15.5	10.3	1.0	N/A	13.7	19.4	22.0	13.5	N/A
肺炎 (人)	2,889	176	33	165	235	96	199	226	104
軽症	12.0	13.1	9.3	15.2	8.7	12.0	12.6	13.3	14.2
中等症	18.5	18.8	26.0	25.6	8.6	16.1	18.9	15.3	21.6
重症	19.7	18.5	27.4	21.6	12.5	15.1	23.3	17.4	24.2
不明	9.8	27.0	N/A	N/A	N/A	N/A	N/A	7.1	41.0
計	14.3	16.4	22.2	18.4	11.5	13.8	19.7	11.9	21.7
喘息 (人)	916	12	1	28	73	0	12	82	2
軽症間欠型	5.9	9.7	21.0	11.8	10.2	N/A	8.8	4.6	N/A
軽症持続型	6.1	11.0	N/A	11.9	6.6	N/A	10.7	N/A	N/A
中等症持続型	7.0	6.0	N/A	9.2	6.2	N/A	N/A	6.8	N/A
重症持続型	7.6	N/A	N/A	N/A	4.0	N/A	N/A	7.9	N/A
不明	7.1	N/A	N/A	N/A	3.0	N/A	N/A	9.0	9.5
計	6.4	9.5	21.0	10.6	6.8	N/A	9.9	7.1	9.5
脳梗塞 (人)	1,365	111	453	5	190	6	74	95	34
JCS 0-1	18.7	19.1	17.8	30.5	17.4	9.8	21.6	18.8	18.5
JCS 2-3	27.3	26.5	26.6	N/A	28.4	N/A	14.3	32.8	N/A
JCS 10-100	33.1	25.8	35.8	47.5	35.9	N/A	41.4	30.1	26.4

【重症度別集計】表

	(単位:日)	平均	病院コード								
			1009	1012	1013	1015	1018	1019	1025	1039	
胃の悪性新生物	(人)	696	-	49	0	13	-	-	-	-	78
ステージ0		10.1	-	20.0	N/A	13.5	-	-	-	-	N/A
ステージI		16.4	-	17.8	N/A	27.0	-	-	-	-	9.0
ステージII		19.7	-	24.5	N/A	35.0	-	-	-	-	15.0
ステージIII		20.1	-	47.0	N/A	N/A	-	-	-	-	19.1
ステージIV		15.2	-	14.7	N/A	31.7	-	-	-	-	18.7
不明		21.7	-	3.5	N/A	29.0	-	-	-	-	7.5
計		17.0	-	19.0	N/A	28.2	-	-	-	-	13.7
結腸の悪性新生物	(人)	866	-	50	0	15	-	-	-	-	94
ステージ0		9.5	-	4.0	N/A	N/A	-	-	-	-	5.7
ステージI		14.1	-	9.8	N/A	2.0	-	-	-	-	9.5
ステージII		18.5	-	24.2	N/A	93.5	-	-	-	-	22.4
ステージIII		14.8	-	18.9	N/A	60.0	-	-	-	-	21.8
ステージIV		17.3	-	18.9	N/A	40.8	-	-	-	-	26.5
不明		13.0	-	29.0	N/A	33.0	-	-	-	-	6.0
計		16.1	-	17.1	N/A	45.7	-	-	-	-	18.8
直腸の悪性新生物	(人)	453	-	21	0	16	-	-	-	-	66
ステージ0		10.1	-	3.5	N/A	N/A	-	-	-	-	N/A
ステージI		18.3	-	12.3	N/A	142.0	-	-	-	-	10.9
ステージII		19.3	-	32.5	N/A	11.6	-	-	-	-	21.8
ステージIII		15.9	-	N/A	N/A	19.0	-	-	-	-	22.8
ステージIV		14.9	-	22.8	N/A	45.0	-	-	-	-	18.5
不明		9.9	-	8.0	N/A	4.0	-	-	-	-	4.0
計		16.0	-	19.1	N/A	21.8	-	-	-	-	19.2
気管支および肺の悪性新生物	(人)	783	-	15	157	5	-	-	-	-	95
ステージ0		6.3	-	N/A	3.0	N/A	-	-	-	-	N/A
ステージI		9.7	-	28.0	5.0	N/A	-	-	-	-	8.6
ステージII		8.3	-	3.0	3.8	N/A	-	-	-	-	16.7
ステージIII		12.6	-	N/A	5.2	N/A	-	-	-	-	23.4
ステージIV		17.3	-	24.3	15.2	11.5	-	-	-	-	14.5
不明		6.3	-	5.7	N/A	10.0	-	-	-	-	3.6
計		12.5	-	19.4	7.8	10.6	-	-	-	-	13.7
急性心筋梗塞	(人)	266	-	42	0	3	-	-	-	-	39
Killip I		11.9	-	12.2	N/A	13.0	-	-	-	-	11.9
Killip II		17.0	-	22.6	N/A	1.0	-	-	-	-	21.2
Killip III		27.2	-	40.0	N/A	N/A	-	-	-	-	8.0
Killip IV		15.2	-	12.9	N/A	1.0	-	-	-	-	20.3
不明		5.6	-	N/A	N/A	N/A	-	-	-	-	N/A
計		15.5	-	20.6	N/A	5.0	-	-	-	-	14.8
肺炎	(人)	2,889	-	236	73	311	-	-	-	-	849
軽症		12.0	-	9.6	20.0	14.8	-	-	-	-	9.1
中等症		18.5	-	17.9	N/A	18.5	-	-	-	-	15.3
重症		19.7	-	25.1	20.2	34.5	-	-	-	-	15.6
不明		9.8	-	N/A	N/A	6.4	-	-	-	-	10.5
計		14.3	-	15.9	20.2	13.9	-	-	-	-	10.7
喘息	(人)	916	-	50	15	39	-	-	-	-	578
軽症間欠型		5.9	-	5.7	3.3	6.6	-	-	-	-	5.1
軽症持続型		6.1	-	5.6	11.3	7.6	-	-	-	-	5.3
中等症持続型		7.0	-	9.6	13.5	19.0	-	-	-	-	5.1
重症持続型		7.6	-	12.8	10.0	14.0	-	-	-	-	6.8
不明		7.1	-	N/A	N/A	N/A	-	-	-	-	6.0
計		6.4	-	6.9	10.3	7.3	-	-	-	-	5.4
脳梗塞	(人)	1,365	-	100	0	53	-	-	-	-	182
JCS 0-1		18.7	-	20.8	N/A	26.5	-	-	-	-	18.1
JCS 2-3		27.3	-	38.3	N/A	27.4	-	-	-	-	24.1
JCS 10-100		33.1	-	32.6	N/A	48.0	-	-	-	-	25.7

【重症度別集計】表

	(単位:日)	平均	病院コード							
			1041	1046	1047	1049	1058	1069	1129	1133
胃の悪性新生物	(人)	696	-	4	-	-	-	45	-	-
ステージ0		10.1	-	N/A	-	-	-	7.7	-	-
ステージI		16.4	-	N/A	-	-	-	20.6	-	-
ステージII		19.7	-	N/A	-	-	-	13.0	-	-
ステージIII		20.1	-	13.0	-	-	-	46.0	-	-
ステージIV		15.2	-	12.0	-	-	-	18.2	-	-
不明		21.7	-	13.0	-	-	-	45.0	-	-
計		17.0	-	12.8	-	-	-	17.6	-	-
結腸の悪性新生物	(人)	866	-	2	-	-	-	44	-	-
ステージ0		9.5	-	N/A	-	-	-	19.3	-	-
ステージI		14.1	-	N/A	-	-	-	14.3	-	-
ステージII		18.5	-	N/A	-	-	-	14.3	-	-
ステージIII		14.8	-	23.0	-	-	-	14.4	-	-
ステージIV		17.3	-	N/A	-	-	-	29.6	-	-
不明		13.0	-	36.0	-	-	-	N/A	-	-
計		16.1	-	29.5	-	-	-	21.3	-	-
直腸の悪性新生物	(人)	453	-	1	-	-	-	60	-	-
ステージ0		10.1	-	N/A	-	-	-	9.0	-	-
ステージI		18.3	-	N/A	-	-	-	41.8	-	-
ステージII		19.3	-	N/A	-	-	-	N/A	-	-
ステージIII		15.9	-	N/A	-	-	-	14.8	-	-
ステージIV		14.9	-	25.0	-	-	-	7.2	-	-
不明		9.9	-	N/A	-	-	-	23.0	-	-
計		16.0	-	25.0	-	-	-	12.9	-	-
気管支および肺の悪性新生物	(人)	783	-	4	-	-	-	4	-	-
ステージ0		6.3	-	N/A	-	-	-	N/A	-	-
ステージI		9.7	-	N/A	-	-	-	37.0	-	-
ステージII		8.3	-	N/A	-	-	-	N/A	-	-
ステージIII		12.6	-	N/A	-	-	-	N/A	-	-
ステージIV		17.3	-	11.0	-	-	-	17.0	-	-
不明		6.3	-	15.3	-	-	-	23.0	-	-
計		12.5	-	14.3	-	-	-	23.5	-	-
急性心筋梗塞	(人)	266	-	3	-	-	-	0	-	-
Killip I		11.9	-	N/A	-	-	-	N/A	-	-
Killip II		17.0	-	4.0	-	-	-	N/A	-	-
Killip III		27.2	-	N/A	-	-	-	N/A	-	-
Killip IV		15.2	-	1.0	-	-	-	N/A	-	-
不明		5.6	-	N/A	-	-	-	N/A	-	-
計		15.5	-	2.0	-	-	-	N/A	-	-
肺炎	(人)	2,889	-	73	-	-	-	113	-	-
軽症		12.0	-	11.6	-	-	-	9.9	-	-
中等症		18.5	-	14.1	-	-	-	18.5	-	-
重症		19.7	-	17.0	-	-	-	19.0	-	-
不明		9.8	-	N/A	-	-	-	N/A	-	-
計		14.3	-	15.0	-	-	-	17.7	-	-
喘息	(人)	916	-	2	-	-	-	22	-	-
軽症間欠型		5.9	-	5.5	-	-	-	12.0	-	-
軽症持続型		6.1	-	N/A	-	-	-	15.9	-	-
中等症持続型		7.0	-	N/A	-	-	-	13.9	-	-
重症持続型		7.6	-	N/A	-	-	-	18.0	-	-
不明		7.1	-	N/A	-	-	-	8.5	-	-
計		6.4	-	5.5	-	-	-	14.3	-	-
脳梗塞	(人)	1,365	-	56	-	-	-	6	-	-
JCS 0-1		18.7	-	15.9	-	-	-	118.0	-	-
JCS 2-3		27.3	-	13.5	-	-	-	117.0	-	-
JCS 10-100		33.1	-	23.7	-	-	-	22.0	-	-

【重症度別集計】表

	(単位:日)	平均	病院コード		
			9019	9020	9021
胃の悪性新生物	(人)	696	-	-	-
ステージ0		10.1	-	-	-
ステージI		16.4	-	-	-
ステージII		19.7	-	-	-
ステージIII		20.1	-	-	-
ステージIV		15.2	-	-	-
不明		21.7	-	-	-
計		17.0	-	-	-
結腸の悪性新生物	(人)	866	-	-	-
ステージ0		9.5	-	-	-
ステージI		14.1	-	-	-
ステージII		18.5	-	-	-
ステージIII		14.8	-	-	-
ステージIV		17.3	-	-	-
不明		13.0	-	-	-
計		16.1	-	-	-
直腸の悪性新生物	(人)	453	-	-	-
ステージ0		10.1	-	-	-
ステージI		18.3	-	-	-
ステージII		19.3	-	-	-
ステージIII		15.9	-	-	-
ステージIV		14.9	-	-	-
不明		9.9	-	-	-
計		16.0	-	-	-
気管支および肺の悪性新生物	(人)	783	-	-	-
ステージ0		6.3	-	-	-
ステージI		9.7	-	-	-
ステージII		8.3	-	-	-
ステージIII		12.6	-	-	-
ステージIV		17.3	-	-	-
不明		6.3	-	-	-
計		12.5	-	-	-
急性心筋梗塞	(人)	266	-	-	-
Killip I		11.9	-	-	-
Killip II		17.0	-	-	-
Killip III		27.2	-	-	-
Killip IV		15.2	-	-	-
不明		5.6	-	-	-
計		15.5	-	-	-
肺炎	(人)	2,889	-	-	-
軽症		12.0	-	-	-
中等症		18.5	-	-	-
重症		19.7	-	-	-
不明		9.8	-	-	-
計		14.3	-	-	-
喘息	(人)	916	-	-	-
軽症間欠型		5.9	-	-	-
軽症持続型		6.1	-	-	-
中等症持続型		7.0	-	-	-
重症持続型		7.6	-	-	-
不明		7.1	-	-	-
計		6.4	-	-	-
脳梗塞	(人)	1,365	-	-	-
JCS 0-1		18.7	-	-	-
JCS 2-3		27.3	-	-	-
JCS 10-100		33.1	-	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	28.9	41.0	44.2	21.0	14.8	2.0	10.1	20.0	19.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	22.1	21.4	22.6	35.4	21.2	8.5	22.7	20.7	20.4
脳出血	(人)	586	34	169	2	135	2	24	36	7
	JCS 0-1	22.9	20.4	28.7	N/A	25.4	27.0	13.2	8.8	13.2
	JCS 2-3	35.7	24.2	46.5	N/A	28.8	1.0	33.7	5.3	N/A
	JCS 10-100	40.6	24.2	31.3	N/A	36.7	N/A	53.3	N/A	N/A
	JCS 200-300	20.8	17.0	14.4	1.5	25.6	N/A	8.4	14.4	93.0
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	28.4	21.6	31.6	1.5	28.6	14.0	27.7	9.6	24.6
糖尿病	(人)	585	78	12	9	60	66	15	39	30
	軽症	21.3	15.7	12.0	334.8	13.7	18.3	11.3	15.3	N/A
	中等症	17.7	17.9	15.7	5.0	12.4	19.0	15.0	30.6	N/A
	重症	20.9	12.9	N/A	25.0	18.6	77.2	32.0	17.8	N/A
	不明	15.8	31.0	N/A	N/A	N/A	N/A	N/A	N/A	15.3
	計	20.3	15.8	13.8	229.3	14.2	22.9	14.7	19.5	15.3
大腿骨頸部骨折	(人)	511	140	0	1	114	3	2	36	21
	重症度Ⅰ	26.0	26.0	N/A	N/A	20.5	3.0	N/A	26.9	N/A
	重症度Ⅱ	30.5	30.3	N/A	N/A	20.5	27.0	N/A	29.9	N/A
	重症度Ⅲ	32.0	27.1	N/A	N/A	17.0	N/A	N/A	34.6	N/A
	重症度Ⅳ	28.3	16.4	N/A	N/A	22.8	N/A	N/A	19.0	N/A
	不明	22.6	23.0	N/A	32.0	N/A	N/A	8.5	N/A	24.7
	計	28.5	26.5	N/A	32.0	19.8	19.0	8.5	29.3	24.7
胃潰瘍	(人)	202	35	0	6	31	9	8	44	5
	ショックなし(収縮期血圧90mmHg以上)	10.9	10.1	N/A	9.3	8.7	18.5	14.1	7.2	7.0
	ショックあり(収縮期血圧90mmHg未満)	15.5	22.0	N/A	N/A	12.7	26.0	N/A	9.3	N/A
	不明	12.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12.0
	計	11.5	11.4	N/A	9.3	9.1	19.3	14.1	7.5	8.0
急性腸炎	(人)	701	92	2	15	51	18	51	60	15
	血便なし	6.1	5.4	5.5	9.1	6.3	4.7	8.3	6.4	6.1
	血便あり	8.1	7.5	N/A	10.0	6.2	17.3	7.6	13.0	N/A
	不明	6.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6.6
	計	6.2	5.5	5.5	9.2	6.3	6.8	8.2	6.8	6.3
急性虫垂炎	(人)	522	78	0	2	109	30	28	66	1
	白血球15000/mm3未満	7.1	7.2	N/A	2.0	6.6	12.6	8.3	6.7	3.0
	白血球15000/mm3以上	7.3	7.6	N/A	N/A	6.3	10.8	7.6	6.6	N/A
	不明	3.5	N/A	N/A	2.0	N/A	N/A	N/A	N/A	N/A
	計	7.2	7.3	N/A	2.0	6.5	12.0	8.1	6.7	3.0
胆石症	(人)	1,108	120	1	17	221	110	46	225	11
	黄疸なし(T Bill 5mg/dl 未満)	11.8	10.2	5.0	26.2	8.8	20.1	9.8	9.5	16.5
	黄疸あり(T Bill 5mg/dl 以上)	17.6	15.6	N/A	7.0	12.2	21.0	10.5	18.2	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	12.2	10.7	5.0	25.1	8.9	20.2	9.9	10.1	16.5
前立腺肥大症	(人)	95	33	0	0	0	10	2	36	0
	前立腺容積20ml未満	10.5	11.0	N/A	N/A	N/A	13.0	N/A	3.0	N/A
	前立腺容積50ml未満	11.4	10.8	N/A	N/A	N/A	8.4	N/A	13.5	N/A
	前立腺容積50ml以上	12.0	10.3	N/A	N/A	N/A	14.0	N/A	12.7	N/A
	不明	8.2	8.0	N/A	N/A	N/A	12.7	2.0	N/A	N/A
	計	11.1	10.8	N/A	N/A	N/A	10.7	2.0	12.7	N/A
白内障	(人)	679	274	0	2	0	0	0	0	0
	1眼(処置対象のもの)	3.0	2.7	N/A	2.0	N/A	N/A	N/A	N/A	N/A
	2眼(処置対象のもの)	2.7	2.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	3.0	2.7	N/A	2.0	N/A	N/A	N/A	N/A	N/A
痔核	(人)	74	3	0	2	5	42	5	11	0
	第一度(出血のみ)	6.6	10.7	N/A	2.5	4.7	12.0	N/A	3.0	N/A
	第二度(還納可能)	10.3	N/A	N/A	N/A	3.0	12.6	6.5	14.0	N/A
	第三度(脱肛)	8.8	N/A	N/A	N/A	3.0	10.3	7.0	7.0	N/A
	不明	9.0	N/A	N/A	N/A	N/A	9.0	N/A	N/A	N/A
	計	8.5	10.7	N/A	2.5	4.0	10.7	6.8	5.8	N/A
子宮筋腫	(人)	142	51	0	0	0	0	0	4	0
	貧血なし(Hb10g/dl以上)	7.3	7.6	N/A	N/A	N/A	N/A	N/A	8.0	N/A
	貧血あり(Hb10g/dl未満)	7.3	6.1	N/A	N/A	N/A	N/A	N/A	8.5	N/A
	不明	9.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	計	7.3	7.2	N/A	N/A	N/A	N/A	N/A	8.3	N/A
狭心症	(人)	1,963	264	29	2	356	178	170	535	7
	重症度の指標なし	4.5	3.4	4.0	12.5	6.3	6.6	3.5	3.3	5.7
	計	4.5	3.4	4.0	12.5	6.3	6.6	3.5	3.3	5.7
腎結石及び尿管結石	(人)	487	194	0	1	10	88	0	82	0
	水腎・水尿管なし	4.3	2.5	N/A	N/A	18.7	2.9	N/A	2.8	N/A
	水腎・水尿管あり	4.1	2.8	N/A	4.0	23.0	3.3	N/A	3.3	N/A

【重症度別集計】表

		平均	病院コード							
			1009	1012	1013	1015	1018	1019	1025	1039
脳梗塞	JCS 200-300	28.9	-	70.7	N/A	35.7	-	-	-	13.0
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	22.1	-	25.8	N/A	29.7	-	-	-	19.0
脳出血	(人)	586	-	60	0	8	-	-	-	91
	JCS 0-1	22.9	-	22.5	N/A	34.5	-	-	-	24.6
	JCS 2-3	35.7	-	32.3	N/A	30.5	-	-	-	33.6
	JCS 10-100	40.6	-	50.5	N/A	34.5	-	-	-	44.4
	JCS 200-300	20.8	-	36.8	N/A	N/A	-	-	-	22.0
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	28.4	-	32.6	N/A	32.5	-	-	-	29.8
糖尿病	(人)	585	-	24	1	64	-	-	-	135
	軽症	21.3	-	13.0	N/A	10.5	-	-	-	18.6
	中等症	17.7	-	17.7	N/A	7.4	-	-	-	33.6
	重症	20.9	-	17.0	11.0	17.2	-	-	-	5.5
	不明	15.8	-	N/A	N/A	N/A	-	-	-	8.0
	計	20.3	-	14.5	11.0	10.9	-	-	-	19.7
大腿骨頸部骨折	(人)	511	-	29	0	77	-	-	-	62
	重症度Ⅰ	26.0	-	29.6	N/A	29.5	-	-	-	34.2
	重症度Ⅱ	30.5	-	32.0	N/A	40.6	-	-	-	45.0
	重症度Ⅲ	32.0	-	33.8	N/A	39.7	-	-	-	55.3
	重症度Ⅳ	28.3	-	30.3	N/A	34.9	-	-	-	N/A
	不明	22.6	-	N/A	N/A	2.0	-	-	-	N/A
	計	28.5	-	31.8	N/A	35.5	-	-	-	43.4
胃潰瘍	(人)	202	-	16	0	13	-	-	-	11
	ショックなし(収縮期血圧90mmHg以上)	10.9	-	13.8	N/A	15.6	-	-	-	7.4
	ショックあり(収縮期血圧90mmHg未満)	15.5	-	13.3	N/A	22.0	-	-	-	N/A
	不明	12.0	-	N/A	N/A	N/A	-	-	-	N/A
	計	11.5	-	13.8	N/A	16.1	-	-	-	7.4
急性腸炎	(人)	701	-	81	0	63	-	-	-	170
	血便なし	6.1	-	5.3	N/A	6.9	-	-	-	5.2
	血便あり	8.1	-	2.0	N/A	8.0	-	-	-	5.2
	不明	6.1	-	N/A	N/A	N/A	-	-	-	N/A
	計	6.2	-	5.2	N/A	7.1	-	-	-	5.2
急性虫垂炎	(人)	522	-	33	0	25	-	-	-	119
	白血球15000/mm3未満	7.1	-	12.4	N/A	8.0	-	-	-	5.0
	白血球15000/mm3以上	7.3	-	9.1	N/A	10.9	-	-	-	5.4
	不明	3.5	-	N/A	N/A	N/A	-	-	-	5.0
	計	7.2	-	10.7	N/A	8.9	-	-	-	5.2
胆石症	(人)	1,108	-	76	0	42	-	-	-	167
	黄疸なし(T Bill 5mg/dl 未満)	11.8	-	12.9	N/A	22.9	-	-	-	10.2
	黄疸あり(T Bill 5mg/dl 以上)	17.6	-	12.5	N/A	35.4	-	-	-	13.2
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	12.2	-	12.9	N/A	24.4	-	-	-	10.4
前立腺肥大症	(人)	95	-	0	0	1	-	-	-	13
	前立腺容積20ml未満	10.5	-	N/A	N/A	N/A	-	-	-	7.0
	前立腺容積50ml未満	11.4	-	N/A	N/A	N/A	-	-	-	10.3
	前立腺容積50ml以上	12.0	-	N/A	N/A	N/A	-	-	-	9.0
	不明	8.2	-	N/A	N/A	3.0	-	-	-	10.5
	計	11.1	-	N/A	N/A	3.0	-	-	-	9.7
白内障	(人)	679	-	196	0	193	-	-	-	14
	1眼(処置対象のもの)	3.0	-	3.8	N/A	2.7	-	-	-	2.5
	2眼(処置対象のもの)	2.7	-	5.0	N/A	N/A	-	-	-	2.7
	不明	N/A	-	N/A	N/A	N/A	-	-	-	N/A
	計	3.0	-	3.8	N/A	2.7	-	-	-	2.6
痔核	(人)	74	-	3	0	3	-	-	-	0
	第一度(出血のみ)	6.6	-	4.0	N/A	N/A	-	-	-	N/A
	第二度(還納可能)	10.3	-	N/A	N/A	N/A	-	-	-	N/A
	第三度(脱肛)	8.8	-	4.5	N/A	3.3	-	-	-	N/A
	不明	9.0	-	N/A	N/A	N/A	-	-	-	N/A
	計	8.5	-	4.3	N/A	3.3	-	-	-	N/A
子宮筋腫	(人)	142	-	40	0	0	-	-	-	47
	貧血なし(Hb10g/dl以上)	7.3	-	6.6	N/A	N/A	-	-	-	7.7
	貧血あり(Hb10g/dl未満)	7.3	-	6.5	N/A	N/A	-	-	-	8.7
	不明	9.0	-	N/A	N/A	N/A	-	-	-	9.0
	計	7.3	-	6.5	N/A	N/A	-	-	-	8.1
狭心症	(人)	1,963	-	118	0	4	-	-	-	300
	重症度の指標なし	4.5	-	4.6	N/A	10.3	-	-	-	4.8
	計	4.5	-	4.6	N/A	10.3	-	-	-	4.8
腎結石及び尿管結石	(人)	487	-	7	0	3	-	-	-	101
	水腎・水尿管なし	4.3	-	1.8	N/A	4.5	-	-	-	7.6
	水腎・水尿管あり	4.1	-	7.7	N/A	3.0	-	-	-	7.9

【重症度別集計】表

		平均	病院コード							
			1041	1046	1047	1049	1058	1069	1129	1133
脳梗塞	JCS 200-300	28.9	-	N/A	-	-	-	68.5	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	22.1	-	16.7	-	-	-	69.3	-	-
脳出血	(人)	586	-	16	-	-	-	2	-	-
	JCS 0-1	22.9	-	16.5	-	-	-	N/A	-	-
	JCS 2-3	35.7	-	43.0	-	-	-	N/A	-	-
	JCS 10-100	40.6	-	40.0	-	-	-	146.0	-	-
	JCS 200-300	20.8	-	N/A	-	-	-	N/A	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
	計	28.4	-	19.6	-	-	-	146.0	-	-
糖尿病	(人)	585	-	21	-	-	-	31	-	-
	軽症	21.3	-	14.0	-	-	-	19.6	-	-
	中等症	17.7	-	16.0	-	-	-	21.5	-	-
	重症	20.9	-	2.8	-	-	-	21.3	-	-
	不明	15.8	-	N/A	-	-	-	24.0	-	-
	計	20.3	-	12.1	-	-	-	20.3	-	-
大腿骨頸部骨折	(人)	511	-	25	-	-	-	1	-	-
	重症度Ⅰ	26.0	-	24.3	-	-	-	N/A	-	-
	重症度Ⅱ	30.5	-	20.9	-	-	-	N/A	-	-
	重症度Ⅲ	32.0	-	23.1	-	-	-	N/A	-	-
	重症度Ⅳ	28.3	-	N/A	-	-	-	N/A	-	-
	不明	22.6	-	23.0	-	-	-	17.0	-	-
計	28.5	-	22.0	-	-	-	17.0	-	-	
胃潰瘍	(人)	202	-	0	-	-	-	24	-	-
	ショックなし(収縮期血圧90mmHg以上)	10.9	-	N/A	-	-	-	17.2	-	-
	ショックあり(収縮期血圧90mmHg未満)	15.5	-	N/A	-	-	-	17.0	-	-
	不明	12.0	-	N/A	-	-	-	N/A	-	-
計	11.5	-	N/A	-	-	-	17.2	-	-	
急性腸炎	(人)	701	-	12	-	-	-	71	-	-
	血便なし	6.1	-	4.8	-	-	-	7.3	-	-
	血便あり	8.1	-	4.0	-	-	-	8.0	-	-
	不明	6.1	-	3.0	-	-	-	N/A	-	-
計	6.2	-	4.6	-	-	-	7.3	-	-	
急性虫垂炎	(人)	522	-	0	-	-	-	31	-	-
	白血球15000/mm3未満	7.1	-	N/A	-	-	-	7.8	-	-
	白血球15000/mm3以上	7.3	-	N/A	-	-	-	7.7	-	-
	不明	3.5	-	N/A	-	-	-	N/A	-	-
計	7.2	-	N/A	-	-	-	7.7	-	-	
胆石症	(人)	1,108	-	1	-	-	-	71	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.8	-	11.0	-	-	-	13.0	-	-
	黄疸あり(T Bill 5mg/dl 以上)	17.6	-	N/A	-	-	-	17.9	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
計	12.2	-	11.0	-	-	-	13.6	-	-	
前立腺肥大症	(人)	95	-	0	-	-	-	0	-	-
	前立腺容積20ml未満	10.5	-	N/A	-	-	-	N/A	-	-
	前立腺容積50ml未満	11.4	-	N/A	-	-	-	N/A	-	-
	前立腺容積50ml以上	12.0	-	N/A	-	-	-	N/A	-	-
	不明	8.2	-	N/A	-	-	-	N/A	-	-
計	11.1	-	N/A	-	-	-	N/A	-	-	
白内障	(人)	679	-	0	-	-	-	0	-	-
	1眼(処置対象のもの)	3.0	-	N/A	-	-	-	N/A	-	-
	2眼(処置対象のもの)	2.7	-	N/A	-	-	-	N/A	-	-
	不明	N/A	-	N/A	-	-	-	N/A	-	-
計	3.0	-	N/A	-	-	-	N/A	-	-	
痔核	(人)	74	-	0	-	-	-	0	-	-
	第一度(出血のみ)	6.6	-	N/A	-	-	-	N/A	-	-
	第二度(還納可能)	10.3	-	N/A	-	-	-	N/A	-	-
	第三度(脱肛)	8.8	-	N/A	-	-	-	N/A	-	-
	不明	9.0	-	N/A	-	-	-	N/A	-	-
計	8.5	-	N/A	-	-	-	N/A	-	-	
子宮筋腫	(人)	142	-	0	-	-	-	0	-	-
	貧血なし(Hb10g/dl以上)	7.3	-	N/A	-	-	-	N/A	-	-
	貧血あり(Hb10g/dl未満)	7.3	-	N/A	-	-	-	N/A	-	-
	不明	9.0	-	N/A	-	-	-	N/A	-	-
計	7.3	-	N/A	-	-	-	N/A	-	-	
狭心症	(人)	1,963	-	0	-	-	-	0	-	-
	重症度の指標なし	4.5	-	N/A	-	-	-	N/A	-	-
計	4.5	-	N/A	-	-	-	N/A	-	-	
腎結石及び尿管結石	(人)	487	-	0	-	-	-	1	-	-
	水腎・水尿管なし	4.3	-	N/A	-	-	-	N/A	-	-
	水腎・水尿管あり	4.1	-	N/A	-	-	-	1.0	-	-

【重症度別集計】表

		平均	病院コード		
			9019	9020	9021
脳梗塞	JCS 200-300	28.9	-	-	-
	不明	N/A	-	-	-
	計	22.1	-	-	-
脳出血	(人)	586	-	-	-
	JCS 0-1	22.9	-	-	-
	JCS 2-3	35.7	-	-	-
	JCS 10-100	40.6	-	-	-
	JCS 200-300	20.8	-	-	-
	計	28.4	-	-	-
糖尿病	(人)	585	-	-	-
	軽症	21.3	-	-	-
	中等症	17.7	-	-	-
	重症	20.9	-	-	-
	計	20.3	-	-	-
大腿骨頸部骨折	(人)	511	-	-	-
	重症度Ⅰ	26.0	-	-	-
	重症度Ⅱ	30.5	-	-	-
	重症度Ⅲ	32.0	-	-	-
	重症度Ⅳ	28.3	-	-	-
	計	28.5	-	-	-
胃潰瘍	(人)	202	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	10.9	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	15.5	-	-	-
	計	11.5	-	-	-
急性腸炎	(人)	701	-	-	-
	血便なし	6.1	-	-	-
	血便あり	8.1	-	-	-
	計	6.2	-	-	-
急性虫垂炎	(人)	522	-	-	-
	白血球15000/mm3未満	7.1	-	-	-
	白血球15000/mm3以上	7.3	-	-	-
	計	7.2	-	-	-
胆石症	(人)	1,108	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.8	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	17.6	-	-	-
	計	12.2	-	-	-
前立腺肥大症	(人)	95	-	-	-
	前立腺容積20ml未満	10.5	-	-	-
	前立腺容積50ml未満	11.4	-	-	-
	前立腺容積50ml以上	12.0	-	-	-
	計	11.1	-	-	-
白内障	(人)	679	-	-	-
	1眼(処置対象のもの)	3.0	-	-	-
	2眼(処置対象のもの)	2.7	-	-	-
	計	3.0	-	-	-
痔核	(人)	74	-	-	-
	第一度(出血のみ)	6.6	-	-	-
	第二度(還納可能)	10.3	-	-	-
	第三度(脱肛)	8.8	-	-	-
	計	8.5	-	-	-
子宮筋腫	(人)	142	-	-	-
	貧血なし(Hb10g/dl以上)	7.3	-	-	-
	貧血あり(Hb10g/dl未満)	7.3	-	-	-
	計	7.3	-	-	-
狭心症	(人)	1,963	-	-	-
	重症度の指標なし	4.5	-	-	-
腎結石及び尿管結石	(人)	487	-	-	-
	水腎・水尿管なし	4.3	-	-	-
	水腎・水尿管あり	4.1	-	-	-

【重症度別集計】表

(単位:日)		平均	病院コード		
			9019	9020	9021
腎結石及び尿管結石	不明	6.2	-	-	-
	計	4.3	-	-	-
乳房の悪性新生物	(人)	493	-	-	-
	ステージ0	5.6	-	-	-
	ステージI	7.5	-	-	-
	ステージII	10.0	-	-	-
	ステージIII	17.3	-	-	-
	ステージIV	21.4	-	-	-
	不明	16.3	-	-	-
	計	10.8	-	-	-
膝関節症	(人)	313	-	-	-
	骨移植なし	19.7	-	-	-
	骨移植あり	N/A	-	-	-
	不明	N/A	-	-	-
	計	19.7	-	-	-
鼠径ヘルニア	(人)	727	-	-	-
	重症度の指標なし	4.7	-	-	-
	計	4.7	-	-	-
全疾患合計		12.7	-	-	-
集計病院数		14			