

【重症度別集計】表

絞込条件

対象年月設定: 201604 ~ 201703
 病院の経営主体選択: 全て
 【詳細】病床数: 下限なし ~ 上限なし
 【詳細】手術の有無: 全て
 【詳細】ステージ集約選択: 有り
 【詳細】年代: 全て
 【詳細】性別: 全て
 【詳細】入院経路: 全て
 並べ替え条件: 病院コード・昇順

■ 平均在院日数

	(単位:日)	平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
胃の悪性新生物	(人)	578	65	41	4	62	110	30	183	-
ステージ0		8.3	11.0	N/A	N/A	7.0	8.5	N/A	N/A	-
ステージI		16.6	19.0	19.2	N/A	15.1	14.2	16.5	15.8	-
ステージII		19.5	23.5	13.4	N/A	19.7	16.3	36.0	20.6	-
ステージIII		21.8	32.8	11.8	N/A	14.1	30.0	N/A	19.4	-
ステージIV		17.9	24.7	21.9	N/A	16.0	8.6	13.9	19.7	-
不明		16.9	20.4	11.0	21.0	12.8	9.5	9.0	8.5	-
計		17.8	24.6	17.9	21.0	14.0	13.8	16.3	17.9	-
結腸の悪性新生物	(人)	946	99	31	4	180	300	42	114	-
ステージ0		11.2	11.1	26.0	N/A	10.5	14.4	N/A	7.0	-
ステージI		13.7	14.3	17.7	N/A	14.5	16.9	12.5	10.5	-
ステージII		18.4	20.2	26.0	N/A	22.8	12.4	26.1	15.0	-
ステージIII		11.8	19.4	13.2	N/A	17.0	6.8	22.5	15.8	-
ステージIV		14.2	21.2	27.5	N/A	17.8	7.2	14.8	21.0	-
不明		16.1	8.5	29.8	13.0	5.0	3.8	2.0	9.0	-
計		14.1	17.3	23.3	13.0	17.9	8.3	18.3	16.7	-
直腸の悪性新生物	(人)	523	38	18	7	110	129	12	86	-
ステージ0		10.1	9.3	N/A	N/A	12.0	6.0	N/A	18.5	-
ステージI		14.1	17.2	N/A	N/A	13.8	20.0	22.0	15.0	-
ステージII		21.7	24.9	28.6	N/A	27.3	10.1	27.7	22.7	-
ステージIII		15.4	8.8	11.5	4.0	24.3	12.9	26.0	16.5	-
ステージIV		10.4	32.8	N/A	N/A	16.7	3.4	16.0	19.7	-
不明		13.6	21.0	11.5	12.0	12.5	N/A	N/A	4.5	-
計		13.8	23.3	16.2	10.9	20.6	7.0	23.8	18.1	-
気管支および肺の悪性新生物	(人)	518	21	5	7	152	34	45	227	-
ステージ0		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
ステージI		10.3	N/A	N/A	N/A	8.6	11.4	13.4	11.9	-
ステージII		11.2	N/A	7.0	N/A	11.5	N/A	11.3	10.3	-
ステージIII		17.9	N/A	42.7	N/A	7.4	2.0	11.7	18.7	-
ステージIV		19.8	19.7	1.0	21.0	14.4	23.2	16.7	22.9	-
不明		10.3	47.7	N/A	14.5	6.3	4.5	12.7	4.0	-
計		15.4	23.7	27.2	15.4	10.4	16.2	13.4	16.9	-
急性心筋梗塞	(人)	289	14	18	0	86	66	21	61	-
Killip I		12.0	8.1	30.3	N/A	12.4	11.6	N/A	10.5	-
Killip II		15.9	13.0	22.1	N/A	18.7	10.5	13.5	18.3	-
Killip III		22.2	10.0	14.3	N/A	18.7	21.5	N/A	31.2	-
Killip IV		20.2	9.3	9.7	N/A	37.5	21.8	1.0	6.6	-
不明		6.2	2.0	N/A	N/A	6.5	N/A	3.0	13.0	-
計		14.8	8.4	20.1	N/A	17.2	13.5	12.4	13.3	-
肺炎	(人)	1,858	186	105	181	292	113	212	149	-
軽症		12.1	9.9	12.4	16.5	11.1	13.1	14.4	8.6	-
中等症		19.0	13.8	26.5	22.9	14.3	17.8	19.1	8.7	-
重症		19.7	19.0	21.3	22.9	13.5	20.9	19.8	23.6	-
不明		6.0	7.0	N/A	N/A	N/A	N/A	N/A	7.3	-
計		15.0	15.4	20.4	19.7	12.7	17.8	17.8	13.0	-
喘息	(人)	274	20	5	42	58	5	18	54	-
軽症間欠型		7.3	8.4	4.0	10.7	8.1	6.8	10.6	10.3	-
軽症持続型		8.7	6.6	N/A	9.7	7.5	5.0	10.3	N/A	-
中等症持続型		9.2	8.3	7.0	11.9	8.1	N/A	8.5	7.3	-
重症持続型		10.1	4.0	N/A	17.0	12.0	N/A	10.0	9.0	-
不明		9.0	9.0	N/A	N/A	N/A	N/A	N/A	N/A	-
計		8.6	7.7	4.6	11.2	7.8	6.4	9.8	8.4	-
脳梗塞	(人)	1,184	82	566	15	284	8	61	53	-
JCS 0-1		17.7	21.3	17.0	14.2	17.6	23.3	20.5	16.2	-
JCS 2-3		26.3	26.9	25.2	33.5	24.0	N/A	36.5	78.8	-
JCS 10-100		32.1	25.0	30.5	32.8	24.0	N/A	31.3	57.7	-

【重症度別集計】表

	(単位:日)	平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
胃の悪性新生物	(人)	578	30	-	18	-	-	-	-	4
ステージ0		8.3	N/A	-	12.5	-	-	-	-	N/A
ステージI		16.6	26.4	-	29.3	-	-	-	-	N/A
ステージII		19.5	21.0	-	15.0	-	-	-	-	N/A
ステージIII		21.8	22.0	-	N/A	-	-	-	-	N/A
ステージIV		17.9	42.8	-	16.7	-	-	-	-	N/A
不明		16.9	18.9	-	23.0	-	-	-	-	25.0
計		17.8	24.4	-	20.0	-	-	-	-	25.0
結腸の悪性新生物	(人)	946	36	-	19	-	-	-	-	2
ステージ0		11.2	14.0	-	N/A	-	-	-	-	N/A
ステージI		13.7	7.9	-	N/A	-	-	-	-	N/A
ステージII		18.4	15.0	-	55.0	-	-	-	-	N/A
ステージIII		11.8	33.1	-	54.5	-	-	-	-	N/A
ステージIV		14.2	14.7	-	53.0	-	-	-	-	N/A
不明		16.1	39.2	-	20.7	-	-	-	-	11.5
計		14.1	23.1	-	36.6	-	-	-	-	11.5
直腸の悪性新生物	(人)	523	7	-	12	-	-	-	-	0
ステージ0		10.1	9.0	-	N/A	-	-	-	-	N/A
ステージI		14.1	N/A	-	N/A	-	-	-	-	N/A
ステージII		21.7	36.5	-	41.0	-	-	-	-	N/A
ステージIII		15.4	7.7	-	25.0	-	-	-	-	N/A
ステージIV		10.4	N/A	-	21.5	-	-	-	-	N/A
不明		13.6	18.0	-	12.4	-	-	-	-	N/A
計		13.8	17.6	-	19.8	-	-	-	-	N/A
気管支および肺の悪性新生物	(人)	518	10	-	9	-	-	-	-	6
ステージ0		N/A	N/A	-	N/A	-	-	-	-	N/A
ステージI		10.3	N/A	-	N/A	-	-	-	-	N/A
ステージII		11.2	17.0	-	N/A	-	-	-	-	N/A
ステージIII		17.9	23.3	-	N/A	-	-	-	-	43.0
ステージIV		19.8	47.0	-	12.5	-	-	-	-	2.0
不明		10.3	29.3	-	7.6	-	-	-	-	28.5
計		15.4	27.4	-	9.8	-	-	-	-	26.5
急性心筋梗塞	(人)	289	11	-	4	-	-	-	-	6
Killip I		12.0	12.8	-	23.0	-	-	-	-	N/A
Killip II		15.9	8.0	-	41.0	-	-	-	-	2.0
Killip III		22.2	18.0	-	36.0	-	-	-	-	12.0
Killip IV		20.2	16.3	-	N/A	-	-	-	-	1.0
不明		6.2	N/A	-	N/A	-	-	-	-	N/A
計		14.8	13.8	-	34.0	-	-	-	-	3.0
肺炎	(人)	1,858	137	-	355	-	-	-	-	50
軽症		12.1	8.3	-	10.8	-	-	-	-	17.4
中等症		19.0	31.3	-	13.6	-	-	-	-	20.2
重症		19.7	23.3	-	19.5	-	-	-	-	25.5
不明		6.0	N/A	-	5.7	-	-	-	-	N/A
計		15.0	17.1	-	8.3	-	-	-	-	22.3
喘息	(人)	274	24	-	38	-	-	-	-	0
軽症間欠型		7.3	5.4	-	5.7	-	-	-	-	N/A
軽症持続型		8.7	4.0	-	8.5	-	-	-	-	N/A
中等症持続型		9.2	10.0	-	5.0	-	-	-	-	N/A
重症持続型		10.1	22.5	-	7.5	-	-	-	-	N/A
不明		9.0	N/A	-	N/A	-	-	-	-	N/A
計		8.6	7.3	-	6.5	-	-	-	-	N/A
脳梗塞	(人)	1,184	48	-	31	-	-	-	-	34
JCS 0-1		17.7	18.6	-	12.4	-	-	-	-	17.6
JCS 2-3		26.3	17.5	-	37.5	-	-	-	-	8.7
JCS 10-100		32.1	55.5	-	35.3	-	-	-	-	25.0

【重症度別集計】表

	(単位:日)	平均	病院コード								
			1047	1069	1129	1167	1201	1202	1501	1502	
胃の悪性新生物	(人)	578	-	31	-	-	-	-	-	-	-
ステージ0		8.3	-	9.0	-	-	-	-	-	-	-
ステージI		16.6	-	10.0	-	-	-	-	-	-	-
ステージII		19.5	-	29.6	-	-	-	-	-	-	-
ステージIII		21.8	-	9.0	-	-	-	-	-	-	-
ステージIV		17.9	-	19.3	-	-	-	-	-	-	-
不明		16.9	-	18.6	-	-	-	-	-	-	-
計		17.8	-	16.8	-	-	-	-	-	-	-
結腸の悪性新生物	(人)	946	-	119	-	-	-	-	-	-	-
ステージ0		11.2	-	3.8	-	-	-	-	-	-	-
ステージI		13.7	-	8.3	-	-	-	-	-	-	-
ステージII		18.4	-	6.6	-	-	-	-	-	-	-
ステージIII		11.8	-	8.4	-	-	-	-	-	-	-
ステージIV		14.2	-	7.4	-	-	-	-	-	-	-
不明		16.1	-	N/A	-	-	-	-	-	-	-
計		14.1	-	7.6	-	-	-	-	-	-	-
直腸の悪性新生物	(人)	523	-	104	-	-	-	-	-	-	-
ステージ0		10.1	-	6.8	-	-	-	-	-	-	-
ステージI		14.1	-	5.3	-	-	-	-	-	-	-
ステージII		21.7	-	6.3	-	-	-	-	-	-	-
ステージIII		15.4	-	7.6	-	-	-	-	-	-	-
ステージIV		10.4	-	4.3	-	-	-	-	-	-	-
不明		13.6	-	23.7	-	-	-	-	-	-	-
計		13.8	-	5.7	-	-	-	-	-	-	-
気管支および肺の悪性新生物	(人)	518	-	2	-	-	-	-	-	-	-
ステージ0		N/A	-	N/A	-	-	-	-	-	-	-
ステージI		10.3	-	N/A	-	-	-	-	-	-	-
ステージII		11.2	-	N/A	-	-	-	-	-	-	-
ステージIII		17.9	-	N/A	-	-	-	-	-	-	-
ステージIV		19.8	-	68.0	-	-	-	-	-	-	-
不明		10.3	-	N/A	-	-	-	-	-	-	-
計		15.4	-	68.0	-	-	-	-	-	-	-
急性心筋梗塞	(人)	289	-	2	-	-	-	-	-	-	-
Killip I		12.0	-	N/A	-	-	-	-	-	-	-
Killip II		15.9	-	N/A	-	-	-	-	-	-	-
Killip III		22.2	-	N/A	-	-	-	-	-	-	-
Killip IV		20.2	-	21.5	-	-	-	-	-	-	-
不明		6.2	-	N/A	-	-	-	-	-	-	-
計		14.8	-	21.5	-	-	-	-	-	-	-
肺炎	(人)	1,858	-	78	-	-	-	-	-	-	-
軽症		12.1	-	11.0	-	-	-	-	-	-	-
中等症		19.0	-	11.3	-	-	-	-	-	-	-
重症		19.7	-	24.2	-	-	-	-	-	-	-
不明		6.0	-	N/A	-	-	-	-	-	-	-
計		15.0	-	19.7	-	-	-	-	-	-	-
喘息	(人)	274	-	10	-	-	-	-	-	-	-
軽症間欠型		7.3	-	N/A	-	-	-	-	-	-	-
軽症持続型		8.7	-	18.5	-	-	-	-	-	-	-
中等症持続型		9.2	-	15.8	-	-	-	-	-	-	-
重症持続型		10.1	-	N/A	-	-	-	-	-	-	-
不明		9.0	-	N/A	-	-	-	-	-	-	-
計		8.6	-	16.9	-	-	-	-	-	-	-
脳梗塞	(人)	1,184	-	2	-	-	-	-	-	-	-
JCS 0-1		17.7	-	10.5	-	-	-	-	-	-	-
JCS 2-3		26.3	-	N/A	-	-	-	-	-	-	-
JCS 10-100		32.1	-	N/A	-	-	-	-	-	-	-

【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	59.4	52.0	15.7	N/A	29.2	N/A	3.0	45.2	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	22.1	22.8	21.2	21.7	19.4	23.3	24.4	31.5	-
脳出血	(人)	480	21	216	3	153	1	21	12	-
	JCS 0-1	25.0	19.9	26.3	43.0	27.8	N/A	16.7	12.1	-
	JCS 2-3	31.6	14.0	35.5	N/A	23.7	N/A	38.4	6.0	-
	JCS 10-100	37.3	44.0	35.4	5.0	29.7	N/A	75.7	27.0	-
	JCS 200-300	31.9	103.0	33.6	2.0	32.8	54.0	26.0	3.0	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	30.2	31.6	31.9	16.7	28.1	54.0	42.9	12.1	-
糖尿病	(人)	348	59	29	7	64	64	29	26	-
	軽症	15.7	15.2	16.0	18.5	14.1	16.5	18.9	17.3	-
	中等症	17.4	13.4	13.8	18.0	14.1	21.4	22.7	16.0	-
	重症	14.6	7.0	N/A	N/A	10.8	19.8	27.2	13.0	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	16.0	13.8	15.7	18.3	13.2	19.1	22.6	16.8	-
大腿骨頸部骨折	(人)	393	122	0	1	121	1	2	24	-
	重症度Ⅰ	26.3	27.9	N/A	N/A	25.9	28.0	N/A	30.6	-
	重症度Ⅱ	27.6	32.3	N/A	N/A	21.8	N/A	N/A	26.7	-
	重症度Ⅲ	33.3	39.9	N/A	N/A	29.2	N/A	N/A	35.8	-
	重症度Ⅳ	31.0	46.7	N/A	57.0	20.4	N/A	N/A	N/A	-
	不明	15.5	N/A	N/A	N/A	N/A	N/A	15.5	N/A	-
	計	28.3	31.0	N/A	57.0	25.0	28.0	15.5	32.7	-
胃潰瘍	(人)	138	18	12	1	24	15	4	25	-
	ショックなし(収縮期血圧90mmHg以上)	12.7	14.6	13.3	19.0	10.0	9.1	7.5	16.5	-
	ショックあり(収縮期血圧90mmHg未満)	16.4	45.0	N/A	N/A	13.0	11.0	N/A	13.0	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	13.1	18.0	13.3	19.0	10.2	9.3	7.5	16.1	-
急性腸炎	(人)	559	113	43	23	46	60	44	59	-
	血便なし	6.9	5.8	6.3	7.7	7.8	7.1	9.2	7.9	-
	血便あり	8.9	9.3	9.0	N/A	6.6	10.0	15.0	8.6	-
	不明	7.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	7.1	6.2	6.8	7.7	7.7	7.3	10.1	7.9	-
急性虫垂炎	(人)	377	71	11	0	81	46	23	75	-
	白血球15000/mm3未満	7.7	7.9	9.4	N/A	6.0	8.3	5.5	7.5	-
	白血球15000/mm3以上	8.0	8.3	10.0	N/A	7.4	7.0	8.8	7.4	-
	不明	7.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	7.8	8.0	9.5	N/A	6.4	8.0	7.0	7.5	-
胆石症	(人)	955	138	42	9	200	130	68	198	-
	黄疸なし(T Bill 5mg/dl 未満)	11.8	10.7	16.5	10.9	9.0	13.9	13.5	11.5	-
	黄疸あり(T Bill 5mg/dl 以上)	14.8	14.7	20.9	30.0	15.0	13.2	8.0	11.9	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	12.1	11.3	17.2	13.0	9.2	13.8	13.5	11.5	-
前立腺肥大症	(人)	54	22	0	0	0	3	1	28	-
	前立腺容積20ml未満	7.0	7.0	N/A	N/A	N/A	N/A	N/A	N/A	-
	前立腺容積50ml未満	10.5	6.7	N/A	N/A	N/A	N/A	N/A	12.6	-
	前立腺容積50ml以上	8.8	7.2	N/A	N/A	N/A	6.0	N/A	10.0	-
	不明	8.0	8.8	N/A	N/A	N/A	10.0	4.0	4.0	-
	計	9.2	7.4	N/A	N/A	N/A	8.7	4.0	10.8	-
白内障	(人)	588	278	0	0	0	0	0	0	-
	1眼(処置対象のもの)	2.4	1.7	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	5.0	5.0	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	2.4	1.7	N/A	N/A	N/A	N/A	N/A	N/A	-
痔核	(人)	109	4	1	5	17	60	3	3	-
	第一度(出血のみ)	5.5	6.5	8.0	2.5	4.3	7.4	7.0	3.0	-
	第二度(還納可能)	8.7	N/A	N/A	N/A	5.0	10.9	5.5	N/A	-
	第三度(脱肛)	9.1	4.5	N/A	N/A	6.3	10.6	N/A	9.0	-
	不明	3.0	N/A	N/A	2.0	4.0	N/A	N/A	N/A	-
	計	7.9	5.5	8.0	2.4	5.5	10.1	6.0	7.0	-
子宮筋腫	(人)	115	83	17	0	0	0	0	2	-
	貧血なし(Hb10g/dl以上)	7.4	7.3	8.6	N/A	N/A	N/A	N/A	8.0	-
	貧血あり(Hb10g/dl未満)	8.5	8.6	8.8	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	7.6	7.5	8.6	N/A	N/A	N/A	N/A	8.0	-
狭心症	(人)	1,649	177	124	1	335	198	155	598	-
	重症度の指標なし	4.4	3.4	4.5	5.0	5.8	6.4	3.5	3.3	-
	計	4.4	3.4	4.5	5.0	5.8	6.4	3.5	3.3	-
腎結石及び尿管結石	(人)	352	155	1	3	11	81	4	94	-
	水腎・水尿管なし	4.0	3.4	2.0	4.5	15.3	2.5	5.5	4.1	-
	水腎・水尿管あり	4.4	3.2	N/A	2.0	14.7	4.8	N/A	4.8	-

【重症度別集計】表

		平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
脳梗塞	JCS 200-300	59.4	1.0	-	834.0	-	-	-	-	97.0
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	22.1	19.5	-	49.6	-	-	-	-	19.8
脳出血	(人)	480	21	-	9	-	-	-	-	21
	JCS 0-1	25.0	21.6	-	13.4	-	-	-	-	19.8
	JCS 2-3	31.6	22.0	-	55.3	-	-	-	-	42.8
	JCS 10-100	37.3	33.9	-	N/A	-	-	-	-	43.7
	JCS 200-300	31.9	27.8	-	N/A	-	-	-	-	1.3
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	30.2	27.0	-	32.0	-	-	-	-	25.0
糖尿病	(人)	348	5	-	34	-	-	-	-	9
	軽症	15.7	11.7	-	6.8	-	-	-	-	23.8
	中等症	17.4	12.0	-	10.1	-	-	-	-	30.4
	重症	14.6	27.0	-	15.0	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	16.0	14.8	-	9.6	-	-	-	-	27.4
大腿骨頸部骨折	(人)	393	20	-	95	-	-	-	-	7
	重症度Ⅰ	26.3	31.8	-	21.0	-	-	-	-	6.0
	重症度Ⅱ	27.6	44.5	-	21.9	-	-	-	-	7.3
	重症度Ⅲ	33.3	28.0	-	33.6	-	-	-	-	9.0
	重症度Ⅳ	31.0	N/A	-	32.8	-	-	-	-	N/A
	不明	15.5	N/A	-	N/A	-	-	-	-	N/A
計	28.3	33.8	-	28.3	-	-	-	-	7.1	
胃潰瘍	(人)	138	8	-	10	-	-	-	-	1
	ショックなし(収縮期血圧90mmHg以上)	12.7	10.5	-	12.7	-	-	-	-	19.0
	ショックあり(収縮期血圧90mmHg未満)	16.4	N/A	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	13.1	10.5	-	12.7	-	-	-	-	19.0	
急性腸炎	(人)	559	32	-	74	-	-	-	-	3
	血便なし	6.9	3.7	-	5.9	-	-	-	-	15.0
	血便あり	8.9	N/A	-	5.3	-	-	-	-	N/A
	不明	7.0	N/A	-	N/A	-	-	-	-	N/A
計	7.1	3.7	-	5.8	-	-	-	-	15.0	
急性虫垂炎	(人)	377	16	-	16	-	-	-	-	1
	白血球15000/mm3未満	7.7	8.2	-	15.4	-	-	-	-	2.0
	白血球15000/mm3以上	8.0	7.7	-	11.0	-	-	-	-	N/A
	不明	7.0	N/A	-	N/A	-	-	-	-	N/A
計	7.8	8.1	-	13.8	-	-	-	-	2.0	
胆石症	(人)	955	54	-	30	-	-	-	-	1
	黄疸なし(T Bill 5mg/dl 未満)	11.8	8.8	-	19.9	-	-	-	-	20.0
	黄疸あり(T Bill 5mg/dl 以上)	14.8	10.0	-	11.3	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	12.1	8.9	-	19.0	-	-	-	-	20.0	
前立腺肥大症	(人)	54	0	-	0	-	-	-	-	0
	前立腺容積20ml未満	7.0	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml未満	10.5	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml以上	8.8	N/A	-	N/A	-	-	-	-	N/A
	不明	8.0	N/A	-	N/A	-	-	-	-	N/A
計	9.2	N/A	-	N/A	-	-	-	-	N/A	
白内障	(人)	588	109	-	201	-	-	-	-	0
	1眼(処置対象のもの)	2.4	3.7	-	2.7	-	-	-	-	N/A
	2眼(処置対象のもの)	5.0	N/A	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	2.4	3.7	-	2.7	-	-	-	-	N/A	
痔核	(人)	109	7	-	4	-	-	-	-	0
	第一度(出血のみ)	5.5	N/A	-	3.7	-	-	-	-	N/A
	第二度(還納可能)	8.7	2.5	-	6.0	-	-	-	-	N/A
	第三度(脱肛)	9.1	5.8	-	N/A	-	-	-	-	N/A
	不明	3.0	N/A	-	N/A	-	-	-	-	N/A
計	7.9	4.9	-	4.3	-	-	-	-	N/A	
子宮筋腫	(人)	115	13	-	0	-	-	-	-	0
	貧血なし(Hb10g/dl以上)	7.4	6.6	-	N/A	-	-	-	-	N/A
	貧血あり(Hb10g/dl未満)	8.5	5.0	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	7.6	6.5	-	N/A	-	-	-	-	N/A	
狭心症	(人)	1,649	59	-	1	-	-	-	-	0
	重症度の指標なし	4.4	5.1	-	117.0	-	-	-	-	N/A
	計	4.4	5.1	-	117.0	-	-	-	-	N/A
腎結石及び尿管結石	(人)	352	1	-	1	-	-	-	-	0
	水腎・水尿管なし	4.0	7.0	-	N/A	-	-	-	-	N/A
	水腎・水尿管あり	4.4	N/A	-	12.0	-	-	-	-	N/A

【重症度別集計】表

		平均	病院コード							
			1047	1069	1129	1167	1201	1202	1501	1502
脳梗塞	JCS 200-300	59.4	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
	計	22.1	-	10.5	-	-	-	-	-	-
脳出血	(人)	480	-	2	-	-	-	-	-	-
	JCS 0-1	25.0	-	N/A	-	-	-	-	-	-
	JCS 2-3	31.6	-	N/A	-	-	-	-	-	-
	JCS 10-100	37.3	-	45.5	-	-	-	-	-	-
	JCS 200-300	31.9	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
	計	30.2	-	45.5	-	-	-	-	-	-
糖尿病	(人)	348	-	22	-	-	-	-	-	-
	軽症	15.7	-	22.7	-	-	-	-	-	-
	中等症	17.4	-	14.3	-	-	-	-	-	-
	重症	14.6	-	6.5	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
	計	16.0	-	17.1	-	-	-	-	-	-
大腿骨頸部骨折	(人)	393	-	0	-	-	-	-	-	-
	重症度Ⅰ	26.3	-	N/A	-	-	-	-	-	-
	重症度Ⅱ	27.6	-	N/A	-	-	-	-	-	-
	重症度Ⅲ	33.3	-	N/A	-	-	-	-	-	-
	重症度Ⅳ	31.0	-	N/A	-	-	-	-	-	-
	不明	15.5	-	N/A	-	-	-	-	-	-
計	28.3	-	N/A	-	-	-	-	-	-	
胃潰瘍	(人)	138	-	20	-	-	-	-	-	-
	ショックなし(収縮期血圧90mmHg以上)	12.7	-	13.5	-	-	-	-	-	-
	ショックあり(収縮期血圧90mmHg未満)	16.4	-	10.4	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	13.1	-	12.8	-	-	-	-	-	-	
急性腸炎	(人)	559	-	62	-	-	-	-	-	-
	血便なし	6.9	-	8.4	-	-	-	-	-	-
	血便あり	8.9	-	6.8	-	-	-	-	-	-
	不明	7.0	-	7.0	-	-	-	-	-	-
計	7.1	-	8.2	-	-	-	-	-	-	
急性虫垂炎	(人)	377	-	37	-	-	-	-	-	-
	白血球15000/mm3未満	7.7	-	8.5	-	-	-	-	-	-
	白血球15000/mm3以上	8.0	-	9.4	-	-	-	-	-	-
	不明	7.0	-	7.0	-	-	-	-	-	-
計	7.8	-	8.5	-	-	-	-	-	-	
胆石症	(人)	955	-	85	-	-	-	-	-	-
	黄疸なし(T Bill 5mg/dl 未満)	11.8	-	13.8	-	-	-	-	-	-
	黄疸あり(T Bill 5mg/dl 以上)	14.8	-	21.4	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	12.1	-	14.4	-	-	-	-	-	-	
前立腺肥大症	(人)	54	-	0	-	-	-	-	-	-
	前立腺容積20ml未満	7.0	-	N/A	-	-	-	-	-	-
	前立腺容積50ml未満	10.5	-	N/A	-	-	-	-	-	-
	前立腺容積50ml以上	8.8	-	N/A	-	-	-	-	-	-
	不明	8.0	-	N/A	-	-	-	-	-	-
計	9.2	-	N/A	-	-	-	-	-	-	
白内障	(人)	588	-	0	-	-	-	-	-	-
	1眼(処置対象のもの)	2.4	-	N/A	-	-	-	-	-	-
	2眼(処置対象のもの)	5.0	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	2.4	-	N/A	-	-	-	-	-	-	
痔核	(人)	109	-	5	-	-	-	-	-	-
	第一度(出血のみ)	5.5	-	3.0	-	-	-	-	-	-
	第二度(還納可能)	8.7	-	N/A	-	-	-	-	-	-
	第三度(脱肛)	9.1	-	9.0	-	-	-	-	-	-
	不明	3.0	-	3.0	-	-	-	-	-	-
計	7.9	-	6.6	-	-	-	-	-	-	
子宮筋腫	(人)	115	-	0	-	-	-	-	-	-
	貧血なし(Hb10g/dl以上)	7.4	-	N/A	-	-	-	-	-	-
	貧血あり(Hb10g/dl未満)	8.5	-	N/A	-	-	-	-	-	-
	不明	N/A	-	N/A	-	-	-	-	-	-
計	7.6	-	N/A	-	-	-	-	-	-	
狭心症	(人)	1,649	-	1	-	-	-	-	-	-
	重症度の指標なし	4.4	-	4.0	-	-	-	-	-	-
	計	4.4	-	4.0	-	-	-	-	-	-
腎結石及び尿管結石	(人)	352	-	1	-	-	-	-	-	-
	水腎・水尿管なし	4.0	-	3.0	-	-	-	-	-	-
	水腎・水尿管あり	4.4	-	N/A	-	-	-	-	-	-

