

# 【重症度別集計】表

## 絞込条件

対象年月設定: 201704 ~ 201803  
 病院の経営主体選択: 全て  
 【詳細】病床数: 下限なし ~ 上限なし  
 【詳細】手術の有無: 全て  
 【詳細】ステージ集約選択: 有り  
 【詳細】年代: 全て  
 【詳細】性別: 全て  
 【詳細】入院経路: 全て  
 並べ替え条件: 病院コード・昇順

## ■ 平均在院日数

(単位:日)	平均	病院コード							
		0003	0202	0203	0235	1001	1002	1003	1004
<b>胃の悪性新生物</b> (人)	491	69	57	9	30	84	24	173	-
ステージ0	29.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
ステージI	15.4	19.0	18.3	N/A	15.1	14.6	9.7	13.8	-
ステージII	22.0	21.7	38.0	N/A	17.3	10.2	13.0	22.7	-
ステージIII	29.0	15.6	47.0	N/A	42.6	35.5	15.8	19.7	-
ステージIV	17.3	17.3	31.5	N/A	14.8	10.7	14.6	14.7	-
不明	14.8	6.0	26.7	14.3	N/A	19.5	17.0	5.0	-
計	18.6	16.7	28.5	14.3	19.8	14.7	14.3	16.1	-
<b>結腸の悪性新生物</b> (人)	755	86	47	5	119	255	56	137	-
ステージ0	7.9	N/A	34.0	N/A	5.0	7.0	4.7	6.0	-
ステージI	14.1	8.3	13.0	3.0	15.4	17.2	14.0	16.6	-
ステージII	17.8	14.1	30.3	N/A	21.6	15.9	19.5	16.6	-
ステージIII	13.5	14.5	25.8	N/A	16.5	6.7	19.9	19.5	-
ステージIV	17.4	21.4	39.8	N/A	22.4	11.1	18.9	16.5	-
不明	11.7	11.4	2.7	22.5	7.3	9.3	5.4	13.7	-
計	15.2	15.5	27.1	18.6	18.8	10.1	14.8	17.1	-
<b>直腸の悪性新生物</b> (人)	424	21	21	3	100	150	20	91	-
ステージ0	12.1	N/A	17.5	N/A	20.5	8.0	N/A	7.4	-
ステージI	18.9	5.8	17.0	N/A	19.1	16.3	19.8	21.1	-
ステージII	15.6	10.3	N/A	16.0	18.4	11.5	21.0	16.9	-
ステージIII	17.8	16.0	13.6	31.0	24.9	10.2	18.4	15.4	-
ステージIV	10.6	11.7	24.6	N/A	13.8	6.1	8.0	18.1	-
不明	12.1	11.0	N/A	7.0	24.0	6.0	7.0	12.3	-
計	14.4	11.6	16.9	18.0	18.6	7.9	16.1	16.7	-
<b>気管支および肺の悪性新生物</b> (人)	515	12	2	3	184	74	36	188	-
ステージ0	6.3	N/A	N/A	N/A	7.0	6.0	N/A	5.0	-
ステージI	9.6	N/A	N/A	N/A	8.1	7.4	5.2	16.6	-
ステージII	15.3	N/A	10.0	N/A	9.9	8.5	23.6	19.9	-
ステージIII	15.7	9.0	N/A	N/A	6.5	5.7	23.0	22.1	-
ステージIV	19.1	30.6	N/A	N/A	9.5	21.3	13.9	24.6	-
不明	8.7	23.5	N/A	8.0	2.5	8.3	15.8	5.0	-
計	14.6	27.6	10.0	8.0	7.8	15.3	13.8	20.1	-
<b>急性心筋梗塞</b> (人)	306	16	18	4	81	64	19	69	-
Killip I	11.0	15.1	11.7	2.5	9.5	10.7	15.0	11.0	-
Killip II	15.7	4.0	23.5	N/A	18.1	15.9	12.1	14.8	-
Killip III	17.9	N/A	32.0	N/A	25.0	18.5	9.3	6.3	-
Killip IV	18.8	14.4	8.0	N/A	35.4	9.8	2.0	14.0	-
不明	4.2	N/A	1.0	1.0	1.0	1.0	N/A	10.7	-
計	13.4	14.2	15.6	1.8	14.0	14.4	11.3	11.5	-
<b>肺炎</b> (人)	1,687	175	139	119	299	134	218	144	-
軽症	13.0	13.2	17.4	14.9	9.9	12.9	13.1	19.5	-
中等症	20.2	17.8	28.2	29.1	15.2	14.3	18.9	10.6	-
重症	18.6	22.7	20.3	23.1	13.7	18.9	23.1	15.5	-
不明	5.5	N/A	N/A	N/A	N/A	N/A	N/A	6.9	-
計	15.4	19.6	20.7	19.9	12.5	16.3	19.6	14.1	-
<b>喘息</b> (人)	257	9	9	19	95	4	16	48	-
軽症間欠型	6.4	2.7	7.6	16.8	5.9	13.5	N/A	9.0	-
軽症持続型	8.3	26.7	16.3	8.6	6.9	N/A	3.7	N/A	-
中等症持続型	9.0	8.3	N/A	24.5	6.6	9.5	10.0	7.9	-
重症持続型	11.8	N/A	9.0	12.8	16.5	N/A	N/A	10.0	-
不明	12.6	N/A	N/A	N/A	13.0	N/A	N/A	N/A	-
計	8.5	12.6	10.7	16.2	7.1	11.5	8.8	8.8	-
<b>脳梗塞</b> (人)	1,218	45	624	6	266	4	68	65	-
JCS 0-1	17.7	22.5	16.3	38.0	14.3	30.0	19.3	26.3	-
JCS 2-3	25.2	37.0	24.1	63.0	23.8	N/A	21.5	39.9	-
JCS 10-100	33.4	50.0	32.6	50.5	25.5	N/A	44.0	44.8	-

# 【重症度別集計】表

	(単位:日)	平均	病院コード								
			1012	1013	1015	1018	1019	1025	1039	1046	
<b>胃の悪性新生物</b>	(人)	491	31	-	13	-	-	-	-	-	1
ステージ0		29.0	N/A	-	29.0	-	-	-	-	-	N/A
ステージI		15.4	18.2	-	18.0	-	-	-	-	-	7.0
ステージII		22.0	52.0	-	31.0	-	-	-	-	-	N/A
ステージIII		29.0	23.5	-	149.5	-	-	-	-	-	N/A
ステージIV		17.3	25.4	-	23.3	-	-	-	-	-	N/A
不明		14.8	16.6	-	19.0	-	-	-	-	-	N/A
計		18.6	23.0	-	42.8	-	-	-	-	-	7.0
<b>結腸の悪性新生物</b>	(人)	755	34	-	15	-	-	-	-	-	1
ステージ0		7.9	6.0	-	N/A	-	-	-	-	-	N/A
ステージI		14.1	13.5	-	N/A	-	-	-	-	-	N/A
ステージII		17.8	18.3	-	N/A	-	-	-	-	-	N/A
ステージIII		13.5	30.6	-	N/A	-	-	-	-	-	N/A
ステージIV		17.4	10.7	-	N/A	-	-	-	-	-	N/A
不明		11.7	6.8	-	20.1	-	-	-	-	-	7.0
計		15.2	14.9	-	20.1	-	-	-	-	-	7.0
<b>直腸の悪性新生物</b>	(人)	424	6	-	11	-	-	-	-	-	1
ステージ0		12.1	N/A	-	N/A	-	-	-	-	-	N/A
ステージI		18.9	28.0	-	N/A	-	-	-	-	-	N/A
ステージII		15.6	27.0	-	N/A	-	-	-	-	-	N/A
ステージIII		17.8	19.0	-	76.3	-	-	-	-	-	N/A
ステージIV		10.6	N/A	-	43.0	-	-	-	-	-	N/A
不明		12.1	N/A	-	12.7	-	-	-	-	-	21.0
計		14.4	24.8	-	35.5	-	-	-	-	-	21.0
<b>気管支および肺の悪性新生物</b>	(人)	515	15	-	1	-	-	-	-	-	0
ステージ0		6.3	N/A	-	N/A	-	-	-	-	-	N/A
ステージI		9.6	N/A	-	N/A	-	-	-	-	-	N/A
ステージII		15.3	N/A	-	N/A	-	-	-	-	-	N/A
ステージIII		15.7	73.0	-	N/A	-	-	-	-	-	N/A
ステージIV		19.1	19.3	-	13.0	-	-	-	-	-	N/A
不明		8.7	17.2	-	N/A	-	-	-	-	-	N/A
計		14.6	21.5	-	13.0	-	-	-	-	-	N/A
<b>急性心筋梗塞</b>	(人)	306	29	-	2	-	-	-	-	-	4
Killip I		11.0	12.4	-	N/A	-	-	-	-	-	30.0
Killip II		15.7	16.0	-	2.0	-	-	-	-	-	30.0
Killip III		17.9	17.5	-	21.0	-	-	-	-	-	N/A
Killip IV		18.8	61.0	-	N/A	-	-	-	-	-	1.0
不明		4.2	N/A	-	N/A	-	-	-	-	-	N/A
計		13.4	14.9	-	11.5	-	-	-	-	-	15.5
<b>肺炎</b>	(人)	1,687	107	-	304	-	-	-	-	-	48
軽症		13.0	10.5	-	10.5	-	-	-	-	-	18.2
中等症		20.2	19.8	-	13.2	-	-	-	-	-	33.3
重症		18.6	15.0	-	14.0	-	-	-	-	-	26.3
不明		5.5	N/A	-	5.3	-	-	-	-	-	N/A
計		15.4	12.6	-	8.1	-	-	-	-	-	24.4
<b>喘息</b>	(人)	257	25	-	30	-	-	-	-	-	2
軽症間欠型		6.4	5.1	-	5.7	-	-	-	-	-	N/A
軽症持続型		8.3	6.0	-	5.7	-	-	-	-	-	N/A
中等症持続型		9.0	4.5	-	6.0	-	-	-	-	-	N/A
重症持続型		11.8	38.0	-	12.0	-	-	-	-	-	N/A
不明		12.6	N/A	-	N/A	-	-	-	-	-	11.5
計		8.5	6.5	-	6.3	-	-	-	-	-	11.5
<b>脳梗塞</b>	(人)	1,218	59	-	56	-	-	-	-	-	25
JCS 0-1		17.7	17.8	-	25.2	-	-	-	-	-	23.3
JCS 2-3		25.2	25.1	-	29.2	-	-	-	-	-	N/A
JCS 10-100		33.4	38.5	-	23.3	-	-	-	-	-	45.0







# 【重症度別集計】表

		平均	病院コード							
			0003	0202	0203	0235	1001	1002	1003	1004
脳梗塞	JCS 200-300	24.3	36.0	16.4	128.0	12.0	N/A	7.3	34.5	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	21.0	28.1	19.7	61.3	17.8	30.0	21.0	29.6	-
脳出血	(人)	432	19	188	1	142	3	14	16	-
	JCS 0-1	21.5	11.7	20.3	N/A	22.5	43.0	37.0	18.5	-
	JCS 2-3	26.6	28.1	28.8	N/A	23.4	N/A	30.0	13.0	-
	JCS 10-100	37.7	64.1	37.5	29.0	30.7	1.0	41.0	23.0	-
	JCS 200-300	32.5	N/A	35.7	N/A	39.3	N/A	13.4	3.0	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	28.4	40.7	29.5	29.0	27.7	29.0	28.2	15.5	-
糖尿病	(人)	345	60	38	5	58	83	29	27	-
	軽症	15.2	12.3	12.3	29.6	8.8	21.3	18.0	13.7	-
	中等症	19.0	17.1	19.5	N/A	12.8	30.6	16.9	25.0	-
	重症	22.8	32.2	9.0	N/A	12.6	26.0	11.2	54.2	-
	不明	19.0	N/A	N/A	N/A	N/A	N/A	N/A	9.0	-
	計	17.2	14.7	15.8	29.6	10.7	23.2	16.3	22.3	-
大腿骨頸部骨折	(人)	379	73	1	0	131	2	3	53	-
	重症度Ⅰ	22.9	26.8	N/A	N/A	21.7	2.0	N/A	31.0	-
	重症度Ⅱ	30.4	40.3	49.0	N/A	25.1	N/A	N/A	35.6	-
	重症度Ⅲ	23.5	32.7	N/A	N/A	26.7	N/A	N/A	37.1	-
	重症度Ⅳ	25.8	27.5	N/A	N/A	21.0	59.0	N/A	30.4	-
	不明	27.5	N/A	N/A	N/A	16.0	N/A	18.7	N/A	-
	計	25.4	33.9	49.0	N/A	23.4	30.5	18.7	33.0	-
胃潰瘍	(人)	133	14	16	1	38	8	8	28	-
	ショックなし(収縮期血圧90mmHg以上)	12.7	14.4	13.1	50.0	7.7	11.6	22.1	13.3	-
	ショックあり(収縮期血圧90mmHg未満)	15.0	N/A	N/A	N/A	18.0	45.0	6.0	6.3	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	12.8	14.4	13.1	50.0	8.8	15.8	20.1	12.6	-
急性腸炎	(人)	487	103	44	20	63	49	52	53	-
	血便なし	6.8	5.5	5.7	6.4	9.7	7.3	8.4	7.6	-
	血便あり	7.7	11.4	3.5	N/A	5.9	7.6	10.1	8.8	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	6.8	5.9	5.6	6.4	9.0	7.3	8.6	7.7	-
急性虫垂炎	(人)	368	86	19	2	89	45	23	80	-
	白血球15000/mm3未満	7.1	7.6	7.9	2.0	6.6	8.5	7.7	6.1	-
	白血球15000/mm3以上	7.8	7.6	9.7	7.0	6.4	11.5	6.6	6.2	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	7.3	7.6	8.5	4.5	6.5	9.2	7.5	6.1	-
胆石症	(人)	910	101	56	9	228	175	43	230	-
	黄疸なし(T Bill 5mg/dl 未満)	10.4	10.8	19.9	13.4	8.5	11.3	15.0	8.4	-
	黄疸あり(T Bill 5mg/dl 以上)	15.0	12.3	11.0	12.0	9.1	16.8	23.7	18.3	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	10.8	11.0	19.1	13.2	8.5	12.3	15.6	8.9	-
前立腺肥大症	(人)	43	21	0	0	1	3	0	18	-
	前立腺容積20ml未満	8.2	8.0	N/A	N/A	N/A	N/A	N/A	8.3	-
	前立腺容積50ml未満	9.9	7.6	N/A	N/A	N/A	16.0	N/A	10.6	-
	前立腺容積50ml以上	8.4	7.8	N/A	N/A	N/A	4.5	N/A	10.7	-
	不明	56.7	5.3	N/A	N/A	292.0	N/A	N/A	27.0	-
	計	15.6	7.3	N/A	N/A	292.0	8.3	N/A	11.2	-
白内障	(人)	530	264	0	0	0	0	0	0	-
	1眼(処置対象のもの)	2.2	1.6	N/A	N/A	N/A	N/A	N/A	N/A	-
	2眼(処置対象のもの)	5.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	2.2	1.6	N/A	N/A	N/A	N/A	N/A	N/A	-
痔核	(人)	105	6	2	4	36	43	4	6	-
	第一度(出血のみ)	5.2	2.0	3.0	2.3	4.0	7.1	14.0	5.0	-
	第二度(還納可能)	7.7	6.5	2.0	N/A	6.6	9.0	N/A	4.5	-
	第三度(脱肛)	7.4	8.0	N/A	N/A	6.5	11.5	7.0	4.0	-
	不明	3.0	N/A	N/A	3.0	N/A	N/A	N/A	N/A	-
	計	7.1	5.5	2.5	2.5	6.1	9.3	8.8	4.3	-
子宮筋腫	(人)	118	76	21	0	0	0	0	5	-
	貧血なし(Hb10g/dl以上)	6.7	6.4	6.9	N/A	N/A	N/A	N/A	7.7	-
	貧血あり(Hb10g/dl未満)	6.9	6.4	9.0	N/A	N/A	N/A	N/A	9.0	-
	不明	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-
	計	6.8	6.4	7.5	N/A	N/A	N/A	N/A	8.2	-
狭心症	(人)	1,534	164	112	3	342	174	141	544	-
	重症度の指標なし	4.5	3.4	4.6	9.3	5.6	9.6	3.4	2.9	-
	計	4.5	3.4	4.6	9.3	5.6	9.6	3.4	2.9	-
腎結石及び尿管結石	(人)	306	148	0	1	3	85	3	59	-
	水腎・水尿管なし	4.3	4.6	N/A	N/A	12.0	5.0	2.5	3.3	-
	水腎・水尿管あり	4.1	3.5	N/A	8.0	15.0	4.8	3.0	3.6	-

# 【重症度別集計】表

		平均	病院コード							
			1012	1013	1015	1018	1019	1025	1039	1046
脳梗塞	JCS 200-300	24.3	33.7	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	21.0	22.0	-	25.8	-	-	-	-	27.6
脳出血	(人)	432	27	-	8	-	-	-	-	14
	JCS 0-1	21.5	21.5	-	24.0	-	-	-	-	21.2
	JCS 2-3	26.6	25.0	-	42.5	-	-	-	-	13.0
	JCS 10-100	37.7	39.2	-	N/A	-	-	-	-	60.0
	JCS 200-300	32.5	10.3	-	1.0	-	-	-	-	22.0
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
	計	28.4	26.8	-	25.8	-	-	-	-	22.9
糖尿病	(人)	345	10	-	25	-	-	-	-	10
	軽症	15.2	15.7	-	8.1	-	-	-	-	18.8
	中等症	19.0	12.0	-	12.5	-	-	-	-	30.0
	重症	22.8	84.0	-	10.6	-	-	-	-	30.0
	不明	19.0	19.5	-	N/A	-	-	-	-	21.3
	計	17.2	21.8	-	9.6	-	-	-	-	22.0
大腿骨頸部骨折	(人)	379	20	-	92	-	-	-	-	4
	重症度Ⅰ	22.9	20.8	-	14.6	-	-	-	-	N/A
	重症度Ⅱ	30.4	27.8	-	18.8	-	-	-	-	30.0
	重症度Ⅲ	23.5	19.5	-	17.3	-	-	-	-	N/A
	重症度Ⅳ	25.8	30.0	-	19.6	-	-	-	-	N/A
	不明	27.5	N/A	-	N/A	-	-	-	-	46.5
計	25.4	22.9	-	17.0	-	-	-	-	38.3	
胃潰瘍	(人)	133	5	-	13	-	-	-	-	2
	ショックなし(収縮期血圧90mmHg以上)	12.7	19.4	-	10.8	-	-	-	-	19.5
	ショックあり(収縮期血圧90mmHg未満)	15.0	N/A	-	8.0	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	12.8	19.4	-	10.6	-	-	-	-	19.5	
急性腸炎	(人)	487	35	-	64	-	-	-	-	4
	血便なし	6.8	5.7	-	5.4	-	-	-	-	7.8
	血便あり	7.7	N/A	-	4.2	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	6.8	5.7	-	5.3	-	-	-	-	7.8	
急性虫垂炎	(人)	368	12	-	11	-	-	-	-	1
	白血球15000/mm3未満	7.1	7.1	-	4.6	-	-	-	-	25.0
	白血球15000/mm3以上	7.8	7.0	-	23.0	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	7.3	7.1	-	7.9	-	-	-	-	25.0	
胆石症	(人)	910	44	-	23	-	-	-	-	1
	黄疸なし(T Bill 5mg/dl 未満)	10.4	9.1	-	12.2	-	-	-	-	8.0
	黄疸あり(T Bill 5mg/dl 以上)	15.0	7.0	-	11.0	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	10.8	9.0	-	12.2	-	-	-	-	8.0	
前立腺肥大症	(人)	43	0	-	0	-	-	-	-	0
	前立腺容積20ml未満	8.2	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml未満	9.9	N/A	-	N/A	-	-	-	-	N/A
	前立腺容積50ml以上	8.4	N/A	-	N/A	-	-	-	-	N/A
	不明	56.7	N/A	-	N/A	-	-	-	-	N/A
計	15.6	N/A	-	N/A	-	-	-	-	N/A	
白内障	(人)	530	77	-	189	-	-	-	-	0
	1眼(処置対象のもの)	2.2	3.6	-	2.6	-	-	-	-	N/A
	2眼(処置対象のもの)	5.0	N/A	-	5.0	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	2.2	3.6	-	2.6	-	-	-	-	N/A	
痔核	(人)	105	2	-	2	-	-	-	-	0
	第一度(出血のみ)	5.2	N/A	-	N/A	-	-	-	-	N/A
	第二度(還納可能)	7.7	N/A	-	2.0	-	-	-	-	N/A
	第三度(脱肛)	7.4	3.5	-	2.0	-	-	-	-	N/A
	不明	3.0	N/A	-	N/A	-	-	-	-	N/A
計	7.1	3.5	-	2.0	-	-	-	-	N/A	
子宮筋腫	(人)	118	16	-	0	-	-	-	-	0
	貧血なし(Hb10g/dl以上)	6.7	6.8	-	N/A	-	-	-	-	N/A
	貧血あり(Hb10g/dl未満)	6.9	8.0	-	N/A	-	-	-	-	N/A
	不明	N/A	N/A	-	N/A	-	-	-	-	N/A
計	6.8	7.1	-	N/A	-	-	-	-	N/A	
狭心症	(人)	1,534	52	-	2	-	-	-	-	0
	重症度の指標なし	4.5	4.1	-	7.0	-	-	-	-	N/A
	計	4.5	4.1	-	7.0	-	-	-	-	N/A
腎結石及び尿管結石	(人)	306	1	-	6	-	-	-	-	0
	水腎・水尿管なし	4.3	4.0	-	2.3	-	-	-	-	N/A
	水腎・水尿管あり	4.1	N/A	-	2.0	-	-	-	-	N/A

















