

## 脳梗塞のICD10別患者数

「病院情報の公表」に関する資料に準じて作成。

[http://www.prrism.com/dpc/byouinjyouho\\_koukai28.html](http://www.prrism.com/dpc/byouinjyouho_koukai28.html) (2016年度版)

[http://www.prrism.com/dpc/byouinjyouho\\_koukai29.html](http://www.prrism.com/dpc/byouinjyouho_koukai29.html) (2017年度版)

[https://www.prrism.com/dpc/byoinjoho\\_koukai30/byoinjoho\\_koukai30.html](https://www.prrism.com/dpc/byoinjoho_koukai30/byoinjoho_koukai30.html) (2018年度版)

[https://www.prrism.com/dpc/2019/byoinjoho/byoinjoho\\_koukai01.html](https://www.prrism.com/dpc/2019/byoinjoho/byoinjoho_koukai01.html) (2019年度版)

[https://www01.prrism.com/dpc/2020/byoinjoho/byoinjoho\\_koukai02.html](https://www01.prrism.com/dpc/2020/byoinjoho/byoinjoho_koukai02.html) (2020年度版)

[https://www01.prrism.com/dpc/2021/byoinjoho/byoinjoho\\_koukai03.html](https://www01.prrism.com/dpc/2021/byoinjoho/byoinjoho_koukai03.html) (2021年度版)

[https://www01.prrism.com/dpc/2022/byoinjoho/byoinjoho\\_koukai04.html](https://www01.prrism.com/dpc/2022/byoinjoho/byoinjoho_koukai04.html) (2022年度版)

使用するデータ 様式1

親様式のみを用いてカウントした患者数とする

統括診療情報番号が「0」で、様式1の病棟に関するフラグにおいて、「調査対象となる一般病棟への入院の有無」が「1」のレコードを1患者としてカウント。(統括診療情報番号がAおよびBのレコードは除外)

入院年月日に関わらず、当該期間に退院した患者である。

- ・ 年齢：親様式における様式1開始日時点
- ・ 在院日数：親様式の様式1開始日から様式1終了日までの日数  
(平成27年4月1日に入院し、平成27年4月2日に退院した患者の在院日数は2日)
- ・ 脳梗塞の病型別の患者数、平均在院日数、平均年齢、転院率を示す。
- ・ 最も医療資源を投入した傷病のICD10 (G45\$,G46\$,I63\$,I65\$,I66\$,I675,I679) 別に集計する。(平成30年度からはI63\$のみが対象)
- ・ 発症日から「3日以内」「その他」に分けた数値を記載する。
- ・ 「転院」については、退院先が「4他の病院・診療所への転院」とし、転院患者数/全退院数を転院率とする。
- ・ QIPでは少数集計値もそのまま掲載。

転院率について

下表では、転院率についてはICD10及び発症日別の集計を行っている。

例)

発症時期：3日以内 G45\$ 50例 転院率10% (=5/50)

発症時期：その他 G45\$ 20例 転院率30% (=6/20)

厚労省の説明資料では、分母の定義にあいまいさがあり、分母をこの例の場合いずれも70とするという解釈もある。

参照期間：2022年度

データ提出月数：12か月

発症時期：3日以内

| ICD10        | 症例数 | 症例数 (12か月換算) | 平均在院日数 | 転院率      | 平均年齢   |
|--------------|-----|--------------|--------|----------|--------|
| G45\$        | 25  | 25           | 4.480  | 4.000%   | 70.000 |
| I63\$        | 687 | 687          | 23.049 | 36.390%  | 77.082 |
| I65\$        | 6   | 6            | 9.167  | 0.000%   | 75.000 |
| I66\$        | 1   | 1            | 48.000 | 100.000% | 53.000 |
| I675         | 4   | 4            | 6.500  | 0.000%   | 50.250 |
| I679         |     |              |        |          |        |
| <b>合計/平均</b> | 723 | 723          | 18.239 | 28.078%  | 65.066 |

発症時期：その他

| ICD10 | 症例数 | 症例数 (12か月換算) | 平均在院日数 | 転院率 | 平均年齢 |
|-------|-----|--------------|--------|-----|------|
|       |     |              |        |     |      |

| ICD10 | 症例数 (12か月換算) | 平均在院日数 | 転院率 | 平均年齢 |
|-------|--------------|--------|-----|------|
| G45\$ |              |        |     |      |
| I63\$ |              |        |     |      |
| I65\$ |              |        |     |      |
| I66\$ |              |        |     |      |
| I675  |              |        |     |      |
| I679  |              |        |     |      |
| 合計/平均 |              |        |     |      |

|              |     |     |        |         |        |
|--------------|-----|-----|--------|---------|--------|
| G45\$        | 1   | 1   | 6.000  | 0.000%  | 59.000 |
| G46\$        |     |     |        |         |        |
| I63\$        | 45  | 45  | 25.867 | 57.778% | 76.067 |
| I65\$        | 30  | 30  | 13.567 | 3.333%  | 74.033 |
| I66\$        | 7   | 7   | 6.143  | 0.000%  | 60.571 |
| I675         | 23  | 23  | 15.261 | 0.000%  | 40.174 |
| <b>合計／平均</b> | 106 | 106 | 13.368 | 12.222% | 61.969 |

—— QIP全病院での参考値 ——

| ICD10        | 症例数   | 平均在院日数 | 転院率     | 平均年齢   |
|--------------|-------|--------|---------|--------|
| G45\$        | 2004  | 7.321  | 2.545%  | 73.474 |
| G46\$        | 26    | 21.615 | 26.923% | 73.846 |
| I63\$        | 34524 | 27.820 | 35.054% | 76.904 |
| I65\$        | 475   | 16.775 | 16.000% | 73.968 |
| I66\$        | 178   | 24.843 | 30.899% | 68.680 |
| I675         | 57    | 21.053 | 24.561% | 47.035 |
| I679         | 8     | 7.625  | 0.000%  | 72.250 |
| <b>合計／平均</b> | 37272 | 18.150 | 19.426% | 69.451 |

発症時期：その他

| ICD10        | 症例数  | 平均在院日数 | 転院率     | 平均年齢   |
|--------------|------|--------|---------|--------|
| G45\$        | 252  | 6.540  | 1.587%  | 72.079 |
| G46\$        | 3    | 67.667 | 0.000%  | 71.667 |
| I63\$        | 4607 | 38.474 | 27.827% | 76.247 |
| I65\$        | 2636 | 8.040  | 2.238%  | 73.220 |
| I66\$        | 344  | 25.134 | 8.140%  | 64.828 |
| I675         | 354  | 10.602 | 4.802%  | 40.119 |
| I679         | 9    | 10.778 | 11.111% | 50.889 |
| <b>合計／平均</b> | 8205 | 23.891 | 7.958%  | 64.150 |

[TOPへ戻る](#)

| ICD10 | 症例数 (12か月換算) | 平均在院日数 | 転院率 | 平均年齢 |
|-------|--------------|--------|-----|------|
| G45\$ |              |        |     |      |
| G46\$ |              |        |     |      |
| I63\$ |              |        |     |      |
| I65\$ |              |        |     |      |
| I66\$ |              |        |     |      |
| I675  |              |        |     |      |
| 合計/平均 |              |        |     |      |

| ICD10 | 症例数 | 平均在院日数 | 転院率 | 平均年齢 |
|-------|-----|--------|-----|------|
| G45\$ |     |        |     |      |
| G46\$ |     |        |     |      |
| I63\$ |     |        |     |      |
| I65\$ |     |        |     |      |
| I66\$ |     |        |     |      |
| I675  |     |        |     |      |
| I679  |     |        |     |      |
| 合計/平均 |     |        |     |      |

| ICD10 | 症例数 | 平均在院日数 | 転院率 | 平均年齢 |
|-------|-----|--------|-----|------|
| G45\$ |     |        |     |      |
| G46\$ |     |        |     |      |
| I63\$ |     |        |     |      |
| I65\$ |     |        |     |      |
| I66\$ |     |        |     |      |
| I675  |     |        |     |      |
| I679  |     |        |     |      |
| 合計/平均 |     |        |     |      |